

Facility: IPEC Unit 2		Date of Exam: 2-4-2019		Exam Level: RO <input type="checkbox"/> SRO <input type="checkbox"/>																						
Item Description				Initial																						
				a	b*	c*#																				
1.	Questions and answers are technically accurate and applicable to the facility.			SMF	JH	RO																				
2.	a. NRC K/As are referenced for all questions. b. Facility learning objectives are referenced as available. c. Correct answer explanation and distractor analysis provided (ES-401, D.2.g)			SMF	JH	RO																				
3.	SRO questions are appropriate in accordance with Section D.2.d of ES-401			SMF	JH	RO																				
4.	The sampling process was random and systematic. (If more than four RO or two SRO questions were repeated from the last two NRC licensing exams, consult the NRR/NRO OL program office).			SMF	JH	RO																				
5.	Question duplication from the licensee screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate. <input type="checkbox"/> The audit exam was systematically and randomly developed, or <input type="checkbox"/> the audit exam was completed before the license exam was started, or <input type="checkbox"/> the examinations were developed independently, or <input checked="" type="checkbox"/> the licensee certifies that there is no duplication, or <input type="checkbox"/> other (explain).			SMF	JH	RO																				
6.	Bank use meets limits (no more than 75% from the bank, at least 10% new, and the rest new or modified); enter the actual RO/SRO-only question distribution(s) at right.	Bank	Modified	New																						
		4/6 45/10	4/5/1	25/14	SMF	JH																				
7.	Between 38 and 45 questions of the questions on the RO exam and at least 13 questions of the questions on the SRO-only portion of the exam are written at the comprehension/analysis level (see ES-401, D.2.c); enter the actual RO/SRO-only question distribution(s) at right.	Memory	C/A		SMF																					
		31 35/4	44 40/21		SMF	JH																				
8.	References/handouts provided do not give away answers or aid in the elimination of distractors.			SMF	JH	RO																				
9.	Question content conforms to specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.			SMF	JH	RO																				
10.	Question psychometric quality and format meet the guidelines in Appendix B.			SMF	JH	RO																				
11.	The exam contains the required number of one-point, multiple-choice items; the total is correct and agrees with the value on the cover sheet.			SMF	JH	RO																				
<table border="0"> <thead> <tr> <th colspan="3">Printed Name/Signature</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>a. Author</td> <td>Tim Jenkins</td> <td></td> <td>11/14/18</td> </tr> <tr> <td>b. Facility Reviewer (*)</td> <td>David Schepperly</td> <td></td> <td>11/14/18</td> </tr> <tr> <td>c. NRC Chief Examiner (#)</td> <td>Peter Presley</td> <td></td> <td>11/26/18</td> </tr> <tr> <td>d. NRC Regional Supervisor</td> <td>DONALD JACKSON</td> <td></td> <td>11/26/18</td> </tr> </tbody> </table>							Printed Name/Signature			Date	a. Author	Tim Jenkins		11/14/18	b. Facility Reviewer (*)	David Schepperly		11/14/18	c. NRC Chief Examiner (#)	Peter Presley		11/26/18	d. NRC Regional Supervisor	DONALD JACKSON		11/26/18
Printed Name/Signature			Date																							
a. Author	Tim Jenkins		11/14/18																							
b. Facility Reviewer (*)	David Schepperly		11/14/18																							
c. NRC Chief Examiner (#)	Peter Presley		11/26/18																							
d. NRC Regional Supervisor	DONALD JACKSON		11/26/18																							
Note: * The facility reviewer's initials or signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initials items in Column "c"; chief examiner concurrence is required.																										