
***** G A M M A S P E C T R U M A N A L Y S I S *****

Filename: C:\GENIE2K\CAMFILES\UNC 2017\IMC Samples\IMC-1742\GFLU-1742-S

Report Generated On : 7/6/2017 10:09:57 AM

Sample Title : W3H-GFLU-1742-S-P-8

Sample Description :

Sample Identification : GFLU-1742-S-P-8

Sample Type :

Sample Geometry : cylinder

Peak Locate Threshold : 3.00

Peak Locate Range (in channels) : 40 - 8192

Peak Area Range (in channels) : 40 - 8192

Identification Energy Tolerance : 1.000 keV

Sample Size : 2.581E+002 grams

Sample Taken On : 6/7/2017 2:00:00 PM

Acquisition Started : 6/20/2017 12:01:03 PM

Live Time : 1800.0 seconds

Real Time : 1802.9 seconds

Dead Time : 0.16 %

Energy Calibration Used Done On : 4/13/2017

Efficiency Calibration Used Done On : 7/6/2017

Efficiency ID : H-IMC-2002-S-P-5

***** P E A K A N A L Y S I S R E P O R T *****

Detector Name: 8566

Sample Title: W3H-GFLU-1742-S-P-8

Peak Analysis Performed on: 7/6/2017 10:09:54 AM

Peak Analysis From Channel: 40

Peak Analysis To Channel: 8192

	Peak No.	ROI start	ROI end	Peak centroid	Energy (keV)	FWHM (keV)	Net Peak Area	Net Area Uncert.	Continuum Counts
M	1	295-	314	299.54	75.07	0.76	1.05E+002	40.30	9.55E+001
m	2	295-	314	308.29	77.26	0.77	8.73E+001	34.21	9.32E+001
F	3	345-	354	350.65	87.86	0.21	3.64E+001	3.44	4.50E+001
F	4	735-	750	741.75	185.73	0.95	1.13E+002	21.67	6.60E+001
F	5	948-	960	953.12	238.62	0.98	1.07E+002	21.72	4.88E+001
F	6	1172-	1184	1177.85	294.86	0.91	3.04E+001	13.84	3.38E+001
F	7	1399-	1412	1405.07	351.72	1.17	5.77E+001	16.66	2.52E+001
F	8	2322-	2335	2328.22	582.74	1.02	2.41E+001	13.56	3.03E+001
F	9	2426-	2443	2432.89	608.93	1.78	5.48E+001	17.18	2.40E+001
F	10	5823-	5847	5836.07	1460.55	2.80	1.40E+002	24.15	6.94E+000

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

 ***** N U C L I D E I D E N T I F I C A T I O N R E P O R T *****

Sample Title: W3H-GFLU-1742-S-P-8
 Nuclide Library Used: C:\GENIE2K\CAMFILES\UNC 2017 NLB 0328201

..... IDENTIFIED NUCLIDES

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/gram)	Activity Uncertainty
K-40	0.989	1460.82*	10.66	8.98458E+000	1.67854E+000
Pb-212	0.996	74.82*	10.28	8.93656E-001	3.62080E-001
		77.11*	17.10	4.35248E-001	1.80154E-001
		86.83	2.07		
		87.35*	3.97	7.27229E-001	1.14660E-001
		89.78	1.46		
		115.18	0.60		
		238.63*	43.60	2.91390E-001	6.61936E-002
		300.09	3.30		
BI-214	0.213	76.86*	0.55	1.36564E+001	5.66585E+000
		79.29	0.91		
		609.32*	45.49	3.74711E-001	1.20789E-001
		665.45	1.53		
		768.36	4.89		
		806.18	1.26		
		934.06	3.11		
		1120.29	14.92		
		1155.21	1.63		
		1238.11	5.83		
		1280.98	1.43		
		1377.67	3.99		
		1385.31	0.79		
		1401.52	1.33		
		1407.99	2.39		
		1509.21	2.13		
		1583.20	0.70		
		1661.27	1.05		
		1729.59	2.88		
		1764.49	15.30		
		1847.43	2.03		
		2118.51	1.16		
		2204.06	4.92		
		2447.70	1.55		
PB-214	0.843	74.82*	5.80	1.58393E+000	6.57218E-001
		77.11*	9.70	7.67293E-001	3.25017E-001
		86.83	1.70		
		87.35*	2.24	1.28888E+000	2.31098E-001
		89.78	0.82		
		241.99	7.25		
		258.76	0.53		
		295.22*	18.42	2.41616E-001	1.12201E-001
		351.93*	35.60	2.85176E-001	8.57847E-002

Nuclide Name	Id Confidence	Energy (keV)	Yield (%)	Activity (pCi/gram)	Activity Uncertainty
PB-214	0.843	785.96	1.06		
		839.07	0.58		
Ra-226	0.968	81.07	0.20		
		83.79	0.32		
		186.21*	3.64	2.99596E+000	6.54868E-001

* = Energy line found in the spectrum.

@ = Energy line not used for Weighted Mean Activity

Energy Tolerance : 1.000 keV

Nuclide confidence index threshold = 0.10

Errors quoted at 1.960 sigma

 ***** I N T E R F E R E N C E C O R R E C T E D R E P O R T *****

Nuclide Name	Nuclide Id Confidence	Wt mean Activity (pCi/gram)	Wt mean Activity Uncertainty
K-40	0.989	8.984575E+000	1.678545E+000
Pb-212	0.996	3.582433E-001	5.476107E-002
BI-214	0.213	3.731098E-001	1.207368E-001
PB-214	0.843	3.094300E-001	6.444842E-002
Ra-226	0.968	2.995956E+000	6.548684E-001

? = nuclide is part of an undetermined solution

X = nuclide rejected by the interference analysis

@ = nuclide contains energy lines not used in Weighted Mean Activity

Errors quoted at 1.960 sigma

***** U N I D E N T I F I E D P E A K S *****

Peak Locate Performed on: 7/6/2017 10:09:54 AM
 Peak Locate From Channel: 40
 Peak Locate To Channel: 8192

Peak No.	Energy (keV)	Peak Size in Counts per Second	Peak CPS % Uncertainty	Peak Type	Tol. Nuclide
F 8	582.74	1.3388E-002	56.28		

M = First peak in a multiplet region

m = Other peak in a multiplet region

F = Fitted singlet

Errors quoted at 1.960 sigma

***** N U C L I D E M D A R E P O R T *****

Detector Name: 8566
Sample Geometry: cylinder
Sample Title: W3H-GFLU-1742-S-P-8
Nuclide Library Used: C:\GENIE2K\CAMFILES\UNC 2017 NLB 0328201

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/gram)	Nuclide MDA (pCi/gram)	Activity (pCi/gram)	Dec. Leve (pCi/gram)
+	K-40	1460.82*	10.66	1.031E+000	1.03E+000	8.985E+000	4.288E-00
	Pb-210	46.54	4.25	2.096E+000	2.10E+000	1.629E+000	9.921E-00
	BI-212	727.33	6.67	2.365E+000	2.36E+000	4.150E-001	1.107E+00
		785.37	1.10	1.350E+001		-7.377E+000	6.265E+00
		1078.62	0.56	3.195E+001		-6.935E+000	1.471E+00
		1620.50	1.47	9.911E+000		-6.105E-001	4.267E+00
+	Pb-212	74.82*	10.28	4.082E-001	1.09E-001	8.937E-001	1.926E-00
		77.11*	17.10	2.375E-001		4.352E-001	1.120E-00
		86.83	2.07	2.387E+000		3.855E-001	1.141E+00
		87.35*	3.97	7.750E-001		7.272E-001	3.604E-00
		89.78	1.46	3.189E+000		6.743E-001	1.521E+00
		115.18	0.60	6.218E+000		-9.656E-001	2.935E+00
		238.63*	43.60	1.090E-001		2.914E-001	5.082E-00
		300.09	3.30	2.329E+000		-8.409E-001	1.103E+00
+	BI-214	76.86*	0.55	7.452E+000	1.93E-001	1.366E+001	3.514E+00
		79.29	0.91	6.464E+000		1.201E+000	3.107E+00
		609.32*	45.49	1.926E-001		3.747E-001	8.706E-00
		665.45	1.53	9.402E+000		7.987E+000	4.401E+00
		768.36	4.89	3.457E+000		1.486E+000	1.621E+00
		806.18	1.26	1.176E+001		-2.870E+000	5.443E+00
		934.06	3.11	5.115E+000		1.222E+000	2.356E+00
		1120.29	14.92	1.485E+000		3.573E-001	6.934E-00
		1155.21	1.63	1.085E+001		-2.306E+000	4.962E+00
		1238.11	5.83	3.612E+000		-1.205E-001	1.669E+00
		1280.98	1.43	1.216E+001		-2.124E-001	5.504E+00
		1377.67	3.99	4.069E+000		-4.969E-001	1.814E+00
		1385.31	0.79	2.016E+001		-2.739E-001	8.967E+00
		1401.52	1.33	1.330E+001		7.836E+000	5.982E+00
		1407.99	2.39	6.771E+000		-2.147E+000	3.012E+00
		1509.21	2.13	7.026E+000		1.483E+000	3.067E+00
		1583.20	0.70	2.649E+001		4.444E+000	1.184E+00
		1661.27	1.05	1.325E+001		2.703E+000	5.636E+00
		1729.59	2.88	5.191E+000		1.296E+000	2.222E+00
		1764.49	15.30	1.397E+000		1.181E+000	6.268E-00
		1847.43	2.03	9.128E+000		3.878E+000	4.000E+00
>		2118.51	1.16	0.000E+000		0.000E+000	0.000E+00
>		2204.06	4.92	0.000E+000		0.000E+000	0.000E+00
>		2447.70	1.55	0.000E+000		0.000E+000	0.000E+00
+	PB-214	74.82*	5.80	7.234E-001	1.40E-001	1.584E+000	3.414E-00
		77.11*	9.70	4.187E-001		7.673E-001	1.975E-00
		86.83	1.70	2.907E+000		4.694E-001	1.390E+00
		87.35*	2.24	1.374E+000		1.289E+000	6.388E-00

	Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/gram)	Nuclide MDA (pCi/gram)	Activity (pCi/gram)	Dec. Leve (pCi/gram)
+	PB-214	89.78	0.82	5.678E+000	1.40E-001	1.201E+000	2.709E+00
		241.99	7.25	1.162E+000		2.496E-002	5.582E-00
		258.76	0.53	1.135E+001		2.422E-002	5.347E+00
		295.22*	18.42	2.523E-001		2.416E-001	1.154E-00
		351.93*	35.60	1.399E-001		2.852E-001	6.324E-00
		785.96	1.06	1.381E+001		-5.696E+000	6.400E+00
		839.07	0.58	2.476E+001		-6.246E+000	1.140E+00
+	Ra-226	81.07	0.20	2.181E+001	1.30E+000	5.060E+000	1.033E+00
		83.79	0.32	1.481E+001		6.449E+000	7.063E+00
		186.21*	3.64	1.295E+000		2.996E+000	6.118E-00
	AC-228	89.96	1.90	3.956E+015	1.10E+015	3.504E+014	1.892E+01
		93.35	3.10	2.318E+015		-2.373E+015	1.107E+01
		99.51	1.26	4.480E+015		-2.015E+015	2.113E+01
		105.60	0.74	7.998E+015		-9.790E+014	3.784E+01
		129.07	2.42	2.554E+015		6.565E+014	1.209E+01
		153.98	0.72	9.044E+015		-2.287E+015	4.277E+01
		209.25	3.89	2.119E+015		1.884E+014	1.003E+01
		214.85	0.76	1.043E+016		-2.658E+015	4.917E+01
		270.24	3.46	2.853E+015		1.539E+015	1.346E+01
		328.00	2.95	4.198E+015		1.663E+015	1.984E+01
		338.32	11.27	1.102E+015		6.340E+014	5.200E+01
		409.46	1.92	6.461E+015		-1.522E+015	3.006E+01
		463.00	4.40	3.327E+015		-2.437E+015	1.553E+01
		562.50	0.87	1.920E+016		3.806E+014	8.914E+01
		674.75	2.10	9.363E+015		3.702E+015	4.341E+01
		726.86	0.62	3.910E+016		3.660E+015	1.831E+01
		755.32	1.00	2.365E+016		-1.533E+016	1.103E+01
		772.29	1.49	1.678E+016		-5.555E+015	7.844E+01
		794.95	4.25	5.490E+015		3.421E+014	2.549E+01
		830.49	0.54	3.949E+016		-9.510E+015	1.814E+01
		835.71	1.61	1.346E+016		-1.346E+015	6.188E+01
		840.38	0.91	2.515E+016		1.171E+015	1.161E+01
		904.20	0.77	3.433E+016		-6.802E+016	1.595E+01
		911.20	25.80	1.141E+015		7.786E+014	5.339E+01
		964.77	4.99	6.481E+015		6.380E+015	3.041E+01
		968.97	15.80	2.030E+015		9.326E+014	9.519E+01
		1247.08	0.50	5.679E+016		-2.599E+016	2.592E+01
		1459.14	0.83	7.981E+016		1.899E+017	3.820E+01
		1495.91	0.86	2.655E+016		6.021E+015	1.159E+01
		1588.20	3.22	9.271E+015		4.969E+015	4.161E+01
		1630.63	1.51	1.492E+016		-6.357E+015	6.424E+01
	TH-230	67.67	0.38	1.347E+001	1.35E+001	-4.327E+000	6.396E+00
	PA-234	742.81	0.11	1.368E+002	2.03E+001	-3.254E+001	6.364E+00
		766.42	0.32	5.226E+001		1.476E+001	2.447E+00
		1001.03	0.84	2.026E+001		4.025E-001	9.337E+00
	TH-234	63.29	3.70	1.553E+000	1.55E+000	5.077E-001	7.385E-00
		92.38	2.13	2.417E+000		3.828E+000	1.159E+00
		92.80	2.10	2.384E+000		2.208E+000	1.142E+00
		112.81	0.21	1.743E+001		-4.861E+000	8.222E+00
	U-234	53.20	0.12	5.293E+001	5.29E+001	-2.400E+001	2.499E+00
		120.90	0.04	1.046E+002		-1.271E+001	4.933E+00

Nuclide Name	Energy (keV)	Yield (%)	Line MDA (pCi/gram)	Nuclide MDA (pCi/gram)	Activity (pCi/gram)	Dec. Leve (pCi/gram)
U-235	89.96	3.43	1.425E+000	4.34E-001	1.262E-001	6.815E-00
	93.35	5.54	8.435E-001		-8.636E-001	4.027E-00
	104.82	0.69	5.645E+000		-5.763E-001	2.672E+00
	105.60	1.31	2.938E+000		-3.596E-001	1.390E+00
	108.58	0.50	7.662E+000		1.833E+000	3.624E+00
	109.19	1.66	2.244E+000		9.971E-002	1.060E+00
	143.76	10.96	4.342E-001		1.901E-001	2.070E-00
	163.36	5.08	8.078E-001		-3.532E-001	3.804E-00
	194.94	0.63	7.619E+000		2.418E+000	3.595E+00
	202.12	1.08	4.926E+000		9.047E-001	2.334E+00
	205.32	5.02	1.032E+000		-9.678E-001	4.877E-00

+ = Nuclide identified during the nuclide identification

* = Energy line found in the spectrum

> = MDA value not calculated

@ = Half-life too short to be able to perform the decay correction

 *** LINE ACTIVITY CONSISTENCY EVALUATOR ***

=====
 Analysis using Key Line Activities
 =====

Filename: C:\GENIE2K\CAMFILES\UNC 2017\IMC Samples\IMC-1742\GFLU-1742-S

Equation used to calculate plot: $\ln(\text{Ratio}) = A + B \cdot \ln(\text{Energy})$

where: Ratio = Activity/KL Activity

Notes:

'^' Denotes Key Line energy

* All uncertainties quoted at 1.96 sigma

Nuclide	Energy (keV)	Activity (pCi/gram)	Activity %Uncert*	Ratio[%Uncert]	A	B [uncert]
-----	-----	-----	-----	-----	-----	-----
K-40	1460.8 ^	8.98E+000	18.683			
Pb-212	74.8	8.94E-001	40.517	3.067[46.450]	4.31	-0.784 [0.360]
	77.1	4.35E-001	41.391	1.494[47.215]		
	87.3	7.27E-001	15.767	2.496[27.652]		
	238.6 ^	2.91E-001	22.717	1.000[32.126]		
BI-214	76.9	1.37E+001	41.489	36.445[52.540]	11.14	-1.737 [0.336]
	609.3 ^	3.75E-001	32.235	1.000[45.588]		
PB-214	74.8	1.58E+000	41.493	5.554[51.250]	6.05	-1.050 [0.300]
	77.1	7.67E-001	42.359	2.691[51.953]		
	87.3	1.29E+000	17.930	4.520[35.020]		
	295.2	2.42E-001	46.437	0.847[55.329]		
	351.9 ^	2.85E-001	30.081	1.000[42.541]		
Ra-226	186.2 ^	3.00E+000	21.858			