


Employee Name	DIANA PILLAJO
Current Asbestos License	6/30/2017
Current Asbestos Training	4/23/2017
Current Medical	4/23/2017
Current Respirator Fit Test	4/23/2017
Other	
10 Hour OSHA	4/12/2019
Polychlorinated Biphenyl	2/21/2016
Lead Awareness	2/21/2016
Confined Spaces	9/24/2016
Fall Protection- Ladder Safety	9/24/2016
PPE, Ergonomics & Hazard Asmt	10/28/2016



State of Connecticut

Lookup Detail View

Name

Name

DIANA PILLAJO

License Information

lookup

License Type	License Number	Expiration Date	Granted Date	License Name	License Status	Licensure Actions or Pending Charges
Asbestos Abatement Worker	11058	06/30/2017	03/27/2009	Diana Pillajo	ACTIVE	None

Generated on: 5/31/2016 10:59:07 AM



Environmental Compliance and Occupational Safety Training
44-01 21st St, 3rd Fl, Long Island City, NY 11101
Tel: (718) 349-3235 Fax: (718) 349-3238

HEREBY CERTIFIES THAT

Diana J. Pillajo

HAS COMPLETED A NYS DOH US EPA AHERA 8 HOURS COURSE ENTITLED

ASBESTOS WORKER-REFRESHER

(Spanish)


FOR THE PURPOSE OF TITLE 10 NYCRR PART 73 AND EP 40 FR PART 763 ACCREDITATION
THE OFFICIAL RECORD OF COMPLETION FOR THE COURSE IS THE NYS DOH FORM 2832

On this 23rd Day of April, 2016
Date(s) of course: 04/23/2016

Director: Nicolas Portela

Nicolas Portela

Expiration Date: 04/23/2017
Certificate #: 04232016AHRNY-13
Exam Date: 04/23/2016
Exam Grade: 96%



Medical evaluation for respiratory protection

In compliance with 29.CFR 1910.134 Respiratory Protection Standard and CFR 1926.1101
Asbestos Exposure in Construction

ANDO-MED, INC
44-01 21st St. 3rd Fl.
Long Island City, NY 11101
tel.:(718) 349-3235

All the information that you provide in this questionnaire is strictly confidential and will become part of your medical record.

Date:

4/23/16

Patient Information

Patient SSN: 551-69-8239	Sex: <input type="radio"/> M <input checked="" type="radio"/> F	Date of Birth: (mm/dd/yyyy) 06-16-79
Patient Name: (First/MI/Last) Diana J Pillajo		
Patient address: 80 Woolsey St. New Haven CT.		
telephone number: 203 5080884		

Examination

HEIGHT: 5'	WEIGHT: 180	BP: 116/84	PULSE: 83	RESP: 15
-------------------	--------------------	-------------------	------------------	-----------------

Have you ever had any respiratory problems:

shortness of breath: no

chest pain: no

wheezing: no

Tobacco:	Do you use tobacco?..... <input type="radio"/> Currently <input type="radio"/> Previously <input checked="" type="radio"/> Never
	If previously, when did you quit?..... How many per day?.....

The above named individual has been informed of the increased risk of lung cancer attributable to the combined effects of smoking and asbestos exposure.

Based upon medical examination which included pulmonary function test it is my opinion that the above named patient

IS

IS NOT

physically qualified to wear a respirator in the performance of his/her job.

Christina Crowe RN

print name of physician RN

NYS LIC #566137

Ch. A. Crowe

signature of physician RN



Safety & Environmental Training • Consulting

International, Inc.

QUALITATIVE RESPIRATORY FIT TEST

This Respirator Fit Test is valid for the period of twelve (12) months from the date of test.

Diana Pillajo

Name: _____

80 Woolsey St. #2 New Haven CT 06513

Address: _____

SSN: 551-69-8239 DOB: 6/16/1979 TEL: (203) 508-0884

RESPIRATORS TESTED - SUCCESSFUL TEST

Test Agent : 1. Irritant Smoke ✓ 2. Odorous Vapor _____ 3. Taste Test _____

HALF FACE MASK ONLY

BRAND NAME: (1) NORTH (2) M SIZE (1) 30-30-1 (2) _____

4/23/2016

042316-HF-CA - 09

TEST DATE: _____ FIT TEST NUMBER: _____

Confesor Acosta

Name of person performing respiratory fit test

Signature

ANDO International
44-01 21st Street, #301
Long Island City, NY 11101
Tel: (718) 349-3235

OTHERS



15-004735230

This card acknowledges that the recipient has successfully completed a
10-hour Occupational Safety and Health Training Course in
Construction Safety and Health

DIANA PILLAJO

Manuel Mederios

(Trainer name – print or type)

4/12/2014

(Course end date)

OSHA recommends Outreach Training Courses as an orientation to occupational safety and health for workers. Participation is voluntary. Workers must receive additional training on specific hazards of their job. This course completion card does not expire.

Use or distribution of this card for fraudulent purposes, including false claims of having received training, may result in prosecution under 18 U.S.C. 1001. Potential penalties include substantial criminal fines, imprisonment up to five years, or both.

For OSHA Outreach Training Program go to "Training" at www.osha.gov

Rev. 9/2009

Training Certificate

Diana Pillajo

Has successfully completed training course for

Polychlorinated biphenyl

**In accordance with 29 CFR 1910.1200
Presented in West Haven, CT**

The 21st Day of February 2015

Signed 

Certificate # 329-AIG-22115-15PCB

Training Certificate

Diana Pillajo


Has successfully completed a training course for

Lead Awareness

In accordance with 29 CFR 1926.62

Presented in West Haven, CT

The 21st Day of February, 2015

Signed 

Certificate # 329-AIG-022115-4

CERTIFICATE OF COMPLETION

Diana Pillajo

HAS DILIGENTLY AND WITH MERIT
COMPLETED TRAINING AND EVALUATION IN

OSHA 29 CFR §1910.146
Confined Space Entry Operations
September 24, 2015

Diana Pillajo, Trainee



National Safety Services

Safety Compliance Solutions


9241518

A handwritten signature of the trainer, written in black ink.

TRAINER

Carry this wallet ID
card at all times. →

Maintain this
certificate of
completion with your
training records
for 5 years.



National Safety Services, LLC, offers over **75 onsite safety training topics** that can be combined to create unique programs to meet your training needs.

For more information on these programs please visit us at www.ntlsaf.com
(800) 804-7584

- A line drawing showing a hand folding a card in half. The text 'Fold and peel back at top right corner.' is next to it.

1. Fold and peel back at top right corner.
- A line drawing showing a hand inserting a card into a clear panel. The card has 'BACK' written on it. The text 'Turn card over and place front of card face down into clear panel.' is next to it.

2. Turn card over and place front of card face down into clear panel.
- A line drawing showing a hand pushing a card back through a clear panel. The card has 'BACK' written on it. The text 'Push card back through clear panel, breaking perforation.' is next to it.

3. Push card back through clear panel, breaking perforation.

CERTIFICATE OF COMPLETION

Diana Pillajo

HAS DILIGENTLY AND WITH MERIT
COMPLETED TRAINING AND EVALUATION IN

OSHA 29 CFR §1910 Subpart D - Fall Protection
OSHA Subpart X 29 CFR §1926.1053 - Ladder Safety
September 24, 2015

Diana Pillajo, Trainee

9241518



TRAINER

Carry this wallet ID
card at all times. →

Maintain this
certificate of
completion with your
training records
for 5 years.



National Safety Services, LLC, offers over **75 onsite safety training topics** that can be combined to create
unique programs to meet your training needs.

For more information on these programs please visit us at www.ntlsaf.com
(800) 804-7584

1. Fold and peel back at top right corner.
2. Turn card over and place front of card face down into clear panel.
3. Push card back through clear panel, breaking perforation.



Diana Pillajo

has diligently and with merit completed
training and evaluation in
OSHA 29 CFR §1910
Personal Protective Equipment,
Ergonomics & Hazard Assessment

October 28, 2015



National Safety Services

Safety Compliance Solutions

www.ntlsaf.com (800) 804-7584

Adam R. Drummond
Trainer

October 28, 2015

Diana Pillajo
Trainee

EXPIRED



Environmental Compliance and Occupational Safety Training

44-01 21st St, 3rd Fl, Long Island City, NY 11101

Tel: (718) 349-3235 Fax: (718) 349-3238

HEREBY CERTIFIES THAT

Diana J. Pillajo

HAS COMPLETED A NYS DOH US EPA AHERA 8 HOURS COURSE ENTITLED

ASBESTOS WORKER-REFRESHER

(Spanish)

**FOR THE PURPOSE OF TITLE 10 NYCRR PART 73 AND EP 40 FR PART 763 ACCREDITATION
THE OFFICIAL RECORD OF COMPLETION FOR THE COURSE IS THE NYS DOH FORM 2832**

On this 2nd Day of May , 2015

Date(s) of course: 05/02/2015

Director: Nicolas Portela


Nicolas Portela

Expiration Date: 05/02/2016

Certificate #: 050215AHRNY-12

Exam Date: 05/02/2015

Exam Grade: 92%





Environmental Compliance and Occupational Safety Training

44-01 21st St, 3rd Fl, Long Island City, NY 11101

Tel: (718) 349-3235 Fax: (718) 349-3238

HEREBY CERTIFIES THAT

Diana J. Pillajo

HAS COMPLETED A NYS DOH US EPA AHERA 8 HOURS COURSE ENTITLED

ASBESTOS WORKER-REFRESHER

(Spanish)

FOR THE PURPOSE OF TITLE 10 NYCRR PART 73 AND EP 40 FR PART 763 ACCREDITATION
THE OFFICIAL RECORD OF COMPLETION FOR THE COURSE IS THE NYS DOH FORM 2832

On this 10th Day of May, 2014

Date(s) of course: 05/10/2014

Director: Nicolas Portela


Nicolas Portela

Expiration Date: 05/10/2015

Certificate #: 051014AHRNY-05

Exam Date: 05/10/2014

Exam Grade: 88%





Environmental Compliance and Occupational Safety Training
44-01 21st St, 3rd Fl, Long Island City, NY 11101
Tel: (718) 349-3235 Fax: (718) 349-3238

HEREBY CERTIFIES THAT

Diana J. Pillaio

HAS COMPLETED A NYS DOH US EPA AHERA 8 HOURS COURSE ENTITLED

ASBESTOS WORKER-REFRESHER


(Spanish)

FOR THE PURPOSE OF TITLE 10 NYCRR PART 73 AND EP 40 FR PART 763 ACCREDITATION
THE OFFICIAL RECORD OF COMPLETION FOR THE COURSE IS THE NYS DOH FORM 2832

On this 18th Day of May, 2013
Date(s) of course: 05/18/2013
Director: Nicolas Portela

Nicolas Portela

Expiration Date: 05/18/2014
Certificate #: 051813AHRNY-14
Exam Date: 05/18/2013
Exam Grade: 9/2 %





Environmental Compliance and Occupational Safety Training
44-01 21st St, 3rd Fl, Long Island City, NY 11101
Tel: (718) 349-3235 Fax: (718) 349-3238


HEREBY CERTIFIES THAT
Diana J. Pillajo
HAS COMPLETED A NYS DOH US EPA AHERA 8 HOURS COURSE ENTITLED
ASBESTOS WORKER-REFRESHER
(Spanish)

FOR THE PURPOSE OF TITLE 10 NYCRR PART 73 AND EP 40 FR PART 763 ACCREDITATION
THE OFFICIAL RECORD OF COMPLETION FOR THE COURSE IS THE NYS DOH FORM 2832

On this 19th Day of May, 2012
Date(s) of course: 05/19/2012

Director: Tomasz Chabowski

Expiration Date: 05/19/2013
Certificate #: 051912AHRNY-19
Exam Date: 5/19/2012
Exam Grade: 88%





Environmental Compliance and Occupational Safety Training

44-01 21st St, 3rd Fl, Long Island City, NY 11101

Tel: (718) 349-3235 Fax: (718) 349-3238

HEREBY CERTIFIES THAT

Diana J. Pillajo

HAS COMPLETED A NYS DOH US EPA AHERA 8 HOURS COURSE ENTITLED

ASBESTOS WORKER-REFRESHER

(Spanish)

**FOR THE PURPOSE OF TITLE 10 NYCRR PART 73 AND EP 40 FR PART 763 ACCREDITATION
THE OFFICIAL RECORD OF COMPLETION FOR THE COURSE IS THE NYS DOH FORM 2832**

On this 28th Day of May, 2011

Date(s) of course: 5/28/2011

Director: Nicolas Portela


Nicolas Portela

Expiration Date: 5/28/2012

Certificate #: 052811AHRNY-06

Exam Date: 05/28/2011

Exam Grade: 92%





Environmental Compliance and Occupational Safety Training
44-01 21st St, 3rd Fl, Long Island City, NY 11101
Tel: (718) 349-3235 Fax: (718) 349-3238

HEREBY CERTIFIES THAT

Diana Pillajo

HAS COMPLETED A NYS DOH US EPA AHERA 8-HOURS COURSE ENTITLED

ASBESTOS WORKER-REFRESHER
(Spanish)


FOR THE PURPOSE OF TITLE 10 NYCRR PART 73 AND EP 40 FR PART 763 ACCREDITATION
THE OFFICIAL RECORD OF COMPLETION FOR THE COURSE IS THE NYS DOH FORM 2852

On this 29th Day of May, 2010
Date(s) of course: 05/29/2010

Director: Nicolas Portela

Nicolas Portela

Expiration Date: 5/29/2011
Certificate #: 52910AHRNY-01
Exam Date: 5/29/2010
Exam Grade: 92%



32 HOUR ASBESTOS INITIAL



Environmental Compliance and Occupational Safety Training

44-01 21st Street, Long Island City, NY 11101

Tel: (718) 349-3235 Fax: (718) 349-3238

HEREBY CERTIFIES THAT

Diana Pillajo

HAS COMPLETED A NY S DOH/US EPA/ A.H.E.R.A. 32 HOUR COURSE ENTITLED

ASBESTOS HANDLER

(In Spanish)

**FOR THE PURPOSE OF TITLE 10 NYCRR PART 73/ AND EPA-40 C FR PART 763 ACCREDITATION
THE OFFICIAL RECORD OF COMPLETION OF THIS COURSE IS THE NYS DOH 2832 FORM
OF ASBESTOS SAFETY TRAINING**

On this 8th Day of February, 2009

Date(s) of course: 1/31-2/01,07,08/2009

Expiration Date: 2/08/2010

Certificate #: 020809AHNY-08

Exam Date: 2/08/2009

Director: Nicolas Portela

Nicolas Portela

Exam Grade: 72%

