


Employee Name	RICHARD FLORES
Current Asbestos License	12/31/2017
Current Asbestos Training	4/23/2017
Current Medical	4/23/2017
Current Respirator Fit Test	4/23/2017
Other	
10 Hour OSHA	8/31/2018
Polychlorinated Biphenyl	6/11/2017
Lead Awareness	6/11/2017



State of Connecticut

Lookup Detail View

Name

Name
RICHARD E FLORES ACEBO

License Information

lookup

License Type	License Number	Expiration Date	Granted Date	License Name	License Status	Licensure Actions or Pending Charges
Asbestos Abatement Worker	11351	12/31/2017	08/12/2009	RICHARD E FLORES ACEBO	ACTIVE	None

Generated on: 1/26/2017 11:46:09 AM



Environmental Compliance and Occupational Safety Training
44-01 21st St, 3rd Fl, Long Island City, NY 11101
Tel: (718) 349-3235 Fax: (718) 349-3238

HEREBY CERTIFIES THAT

Richard E. Flores Acebo
HAS SUCCESSFULLY COMPLETED US EPA AHERA 8 HOURS COURSE ENTITLED
ASBESTOS WORKER-REFRESHER

(In Spanish)

This course is accredited by the State of New York and is in accordance with the EPA Revised MAP
for accreditation under the TSCA Title II.

On this 23rd Day of April, 2016
Date(s) of course: 04/23/2016


Director: Nicolas Portela

Nicolas Portela

Expiration Date: 04/23/2017
Certificate #: 04232016AHRNY-22
Exam Date: 04/23/2016

Exam Grade:

92%



Medical evaluation for respiratory protection

In compliance with 29 CFR 1910.134 Respiratory Protection Standard and CFR 1926.1101
Asbestos Exposure in Construction

ANDO-MED, INC
44-01 21st St. 3rd Fl.
Long Island City, NY 11101
tel.:(718) 349-3235

All the information that you provide in this questionnaire is strictly confidential and will become part of your medical record.

Date:

09/23/16

Patient Information

Patient SSN:	Sex: <input checked="" type="radio"/> M <input type="radio"/> F	Date of Birth: (mm/dd/yyyy)
Patient Name: (First/MI/Last)		
RICHARD FLORES		12-08-73
Patient address:	25 FILMORE ST NEW HAVEN CT 1P1	
telephone number:	203-627-6899	

Examination

HEIGHT: 8 F	WEIGHT: 230 LB	BP: 129/70	PULSE: 84	RESP: 18
-------------	----------------	------------	-----------	----------

Have you ever had any respiratory problems:

shortness of breath: no

chest pain: no

wheezing: no

Tobacco:	Do you use tobacco?..... <input type="radio"/> Currently <input type="radio"/> Previously <input checked="" type="radio"/> Never
	If previously, when did you quit?..... How many per day?.....

The above named individual has been informed of the increased risk of lung cancer attributable to the combined effects of smoking and asbestos exposure.

Based upon medical examination which included pulmonary function test it is my opinion that the above named patient

IS

IS NOT

physically qualified to wear a respirator in the performance of his/her job.

Christina Cronin

print name of physician

NYS LIC # S66137

CL Newman

signature of physician



Safety & Environmental Training • Consulting

International, Inc.

QUALITATIVE RESPIRATORY FIT TEST

This Respirator Fit Test is valid for the period of twelve (12) months from the date of test.

Richard Flores Acebo

Name: _____

25 Filmore St. #1 New Haven CT 06513

Address: _____

SSN: 098-82-9234 DOB: 12/8/1973 TEL: (203) 627-6899

RESPIRATORS TESTED - SUCCESSFUL TEST

Test Agent : 1. Irritant Smoke ✓ 2. Odorous Vapor _____ 3. Taste Test _____

HALF FACE MASK ONLY

BRAND NAME: (1) NORTH (2) L SIZE (1) (2) _____

TEST DATE: 4/23/2016 FIT TEST NUMBER: 042316-HF-CA-10

Name of person performing respiratory fit test

Confesor Acosta

Signature

ANDO International

44-01 21st Street, #301

Long Island City, NY 11101

Tel: (718) 349-9296

44-01 21st Street 3rd Floor Long Island City, NY 11101 • Tel: 718-349-3235 • Fax: 718-349-3238

www.andointernational.com