

14	INITIAL TEST PROGRAM	1
14.1	SUMMARY OF TEST PROGRAM AND OBJECTIVES	2
14.1.1	STARTUP AND POWER TESTING AT 1300 MEGAWATTS THERMAL	2
14.1.1.1	Summary	2
14.1.1.2	Tests Prior to Reactor Fueling	3
14.1.1.2.1	Summary	3
14.1.1.2.2	Test Objectives	4
14.1.1.3	Final Plant Preparation	10
14.1.1.3.1	Core Loading	10
14.1.1.3.2	Postloading Tests	11
14.1.1.4	Initial Testing in the Operating Reactor	12
14.1.1.4.1	General	12
14.1.1.4.2	Initial Criticality	12
14.1.1.4.3	Zero Power Testing	12
14.1.1.4.4	Power Level Escalation	13
14.1.1.4.5	Post Startup Surveillance and Testing Requirements	13
14.1.2	POWER TEST PROGRAM TO 1520 MEGAWATTS THERMAL	14
	REFERENCES FOR SECTION 14.1	15
Table 14.1-1	INITIAL TESTING SUMMARY - INITIAL CRITICALITY THROUGH 100 - HOUR ACCEPTANCE TEST	16
14.2	INITIAL ORGANIZATION AND STAFFING	19
14.2.1	INITIAL STARTUP AND OPERATING STRUCTURE	19
14.2.2	ONSITE TRAINING PRIOR TO STARTUP	19
14.3	TEST PROCEDURES	21
14.3.1	PRE FUEL LOADING TESTS	21
14.3.2	POST FUEL LOADING TESTS	21
14.4	CONDUCT OF TEST PROGRAM	22
14.4.1	CONDUCT OF INITIAL TEST PROGRAM	22
14.4.2	REVIEW, EVALUATION, AND APPROVAL OF TEST RESULTS	23
14.4.3	TEST RECORDS	23

14.5	TEST PROGRAM SCHEDULE	24
14.5.1	INITIAL CRITICALITY TO ACCEPTANCE	24
14.5.2	1520 MEGAWATTS THERMAL POWER TEST PROGRAM	25
14.6	INDIVIDUAL TEST DESCRIPTIONS	26
14.6.1	INITIAL STARTUP AND POWER TEST PROGRAM	26
14.6.1.1	Safety Injection Systems Preoperational Tests	26
14.6.1.1.1	Safety Injection Test	26
14.6.1.1.2	Accumulator Blowdown Test	30
14.6.1.1.3	Safety Injection Flow Test	33
14.6.1.1.4	Containment Spray System Test	34
14.6.1.1.5	Residual Heat Removal System Test	34
14.6.1.1.6	Safeguards Systems Operational Test	34
14.6.1.1.7	Emergency Diesel Generator Test	35
14.6.1.1.8	Direct Current Test	36
14.6.1.2	Preoperational Instrumentation and Control Tests	36
14.6.1.2.1	Reactor Coolant System Pressure Comparison Test	36
14.6.1.2.2	Resistance Temperature Detector Cross Calibration Test	36
14.6.1.2.3	Steam Generator Manual Control and Level Instrumentation Test	37
14.6.1.2.4	Rod Position Indication System Test	37
14.6.1.2.5	Rod Stepping Test	38
14.6.1.2.6	Rod Cluster Control Assembly Drop Time and Partial Length Rods Operational Tests	38
14.6.1.2.7	In-Core Thermocouples Test	38
14.6.1.2.8	Movable In-Core Detector System Test	38
14.6.1.2.9	Reactor Makeup Blender and Boric Acid Transfer Pumps Operational Test	38
14.6.1.2.10	Pressurizer Level Control Test	39
14.6.1.2.11	Pressurizer Pressure Control Test	40
14.6.1.2.12	Steam Dump Test	41
14.6.1.2.13	Radiation Monitoring System Operational Test	41
14.6.1.2.14	Reactor Coolant System Flow Measurement Test	42
14.6.1.2.15	Nuclear Instrumentation Test	42
14.6.1.3	Safety and Relief Valve Tests	42

14.6.1.3.1	Pressurizer Safety Valve Test	42
14.6.1.3.2	Main Steam Safety Valve Test	42
14.6.1.4	Waste Systems Tests	43
14.6.1.4.1	Liquid Waste Concentration Demonstration Test	43
14.6.1.4.2	Waste Disposal System Gaseous Waste Test	43
14.6.1.4.3	Liquid Waste Processing Test	44
14.6.1.5	Reactor Coolant System Measurement Tests	44
14.6.1.5.1	Reactor Vessel Internals Measurement Test	44
14.6.1.5.2	Reactor Coolant System Vibration Test	46
14.6.1.5.3	Preoperational Reactor Coolant System Leakage Test	46
14.6.1.5.4	Reactor Coolant System Thermal Expansion Test	47
14.6.1.5.5	Flow Coastdown Test	47
14.6.1.5.6	Natural Circulation Test	47
14.6.1.6	Miscellaneous Safety-Related Tests	48
14.6.1.6.1	Backfeed from the 115-Kilovolt Grid Test	48
14.6.1.6.2	Blackout Test Without Safety Injection Test	49
14.6.1.6.3	Main Steam Isolation Valve Test	49
14.6.1.6.4	Fire Service Water Test	50
14.6.1.6.5	Electrical System Logic Test	50
14.6.1.6.6	Reactor Trip System (RTS) Operational Test	50
14.6.1.6.7	Reactor Coolant System Hydro Test	51
14.6.1.6.8	Ventilation Systems Test	51
14.6.1.6.9	Preoperational Containment Vessel Leak Rate Test	51
14.6.1.6.10	Structural Integrity Test	52
14.6.1.6.11	Reactor Trip System (RTS) Operation Time Response Test	53
14.6.1.7	Operational and Transient Tests	53
14.6.1.7.1	Ten Percent Load Swing Test at Thirty Percent Power	53
14.6.1.7.2	Generator Trip Test	54
14.6.1.7.3	Ten Percent Load Swing Test at Seventy-Five Percent Power Level	54
14.6.1.7.4	Fifty Percent Load Reduction from Seventy-Five Percent Power Level Test	54
14.6.1.7.5	One Hundred Percent Power Level Transient Tests	55

14.6.1.7.6	Operational Dynamic Rod Drop Test	57
14.6.1.7.7	Delta T Zero Power Alignment and Delta T Channel Span Adjustment Tests	58
14.6.1.7.8	Nuclear Instrumentation Calibration and Reactor Coolant System Flow Confirmation	58
14.6.1.7.9	Ex-Core In-Core Calibration Test	61
14.6.1.8	Startup Physics Testing	61
14.6.1.8.1	Introduction	61
14.6.1.8.2	Power Distribution Measurements	62
14.6.1.8.3	Zero Power Critical Boron Concentrations	62
14.6.1.8.4	Reactivity Coefficients and Shutdown Margin	62
14.6.1.8.5	Ejected and Dropped Rod Worths	62
14.6.1.8.6	Xenon Oscillation Test	62
14.6.2	POWER TEST PROGRAM TO 1520 MEGAWATTS THERMAL	63
14.6.2.1	Test Description	63
14.6.2.2	Steam Generator Moisture Carryover Tests	65
14.6.2.3	Assembly Delta T Measurements	65
14.6.2.4	Plant Radiation Surveys	65
14.6.2.5	Reactor Physics Measurements	66
14.6.2.5.1	Zero Power Measurements	66
14.6.2.5.2	At-Power Measurements	66
Table 14.6-1a	ACCUMULATOR BLOWDOWN TEST RESULTS - OBSERVED RESULTS	69
Table 14.6-1b	ACCUMULATOR BLOWDOWN TEST RESULTS - PREDICTION OF FINAL PRESSURE	70
Table 14.6-1c	ACCUMULATOR BLOWDOWN TEST RESULTS - PIPE RESISTANCE	71
Table 14.6-2	BEGINNING OF CYCLE ZERO POWER CRITICAL BORON CONCENTRATIONS	72
Table 14.6-3	REACTIVITY COEFFICIENTS AND SHUTDOWN MARGIN	73
Table 14.6-4	EJECTED AND DROPPED ROD WORTHS	74
Table 14.6-5	AVERAGE INCREASE IN CONTAINMENT RADIATION LEVELS DURING UPGRATING PROGRAM TO 1520 MEGAWATTS THERMAL	75
Table 14.6-6	SUMMARY OF MEASURED PARAMETERS AT HOT ZERO POWER PRIOR TO UPGRATING TO 1520 MEGAWATTS THERMAL	76

Table 14.6-7	SELECTED DATA FOR FLUX MAPS
FIGURES	
Figure 14.2-1	Initial Plant Organization
Figure 14.6-1 Sheet 1 -	Original Safety Injection System Functional Test Data Sheet (Typical)
Figure 14.6-1 Sheet 2 -	Original Safety Injection System Functional Test Data Sheet (Typical)
Figure 14.6-2 Sheet 1 -	Rod Cluster Control Assembly Drop Time Test Results (Typical)
Figure 14.6-2 Sheet 2 -	Rod Cluster Control Assembly Drop Time Test Results (Typical)
Figure 14.6-2 Sheet 3 -	Rod Cluster Control Assembly Drop Time Test Results (Typical)
Figure 14.6-2 Sheet 4 -	Rod Cluster Control Assembly Drop Time Test Results (Typical)
Figure 14.6-3	Partial-Length Rods Operation Test Results (Typical)
Figure 14.6-4 Sheet 1 -	Radiation Monitoring System Operational Test Data Sheet (Typical)
Figure 14.6-4 Sheet 2 -	Radiation Monitoring System Operational Test Data Sheet (Typical)
Figure 14.6-5	Pressurizer Safety Valve Test Data Sheet
Figure 14.6-6	Reactor Vessel Internals Displacement Indicators
Figure 14.6-7 Sheet 1 -	Reactor Vessel Accelerometers
Figure 14.6-7 Sheet 2 -	Reactor Vessel Accelerometers
Figure 14.6-7 Sheet 3 -	Reactor Vessel Accelerometers
Figure 14.6-7 Sheet 4 -	Reactor Vessel Accelerometers
Figure 14.6-8 Sheet 1 -	Reactor Coolant System Vibration Test Data Sheet
Figure 14.6-8 Sheet 2 -	Reactor Coolant System Vibration Test Data Sheet
Figure 14.6-9 Sheet 1 -	Reactor Coolant Pump Flow Coastdown Test
Figure 14.6-9 Sheet 2 -	Reactor Coolant Pump Flow Coastdown Test
Figure 14.6-9 Sheet 3 -	Reactor Coolant Pump Flow Coastdown Test

Figure 14.6-9 Sheet 4 -	Reactor Coolant Pump Flow Coastdown Test
Figure 14.6-9 Sheet 5 -	Reactor Coolant Pump Flow Coastdown Test
Figure 14.6-10 Sheet 1 -	Natural Circulation Test Data
Figure 14.6-10 Sheet 2 -	Natural Circulation Test Data
Figure 14.6-11	Preoperational Containment Leak Rate Test Data
Figure 14.6-12	Preoperational Containment Leak Rate Test, Pressurization System
Figure 14.6-13 Sheet 1 -	50% Load Reduction From 75% Power Level Test, Recorded Process Variables
Figure 14.6-13 Sheet 2 -	50% Load Reduction From 75% Power Level Test, Recorded Process Variables
Figure 14.6-13 Sheet 3 -	50% Load Reduction From 75% Power Level Test, Recorded Process Variables
Figure 14.6-13 Sheet 4 -	50% Load Reduction From 75% Power Level Test, Recorded Process Variables
Figure 14.6-13 Sheet 5 -	50% Load Reduction From 75% Power Level Test, Recorded Process Variables
Figure 14.6-14	Operational Dynamic Rod Drop Test, Nuclear Power Channel Signals
Figure 14.6-15	Ginna 1520 Megawatts Power Test Program, March 1 Through April 15, 1972
Figure 14.6-16	Ginna Up-rating, Control Bank D Differential and Integral Worth, Cycle 1B 7800 MWd/MTU, Hot Zero Power
Figure 14.6-17	Ginna Up-rating, Control Bank C Differential and Integral Worth, Cycle 1B 7800 MWd/MTU, Hot Zero Power
Figure 14.6-18	Ginna Up-rating, Boron Concentration Versus Reactivity Insertion, Cycle 1B 7800 MWd/MTU, Hot Zero Power
Figure 14.6-19	Ginna Up-rating, Isothermal Temperature Coefficient Versus Boron Concentration, Cycle 1B 7800 MWd/MTU, Hot Zero Power
Figure 14.6-20	Relative Power During Up-rating: 1300, 1380, 1455 MWt
Figure 14.6-21	Relative Power During Up-rating: 1455 MWt
Figure 14.6-22	Ginna Up-rating, Power Range Output Versus Core Power, Channel NE41
Figure 14.6-23	Ginna Up-rating, Axial Offset Calibration, Channel 41 Output Normalized to 1520 MWt
Figure 14.6-24	Relative Power at 1520 MWt, April 12, 1972