

**From:** [Ullrich, Elizabeth](#)  
**To:** [James Reese](#)  
**Cc:** [Gaskins, Farrah](#)  
**Subject:** RE: License Status Docket No. 03039153  
**Date:** Thursday, July 11, 2019 7:16:00 AM

---

I do not have an answer in writing at this time. The staff paper is in management concurrence, and I am waiting to see if it will be signed or sent back for modification.

Also, I need some additional procedures for activities that involve the following activities: procedures for aggressive decommissioning (or a sample procedure from a project where scabbling, grinding, soil sampling at depth etc was performed); bioassay; respiratory protection or an agreement to meet Part 20 Appendix H requirements; air sampling; coil and water sampling; emergency/incident response at TJS; survey procedures; and your criteria for development of RWP.

Normally, I would put this into a more formal letter, but I would like to keep this moving so that as soon as I have a signed response from the program office, we can issue the license.

Betsy

---

**From:** James Reese [mailto:james.reese@tideh2o.net]  
**Sent:** Wednesday, July 10, 2019 7:20 PM  
**To:** Ullrich, Elizabeth <Elizabeth.Ullrich@nrc.gov>  
**Subject:** [External\_Sender] License Status Docket No. 03039153

Betsy

What is the status of the decision regarding the EA and our license submittal?

James Reese, CHP, RRPT  
Vice President Radiological Services Division  
Tidewater, Inc  
1804 Tribute Road  
Suite B  
Sacramento, CA 95816  
916-717-0529