

METROPOLITAN EDISON COMPANY
JERSEY CENTRAL POWER & LIGHT COMPANY

AND

PENNSYLVANIA ELECTRIC COMPANY
THREE MILE ISLAND NUCLEAR STATION UNIT 1

Operating License No. DPR-50
Docket No. 50-289
Technical Specification Change Request No. 55

This Technical Specification Change Request is submitted in support of Licensee's request to change Appendix B to Operating License No. DPR-50 for Three Mile Island Nuclear Station Unit 1. As a part of this request, proposed replacement pages for Appendix B are also included.

METROPOLITAN EDISON COMPANY

By *R. Arnold*
Vice President

Sworn and subscribed to me this 14th day of April, 1977.

L. F. Sawyer
Notary Public

NOTARY PUBLIC
Reading, Berks County, Pa.
My Commission Expires Nov. 19, 1979

1564 283

7811010 766

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

IN THE MATTER OF

DOCKET NO. 50-289
LICENSE NO. DPR-50

METROPOLITAN EDISON COMPANY


This is to certify that a copy of Technical Specification Change Request No. 55 to Appendix B of the Operating License for Three Mile Island Nuclear Station Unit 1, has, on the date given below, been filed with the U. S. Nuclear Regulatory Commission and been served on the chief executives of Londonderry Township, Dauphin County, Pennsylvania and Dauphin County, Pennsylvania by deposit in the United States mail, addressed as follows:

Mr. Weldon B. Arehart
Board of Supervisors of
Londonderry Township
R. D. #1, Geyers Church Road
Middletown, Pennsylvania 17057

Mr. Harry B. Reese, Jr.
Board of County Commissioners
of Dauphin County
Dauphin County Court House
Harrisburg, Pennsylvania 17120

METROPOLITAN EDISON COMPANY

By


Vice President

Dated: April 14, 1977

1564 284

Three Mile Island Nuclear Station Unit 1 (TMI-1)
Operating License No. DPR-50
Docket No. 50-289

Technical Specification Change Request No. 55

The licensee requests that the attached changed pages replace pages 39 and 40 of the existing Environmental Technical Specifications.

Reason for Proposed Change

On January 24, 1977, Met-Ed received a letter from the NRC advising us that they, the NRC, reviewed the first year's data of the biological surveillance programs (Section 4.1.1, Parts A, B, and C) and found no need for additional data. Therefore, it was found acceptable to terminate the programs as set forth in Section 4.1.1A, B, and C.

Environmental Analysis Justifying Change

The NRC has found no need for additional data from the programs that are being terminated.

Cost/Benefit Analysis Supporting Change

There will be a cost savings of approximately \$50,000 per year by eliminating these three programs.

1564 285

4.0 ENVIRONMENTAL SURVEILLANCE AND SPECIAL STUDIES

4.1 Biological

4.1.1 Aquatic

Objective

To define operational surveillance programs to assess the impact of station operation on the aquatic flora and fauna in the nearsite environs. The following parameters will be checked during the program: fish populations and macroinvertebrates.

1564 286

Specification

A continuing aquatic population surveillance program (A and B) shall be conducted during the first three years of operation. The results will be reviewed at the end of the first 30 months and the program terminated at the end of the three years unless the results of the review indicate the need for additional data.

A. Fish

Every 2 weeks,
March through
October

At locations
indicated on
Figure 1

Trap nets
and shore-
line seining

Counting, identifica-
tion to the lowest
feasible taxon, weighing,
determination of repro-
duction status and
condition. A continuing
record will be maintained
to allow comparison of
variation of numbers
with time. Replicate
samples will be taken
both inside and outside
the thermal plume.

B. Macroinvertebrates

Semimonthly,
April through
October

At location
indicated on
Figure 1

Nets or
dredges

Counting and identifi-
cation to the lowest
feasible taxon. A
continuing record will
be maintained to allow
comparison of variation
of numbers with time.
Replicate samples will
be taken both inside

1564 287