

No. 3-79-33/3L-0

LER 3-79-33/3L-0 refers to the inoperability of the LPCI system. The applicable Technical Specification is 3.5.F.4.

LICENSEE EVENT REPORT

CONTROL BLOCK (1) (PLEASE PRINT OR TYPE ALL REQUIRED INFORMATION)

0 1 P A P B S 3 2 0 0 - 0 0 0 0 0 0 0 0 3 4 1 1 1 1 4 5
 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

CON'T
 0 1 REPORT SOURCE L 6 0 5 0 0 0 2 7 8 7 1 0 2 2 7 9 8 1 1 2 1 7 9 9
 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80

EVENT DESCRIPTION AND PROBABLE CONSEQUENCES (10)
 0 2 While Unit 3 reactor was at cold shutdown for refueling, and with the 3B
 0 3 and 3D RHR pumps blocked for modification work, the 3A RHR pump which
 0 4 was being used for shutdown cooling tripped on overcurrent. The 3C RHR
 0 5 pump was available for shutdown cooling. Refueling operations continued
 0 6 in accordance with Tech Spec 3.5.F.4. which is a permissible degraded
 0 7 mode of operation.
 0 8
 0 9

SYSTEM CODE C F 11 CAUSE CODE E 12 CAUSE SUBCODE A 13 COMPONENT CODE M O T O R X 14 COMP SUBCODE Z 15 VALVE SUBCODE Z 16
 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

17 PERMIT NUMBER 7 9 22 EVENT YEAR 7 9 23 SHUTDOWN METHOD Z 21 24 SEQUENTIAL REPORT NO 0 3 3 26 OCCURRENCE CODE 0 3 28 ATTACHMENT SUBMITTED N 23 30 REPORT TYPE L 31 PRIME COMP SUPPLIER N 25 32 REVISION NO 0 33 ACTION TAKEZ ACTION 18 Z 31 34 EFFECT ON PLANT Z 20 35 SHUTDOWN METHOD Z 21 36 HOURS 0 0 0 0 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

CAUSE DESCRIPTION AND CORRECTIVE ACTIONS (27)
 1 0 The 3A RHR motor stator insulation failed due to an internal motor fan
 1 1 blade fatigue failure. The stator insulation was repaired and a new
 1 2 bottom fan was installed. The 3A pump was operable by 11/5/79. The 3B,
 1 3 3C, and 3D RHR motor fans were inspected and found to be satisfactory.
 1 4
 1 5
 1 6
 1 7
 1 8
 1 9
 2 0
 2 1
 2 2
 2 3
 2 4
 2 5
 2 6
 2 7
 2 8
 2 9
 3 0
 3 1
 3 2
 3 3
 3 4
 3 5
 3 6
 3 7
 3 8
 3 9
 4 0
 4 1
 4 2
 4 3
 4 4
 4 5
 4 6
 4 7
 4 8
 4 9
 5 0
 5 1
 5 2
 5 3
 5 4
 5 5
 5 6
 5 7
 5 8
 5 9
 6 0

FACILITY STATUS H 28 POWER 0 0 0 0 29 OTHER STATUS NA 30 METHOD OF DISCOVERY A 31 DISCOVERY DESCRIPTION Motor tripped. 32
 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

ACTIVITY CONTENT Z 33 AMOUNT OF ACTIVITY NA 34 LOCATION OF RELEASE NA 35
 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

PERSONNEL EXPOSURES NUMBER 0 0 0 0 37 TYPE Z 38 DESCRIPTION NA 39
 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

PERSONNEL INJURIES NUMBER 0 0 0 0 40 DESCRIPTION NA 41
 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

LOSS OF OR DAMAGE TO FACILITY TYPE Z 42 DESCRIPTION NA 43
 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

PURCHASE ISSUED DESCRIPTION NA 44
 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

NAME OF PREPARED J. M. Cooney 7912040 295 NRC USE ONLY 215-841-5020