



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

August 22, 2019

Technical Specifications Task Force
11921 Rockville Pike, Suite 100
Rockville, MD 20852

SUBJECT: ACCEPTANCE FOR REVIEW REGARDING TRAVELER TSTF-541, "ADD EXCEPTIONS TO SURVEILLANCE REQUIREMENTS FOR VALVES AND DAMPERS LOCKED IN THE ACTUATED POSITION" (EPID L-2019-PMP-0178)

Dear Members of the Technical Specifications Task Force:

By letter dated June 18, 2019 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML19169A103), you submitted to the U.S. Nuclear Regulatory Commission (NRC) a request to incorporate Traveler TSTF-541, "Add Exceptions to Surveillance Requirements for Valves and Dampers Locked in the Actuated Position," into the standard technical specifications.

Section 170.21 of Title 10 of the *Code of Federal Regulations* requires that Travelers are subject to fees based on the full cost of the review. You did not request a fee waiver; therefore, NRC staff hours have been billed accordingly. The NRC staff estimates that the review will require approximately 200 staff hours including project management time.

The NRC staff has completed a preliminary review of your submission and determined it is sufficiently complete and appropriate to initiate a more comprehensive review. The review will generally follow the schedule below.

MILESTONE	SCHEDULE DATE
Issue Request for Additional Information	N/A
Issue Draft Safety Evaluation	December 31, 2019
Issue Final Safety Evaluation	February 28, 2020

If you have any questions, please contact me at (301) 415-1774 or via e-mail to Michelle.Honcharik@nrc.gov.

Sincerely,

/RA by Andrea Russell for/

Michelle C. Honcharik, Senior Project Manager
Technical Specifications Branch
Division of Safety Systems
Office of Nuclear Reactor Regulation

Project No. 753

cc: See next page

cc:

Technical Specifications Task Force
c/o EXCEL Services Corporation
11921 Rockville Pike, Suite 100
Rockville, MD 20852
Attention: Brian D. Mann
E-mail: brian.mann@excelservices.com

James P. Miksa
Entergy Nuclear Operations, Inc.
Palisades Nuclear Power Plant
27780 Blue Star Memorial Highway
Covert, MI 49043
Email: jmiksa@entergy.com

Jordan L. Vaughan
Duke Energy
EC07C / P.O. Box 1006
Charlotte, NC 28202
Email: jordan.vaughan@duke-energy.com

Ryan Joyce
Southern Nuclear Operating Company
3535 Colondate Parkway / Bin N-274-EC
Birmingham, AL 35243
Email: rmjoyce@southerncomcom

David M. Gullott
Exelon Generation
4300 Winfield Road
Warrenville IL 60555
Email: David.Gullott@exeloncorp.com

Wesley Sparkman
Southern Nuclear Operating Company
3535 Colonnade Parkway / Bin N-226-EC
Birmingham, AL 35242
Email: wasparkm@southernco.com

SUBJECT: ACCEPTANCE FOR REVIEW REGARDING TRAVELER TSTF-541, "ADD EXCEPTIONS TO SURVEILLANCE REQUIREMENTS FOR VALVES AND DAMPERS LOCKED IN THE ACTUATED POSITION" (EPID L-2019-PMP-0178)
Dated:

DISTRIBUTION:

PUBLIC	RidsNrrDssStsb	DWoodyatt
RidsNrrOd	RidsNrrDssSrx	GCurran
RidsNrrDss	RidsNrrDssScpb	RBeaton
RidsOgcMailCenter	RidsDeEmib	KBucholtz
RidsOpaMail	RKuntz	MFarnan
RidsACRS_MailCTR	MHamm	

ADAMS Accession No.: ML19211D119 *concurrent via e-mail NRR-106

OFFICE	NRR/DSS/STSB/PM	NRR/DSS/STSB/BC*	NRR/DSS/STSB/PM
NAME	MHoncharik	VCusumano	MHoncharik (by ARussell)
DATE	8/21/2019	8/20/2019	8/22/2019

OFFICIAL RECORD COPY