

## NRR-DRMAPEm Resource

---

**From:** Lamb, John  
**Sent:** Tuesday, August 13, 2019 6:46 AM  
**To:** Enfinger, Timothy Lee  
**Subject:** Acceptance Review - Hatch Units 1 and 2 LAR to Adopt TSTF-566 (L-2019-LLA-0156)  
**Importance:** High

Dear Mr. Enfinger:

By letter dated July 23, 2019 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML19204A240), Southern Nuclear Operating Company (SNC, the licensee) submitted a license amendment request (LAR) for Edwin I. Hatch Nuclear Plant (HNP), Units 1 and 2. SNC requests adoption of TSTF-566, "Revise Actions for Inoperable [Residual Heat Removal] RHR Shutdown Cooling Subsystems," which is an approved change to the Improved Standard Technical Specifications (ISTS), into the HNP Unit 1 and Unit 2 Technical Specifications (TS). The proposed amendment for each unit revises the TS actions applicable when a RHR shutdown cooling subsystem is inoperable.

The purpose of this e-mail is to provide the results of the U.S. Nuclear Regulatory Commission (NRC) staff's acceptance review of this LAR. The acceptance review was performed to determine if there is sufficient technical information in scope and depth to allow the NRC staff to complete its detailed technical review. The acceptance review is also intended to identify whether the application has any readily apparent information insufficiencies in its characterization of the regulatory requirements or the licensing basis of the plant.

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed LAR in terms of regulatory requirements and the protection of public health and safety and the environment. Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff's ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. If additional information is needed, you will be advised by separate correspondence.

Based on the information provided in your submittal, the NRC staff has estimated that this LAR will take approximately 100 hours to complete. The NRC staff expects to complete this review in approximately 6 months from the acceptance review, which is February 2020. If there are emergent complexities or challenges in our review that would cause changes to the initial forecasted completion date or significant changes in the forecasted hours, the reasons for the changes, along with the new estimates, will be communicated during the routine interactions with the assigned project manager.

These estimates are based on the NRC staff's initial review of the application and they could change, due to several factors including requests for additional information, unanticipated addition of scope to the review, and review by NRC advisory committees or hearing-related activities. Additional delay may occur if the submittal is provided to the NRC in advance or in parallel with industry program initiatives or pilot applications.

If you have any questions, please contact me.

John G. Lamb, Senior Project Manager  
Plant Licensing Branch II-1  
Division of Operating Reactor Licensing  
Office of Nuclear Reactor Regulation

**Hearing Identifier:** NRR\_DRMA  
**Email Number:** 168

**Mail Envelope Properties** (DM6PR09MB3978D5560F4B02EA44FAFC99FAD20)

**Subject:** Acceptance Review - Hatch Units 1 and 2 LAR to Adopt TSTF-566  
(L-2019-LLA-0156)  
**Sent Date:** 8/13/2019 6:46:14 AM  
**Received Date:** 8/13/2019 6:46:00 AM  
**From:** Lamb, John

**Created By:** John.Lamb@nrc.gov

**Recipients:**  
"Enfinger, Timothy Lee" <TLENFING@SOUTHERNCO.COM>  
Tracking Status: None

**Post Office:** DM6PR09MB3978.namprd09.prod.outlook.com

Files	Size	Date & Time
MESSAGE	3232	8/13/2019 6:46:00 AM

**Options**  
**Priority:** High  
**Return Notification:** No  
**Reply Requested:** No  
**Sensitivity:** Normal  
**Expiration Date:**  
**Recipients Received:**