



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

SEP 18 2019

Melissa Jennings
Fayette Memorial Hospital
d/b/a Fayette Regional Health System
1940 Virginia Ave.
Connersville, IN 47331

Dear Ms. Jennings:

Enclosed is Amendment No. 24 to your U.S. Nuclear Regulatory Commission (NRC) Material License No. 13-16518-01 for Fayette Memorial Hospital d/b/a Fayette Regional Health System in accordance with your request dated July 10, 2019. Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the NRC Region III office at (630) 829-9887 so that we may provide appropriate corrections and answers.

In your letters dated July 10, 2019 and September 10, 2019, you provided the history of use and close-out survey and wipe test results for Fayette Memorial Hospital d/b/a Fayette Regional Health System, located at 1941 Virginia Avenue, Connersville, Indiana. You also confirmed that all residual licensed material used at this location had been removed – such that any remaining residual radioactivity is within the limits of Title 10 of the *Code of Federal Regulations* (CFR) Part 20, Subpart E.

Based on its review of close-out survey information, the staff has concluded that all licensable radioactive material has been removed from the location of use and residual radioactive material attributable to licensed activities at this location of use does not exceed current NRC criteria. Based on these conclusions no further remediation or action with respect to NRC regulated material is required. Your facility at 1941 Virginia Avenue, Connersville, Indiana is suitable for unrestricted use and NRC License no. 13-16518-01 is hereby terminated.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. The NRC may issue a notice of violation, imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

In accordance with 10 CFR 2.390, a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from ADAMS, accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

A handwritten signature in black ink, appearing to read 'Magdalena R. Gryglak', written in a cursive style.

Magdalena R. Gryglak
Health Physicist
Materials Licensing Branch

License No. 13-16518-01
Docket No. 030-11441

Enclosure: Amendment No. 24