

NRR-DRMAPEm Resource

From: Kuntz, Robert
Sent: Thursday, September 26, 2019 10:57 AM
To: mkscarpello@aep.com
Cc: Helen L Levendosky
Subject: RE: D.C. Cook Nuclear Plant Unit Nos. 1 and 2 - Acceptance Review for LAR to Adopt TSTF-421, "Reactor Coolant Pump Flywheel Inspection Program" (EPID: L-2019-LLA-0195)

By letter dated August 27, 2019 (Agencywide Documents Access and Management System Accession No. ML19241A242), Indiana Michigan Power Company submitted a alternative request for the Donald C. Cook Nuclear Plant, Unit Nos. 1 and 2. The proposed alternative is to the requirements of American Society of Mechanical Engineers, Section XI, IWA-2430(d)(2) for CNP Unit 2 reactor vessel examinations that were extended by relief request previously..

The purpose of this e-mail is to provide the results of the NRC staff's acceptance review of this amendment request. The acceptance review was performed to determine if there is sufficient technical information in scope and depth to allow the NRC staff to complete its detailed technical review. The acceptance review is also intended to identify whether the application has any readily apparent information insufficiencies in its characterization of the regulatory requirements or the licensing basis of the plant.

Consistent with Section 50.90 of Title 10 of the *Code of Federal Regulations* (10 CFR), an amendment to the license (including the technical specifications) must fully describe the changes requested, and follow as far as applicable, the form prescribed for original applications. Section 50.34 of 10 CFR addresses the content of technical information required. This section stipulates that the submittal address the design and operating characteristics, unusual or novel design features, and principal safety considerations.

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed amendment in terms of regulatory requirements and the protection of public health and safety and the environment. Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff's ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. If additional information is needed, you will be advised by separate correspondence.

Based on the information provided in your submittal, the NRC staff has estimated that this licensing request will take approximately 100 hours to complete. The NRC staff expects to complete this review in approximately 12 months, which is September, 2020. If there are emergent complexities or challenges in our review that would cause changes to the initial forecasted completion date or significant changes in the forecasted hours, the reasons for the changes, along with the new estimates, will be communicated during the routine interactions with the assigned project manager.

These estimates are based on the NRC staff's initial review of the application and they could change, due to several factors including requests for additional information, unanticipated addition of scope to the review, and review by NRC advisory committees or hearing-related activities. Additional delay may occur if the submittal is provided to the NRC in advance or in parallel with industry program initiatives or pilot applications. If you have any questions, please contact me at 301-415-3733.

Sincerely,

Robert F. Kuntz, Senior Project Manager

Plant Licensing Branch III
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Hearing Identifier: NRR_DRMA
Email Number: 222

Mail Envelope Properties (CH2PR09MB440961632832DBCF727CA41499860)

Subject: RE: D.C. Cook Nuclear Plant Unit Nos. 1 and 2 - Acceptance Review for LAR to Adopt TSTF-421, "Reactor Coolant Pump Flywheel Inspection Program" (EPID: L-2019-LLA-0195)
Sent Date: 9/26/2019 10:57:28 AM
Received Date: 9/26/2019 10:57:00 AM
From: Kuntz, Robert

Created By: Robert.Kuntz@nrc.gov

Recipients:
"Helen L Levendosky" <hllevendosky@aep.com>
Tracking Status: None
"mkscarpello@aep.com" <mkscarpello@aep.com>
Tracking Status: None

Post Office: CH2PR09MB4409.namprd09.prod.outlook.com

Files	Size	Date & Time
MESSAGE	3512	9/26/2019 10:57:00 AM

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received: