



~~OFFICIAL USE ONLY—PROPRIETARY—INFORMATION~~

UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

November 4, 2019

Mr. Prakash Narayanan
Chief Technical Officer
TN Americas LLC
7135 Minstrel Way Suite 300
Columbia, MD 21045

SUBJECT: REQUEST FOR SUPPLEMENTAL INFORMATION FOR THE TECHNICAL
REVIEW OF THE APPLICATION FOR CERTIFICATE OF COMPLIANCE NO. 1029
(CAC NO. 001028)

Dear Mr. Narayanan:

By letter dated May 22, 2019 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML19148A485), TN Americas LLC (TN) submitted an application for renewal of Certificate of Compliance No. 1029 for the Standardized Advanced NUHOMS® System.

In connection with the NRC staff's acceptance review, we need the information identified in the enclosed request for supplemental information (RSI). Per the discussion on October 16, 2019 (ADAMS Accession No. ML19294A154), we request that you provide responses to the enclosed RSI within 30 days from the issuance of this letter. Inform us at your earliest convenience, but no later than November 19, 2019, if you are not able to provide the information by that date. To assist us in rescheduling your review, you should include a new proposed submittal date and the reasons for the delay.

Please reference Docket No. 72-1029 and CAC/EPID Nos. 001028/L-2019-RNW-0014 in future correspondence related to this request. The NRC staff is available to clarify these questions, and if necessary, to meet and discuss your proposed responses.

Documents transmitted herewith contain
Proprietary Information. When separated
from the sensitive conditions in enclosure 2,
this document, and enclosure 1 are
decontrolled.

~~OFFICIAL USE ONLY—PROPRIETARY—INFORMATION~~

P. Narayanan

-2-

If you have any questions regarding this matter, please contact me at (301) 415-6293 or at Christopher.Markley@nrc.gov.

Sincerely,

/RA/

Christopher T. Markley, Systems
Performance Analyst
Storage and Transportation Licensing Branch
Division of Fuel Management
Office of Nuclear Material Safety
and Safeguards

Docket No. 72-1029
CAC No. 001028
EPID No. L-2019-RNW-0014

Enclosures:

1. RSI (Public)
2. RSI (Proprietary)

Documents transmitted herewith contain
Proprietary Information. When separated
from the sensitive conditions in enclosure 2,
this document, and enclosure 1 are
decontrolled.

P. Narayanan

-3-

SUBJECT: REQUEST FOR SUPPLEMENTAL INFORMATION FOR THE TECHNICAL
REVIEW OF THE APPLICATION FOR CERTIFICATE OF COMPLIANCE NO.
1029 (CAC NO. 001028)

DOCUMENT DATE: November 4, 2019

DISTRIBUTION:

NMSS/DFM r/f

**ADAMS Accession No.: ML19310F744 (P), ML19310F883 (L), ML19310F884 (Enclosure 1)
ML19310F803 (Enclosure 2)**

OFFICE	NMSS/DFM	NMSS/DFM	NMSS/DFM	NMSS/DFM
NAME	CMarkley	WWheatley By e-mail	DDoyle By e-mail	CMarkley
DATE	10/23/18	10/28/19	10/30/19	11/4/19

OFFICIAL RECORD COPY