

From: [Mary True](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:31:04 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Mary True
PO BOX 1020
Pepe'ekeo, HI 96783

From: [Lori Erbs](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:24:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Lori Erbs
PO Box 50
Acme, WA 98220

From: [Sheridan Phillips](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:24:34 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Sheridan Phillips
369 Montezuma Ave. #478
Santa Fe, NM 87501

From: [Jeff Lyles](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:23:07 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jeff Lyles
17300ne Hooper Wollam rd
17300 Ne Hooper Wollam Rd.
Amboy, WA 98601

From: [Tressa Glassman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:17:39 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Tressa Glassman
3421 Richnee Ln
Rolling Meadows, IL 60008

From: [Fumiaki Tosu](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:15:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Fumiaki Tosu
2027 NE 10th Ave
Unit B
Portland, OR 97212

From: [Tika Bordelon](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:12:26 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr & Mr Tika Bordelon
1400 Hubbell Pl.
Seattle, WA 98101

From: [Lenore Reeves](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:11:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Lenore Reeves
19934 Hickory Stick
Mokena, IL 60448

From: [Sheila Schoolcraft](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:11:30 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Sheila Schoolcraft
96 Exeter Rd
Garland, ME 04939

From: [SETH MOSGOFIAN](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:09:08 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. SETH MOSGOFIAN
1309 CALLE RAMON
SANTA FE, NM 87501

From: [Erica Gray](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:06:41 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Erica Gray
406 Glendale Dr.
406 Glendale Dr.
HENRICO, VA 23229

From: [elyette weinstein](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:04:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. elyette weinstein
5000 ORVAS CT SE
5000 Orvas Ct. SE
OLYMPIA, WA 98501

From: [T. Garmon](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 11:01:24 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. T Garmon
103 Honeysuckle Trl
Dawsonville, GA 30534

From: [Mikki Chalker](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:45:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Mikki Chalker
119 Prospect St
na
Binghamton, NY 13905

From: [Paul Wright](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:43:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Paul Wright
965 Miramonte
965 miramonte drive
Santa Barbara, CA 93109

From: [carolyn.massey](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:39:08 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. carolyn massey
632 1/2 north 6th
quincy, IL 62301

From: [Susan Oleyer](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:35:33 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Susan Oleyer
34 studley rd
S. Yarmouth, MA 02264

From: [Carol Pred](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:33:32 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Carol Pred
Stratford
Mentor, OH 44060

From: [Ken Bossong](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:33:25 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ex.Dir. Ken Bossong
6930 Carroll Avenue, #340
Takoma Park, MD 20912

From: [Gary Thaler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:33:07 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Gary Thaler
84 Bradstreet Ave
Revere, MA 02151

From: [H. Rosenberg](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:31:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. H. Rosenberg
5682 Kingsport Dr.
5682 Kingsport Drive
Sandy Springs, GA 30342

From: [Catherine Whitright](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:25:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Catherine Whitright
P.O. Box 186, P.O.
P.O.
Chardon, OH 44024

From: [Phyllis Chavez](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:23:26 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Phyllis Chavez
2112 Ocean Park Bl., #5
Santa Monica, CA 90405

From: [virginia.jastromb](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:20:23 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. virginia jastromb
73barrett st.
northampton, MA 01060

From: [Micaela Pronio](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:12:33 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Micaela Pronio
770 Alcatraz
770 Alcatraz
Oakland, CA 94609

From: [Leo Sandy](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:12:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Leo Sandy
PO Box 44
Chesterfield, NH 03443

From: [Robert Glover](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 10:10:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Robert Glover
2975 E Indianapolis Ave
Fresno, CA 93726

From: [Peter Sternberg](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:58:35 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Peter Sternberg
1954 Cider Mill Rd
Shaftsbury, VT 05262

From: [Pam Speagle](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:57:40 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Pam Speagle
7418 Old North Church Rd
Louisville, KY 40214

From: [William Sarovec](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:55:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr William Sarovec
14 Clarendon Rd.
Lake Ronkonkoma, NY 11779

From: [Janet Oliver](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:52:42 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Janet Oliver
6631 Memory Lane
Mentor, OH 44060

From: [Kathy Dingethal](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:50:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Kathy Dingethal
24 new concord
Mentor, OH 44060

From: [Henrietta Cosentino](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:47:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Henrietta Cosentino
210 Lincoln St
Unit 601
Boston, MA 02111

From: [Jean Schwinberg](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:45:52 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Jean Schwinberg
4538 18th Avenue NE
Apt. 8-D
Seattle, WA 98105

From: [Gail Sullivan](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:40:59 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

's. Gail Sullivan
105 Arden Street
New York, NY 10040

From: [Ed Fiedler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:35:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ed Fiedler
12325 Limerick Ave
Austin, TX 78758

From: [stephen ludwig](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:33:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

none stephen ludwig
459 Aleck Bay Rd.
459 aleck bay road
lopez island, WA 98261

From: [Ed Fiedler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:32:29 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ed Fiedler
12325 Limerick Ave
Austin, TX 78758

From: [Janice Humphrey](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:20:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Janice Humphrey
addison
Chicago, IL 60613

From: [Christine Sepulveda](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:19:11 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Christine Sepulveda
458 West Summerfield Circle
Anaheim, CA 92802

From: [Steven Miller](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:19:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Steven Miller
HC 31 Box 230
Jasper, AR 72641

From: [Shellee Davis](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:19:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Shellee Davis
8844 Cypress Ave.
Cotati, CA 94931

From: [Carol Mock](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:16:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Miss. Carol Mock
287 Hirsch Terrace
Fremont, CA 94536

From: [Ann Roos](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:10:33 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Ann Roos
720 West End Avenue
New York
Inez, TX 77968

From: [Robert Koopmans](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 9:00:11 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Robert Koopmans
1501 gnahn
BURLINGTON, IA 52601

From: [Alvera Pritchard](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:59:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Alvera Pritchard
120 west san marino drive
Miami Beach, FL 33139

From: [Tami Palacky](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:46:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Miss. Tami Palacky
8005 Bethelen Woods Lane, Springfield, VA, United States
Springfield, VA 22153

From: [e.p](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:42:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. e p
box 178
talmage, CA 95481

From: [janice.hoffman](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:37:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. janice hoffman
1970MahoganyDr
Las Cruces, NM 88001

From: [wes weaver](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:31:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. wes weaver
342 dogwood knoll
boone, NC 28607

From: [Vic Macks](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:29:43 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Vic Macks
20318 Edmunton
20318 Edmunton
St. Clair Shores, MI 48080

From: [Heidi Shuler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:28:01 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Heidi Shuler
16004 NE 85th St
Vancouver, WA 98682

From: [Victoria Miller](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:27:10 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Victoria Miller
15857 Moorpark Street
Encino, CA 91436

From: [Sammy Low](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:23:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Sammy Low
20420 Marine Drive, #P2
Stanwood, WA 98292

From: [Joe Serpico](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:22:25 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Joe Serpico
4215 E Bay Dr
Clearwater, FL 33764

From: [Peter Burchard](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:22:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Peter Burchard
33 Meernaa Ave.
Fairfax, CA 94930

From: [Monica Randell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:19:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Miss. Monica Randell
1626 W Carmen
Chicago, IL 60640

From: [Judy Fairless](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:18:10 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Judy Fairless
76 Liberty Corner Road
Warren, NJ 07059

From: [jorge.j.tamargo](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:16:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. jorge j tamargo
9315 sw 43st
Miami, FL 33165

From: [Helen Stuehler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:15:41 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Helen Stuehler
12777 Red Rock Rd
Reno, NV 89508

From: [Wayne Lensu](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:10:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Wayne Lensu
53 Davis Ave
Inwood, NY 11096

From: [ann.malyon](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:10:03 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. ann malyon
seminole ave
07436, NJ 07436

From: [Ken Blacketer Jr.](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:08:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ken Blacketer Jr.
565-D Tolowa Ct.
SILETZ, OR 97380

From: [John R Thayer](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:05:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. John R Thayer
POB 124
Buena Vista, NM 87712

From: [DEBORAH SMITH](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:03:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

MS DEBORAH SMITH
3044 N.W. 30TH
3044 N.W. 30TH
OKLAHOMA CITY, OK 73112

From: [Rev. L. Cline](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 8:01:29 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Rev. L. Cline
4 Lorraine Court
Riverhead, NY 11901

From: [MaryAnna Foskett](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:49:58 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. MaryAnna Foskett
101 Brantwood Road
Arlington, MA 02476

From: [Karen Carr](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:48:42 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Karen Carr
2205 Collins Rd
Ingleside, TX 78362

From: [Margaret Motley](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:48:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Margaret Motley
10209 E 95th Terrace
Kansas City, MO 64134

From: [Andy Lupenko](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:48:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr Andy Lupenko
8555 Golden Avenue
Lemon Grove, CA 91945

From: [Citizen Voter](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:47:36 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Constituent Citizen Voter
PO 113
Westport, CA 95488

From: [Kimberly Pettit](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:46:42 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Kimberly Pettit
191 S 200 E
Moab, UT 84532

From: [Timothy Shaw](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:46:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Timothy Shaw
118 Glen Echo Dr
Smyrna, TN 37167

From: [Barbara Giorgio](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:46:25 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Barbara Giorgio
14 Jeff Rd
Largo, FL 33774

From: [Jym Dyer](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:43:24 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jym Dyer
132 Beulah
San Francisco, CA 94117

From: [Florie Rothenberg](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:42:07 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Florie Rothenberg
3125 SW Raymond St.
Seattle, WA 98125

From: [Linda Owens](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:37:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Linda Owens
445 S 6th
La Grange, IL 60525

From: [Gail Padalino](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:36:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Gail Padalino
3999 NY Highway 150
West Sand Lake, NY 12196

From: [Ken Loehlein](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:33:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ken Loehlein
8608 NE 13th Place
Vancouver, WA 98665

From: [Linda V Maloney-Tarvers](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:33:25 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Linda V Maloney-Tarvers
92-6035 Puapake St, cottage
Kapolei, HI 96707, HI 96792

From: [Mary Small](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:32:33 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Mary Small
13 Grove St
Camden, ME 04843

From: [Julie Takatsch](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:32:32 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Julie Takatsch
67 Schoolhouse Rd
Port Jervis, NY 12771

From: [Delores Stachura](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:30:38 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Delores Stachura
405 N 12th St
Herrin, IL 62948

From: [Rollin Pizzala](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:26:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Rollin Pizzala
5303 43rd Ave
Kenosha, WI 53144

From: [Joan Yater](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:26:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Joan Yater
2407 Childs Lane
Alexandria, VA 22308

From: [Linda Nielsen](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:23:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Linda Nielsen
2815 Kauffman Avenue
Vancouver, WA 98660

From: [Sharon Bunch](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:15:02 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Sharon Bunch
103 Sunnyside Avenue
Piedmont, CA 94611

From: [Dorri Raskin](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:09:10 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Dorri Raskin
18350 Los Alimos St
Northridge, CA 91326

From: [Laura Leipzig](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:08:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Laura Leipzig
1911 SACRAMENTO ST
BERKELEY, CA 94702

From: [William Palmisano](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:07:49 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr. William Palmisano
1578 Las Canoas Rd.
1578 Las Canoas Rd.
Santa Barbara, CA 93105

From: [shelley frazier](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:07:08 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

ms shelley frazier
609 S. Boylan Ave.
Raleigh, NC 27705

From: [adriana.hall](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:06:03 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

adriana hall
487 Norfolk Drive
pacific, CA 94010

From: [Marie D'Anna](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:04:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Marie D'Anna
516 Russell Ave
Ridgefield, NJ 07657

From: [Randy Eveleigh](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 7:00:42 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Randy Eveleigh
1542 Addison
Berkeley, CA 94611

From: [Shari Johnson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:58:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Shari Johnson
320 Sinkler Rd.
Wyncote, PA 19095

From: [Joan Sitnick](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:56:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Joan Sitnick
16974 Escalon Dr.
Encino, CA 91436

From: [Lorenz Steininger](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:50:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Lorenz Steininger
Waldstr.
stafford, VA 22554

From: [kathleen hannan](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:50:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Miss. kathleen hanna
8580verreer
philadelphia, PA 19111

From: [kathleen hannan](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:49:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Miss. kathleen hanna
8580verreerd
philadelphia, PA 19111

From: [Alex Stavis](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:47:38 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Alex Stavis
65 E. 96 St.
NY, NY 10128

From: [Tony Santiago](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:47:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Tony Santiago
3029 Briggs Ave
ST-3
Bronx, NY 10458

From: [Gretchen DuBois](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:43:23 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Gretchen DuBois
1533 Kings Row Dr
SLC, UT 84117

From: [katherine sogolow](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:40:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr katherine sogolow
5760 Bee Ridge Road Ext
Sarasota, FL 34241

From: [Robert Nobrega](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:38:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Robert Nobrega
441 Montana Ave
Davenport, FL 33897

From: [Donna Smith](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:35:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs Donna Smith
1367 Harrington Rd
Havertown, PA 19083

From: [Vince L](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:29:32 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Vince L
129
Oviedo, FL 32765

From: [Michael Parsons](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:28:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Michael Parsons
18205 county Rd. 54.2
Aguilar, CO 81020

From: [K Clune](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:27:33 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. K Clune
325 Peter St N
Orillia, ON L3V5A4

From: [Gary Grice](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:27:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Gary Grice
1906 N. Drake Ave. #1B
Chicago, IL 60647

From: [joel.lorimer](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:24:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. joel lorimer
5700 copper ave ne apt b1
abq, NM 87108

From: [Sheila Parks](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:22:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Sheila Parks
319 Arlington Street
Apt 306
Watertown, MA 02472

From: [Larry Johnson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:20:12 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely, Larry Johnson

Sincerely,

Mr Larry Johnson
901 Vinson Rd
Lafayette, TN 37083

From: [Kelly O'Brien](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:19:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Miss. Kelly O'Brien
2618 E Vista Dr
Phoenix, AZ 85032

From: [Elaine G McGillicuddy](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:16:08 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Elaine G McGillicuddy
62 Avalon Road, Portland, Maine 04103
Portland, Maine 04103
Portland, ME 04103

From: [ricardo Nicol](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:11:58 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. ricardo Nicol
2315 s. ola vista
SAN CLEMENTE, CA 92672

From: [Rina Malerman](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:08:59 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Rina Malerman
653 Pine Tree Rd
Jenkintown, PA 19046

From: [Marie Famnin-Laird](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:07:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Marie Famnin-Laird
8350 Lakeland Drive
Granite Bay, CA 95746

From: [tim.musial](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:07:49 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. tim musial
940 olean road
east aurora, NY 14052

From: [Fay Payton](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:05:38 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Fay Payton
814 SE 12th Street
College Place, WA 99324

From: [Stephen Carrillo](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:03:01 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

RPFT Stephen Carrillo
907C Adams St.
Albany, CA 94706

From: [Charleen Strelke](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 6:02:12 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Charleen Strelke
7 Douglas Drive
North Easton, MA 02356

From: [Dorothy Goldin Rosenberg MES, PhD](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:59:59 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Dorothy Goldin Rosenberg MES, PhD
1006 44 Walmer Road, Toronto
Toronto, ON M5R 2X5

From: [Robert Reed](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:57:12 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr Robert Reed
16635 Alviso Ct
Lake Elsinore, CA 92530

From: [susan michetti](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:55:43 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. susan michetti
605 shiela st
mt horeb, WI 53572

From: [Susan Friedwald](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:51:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Susan Friedwald
145 East 27th Street
145 East 27th Street
New York, NY 10016

From: [B Barbara Parliman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:45:34 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. B Barbara Parlman
P.O.BOX 426
Williams, OR 97544

From: [David LaVerne](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:45:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. David LaVerne
844 Lincoln Street
844 Lincoln Street
Dickson City, PA 18519

From: [MR. & MRS. BRUCE REVESZ](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:44:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

MR. & MRS. MR. & MRS. BRUCE REVESZ
103 THE FAIRWAY
CEDAR GROVE, NJ 07009

From: [Adina Parsley](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:42:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Adina Parsley
20420 Marine Dr, Apt P2
Stanwood, WA 98292

From: [JOHN CEVASCO](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:41:10 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr. JOHN CEVASCO
596 Millers Falls Rd
596 millers falls rd.,p.o.box 78
NORTHFIELD, MA 01360

From: [Radha Krendl](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:38:41 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Radha Krendl
250 river street
Santa cruz, CA 95060

From: [Janet Van Fleet](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:35:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

Instead, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Sincerely,

Sincerely,

Ms. Janet Van Fleet
712 15th Ave
Seattle, WA 98122

From: [Rosalie Paul](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:35:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Rosalie Paul
30 Page St
Brunswick, ME 04011

From: [Deborah Cate](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:34:42 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Deborah Cate
2499 N 50th St
Philadelphia, PA 19131

From: [Love Albrecht Howard](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:32:24 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Love Albrecht Howard
735 Long Pond Road
Plymouth, MA 02360

From: [Richard Gray](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:32:12 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Richard Gray
451 W Oakdale Ave
Chicago, IL 60657

From: [LuMarion Conklin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:31:39 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

LuMarion Conklin LuMarion Conklin
3114 Loma Vista Dr.
3114 Loma Vista Dr.
Flagstaff, AZ, AZ 86004

From: [Robert Haslag](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:30:49 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Robert Haslag
878 Pembroke Ave.
Nixa, MO 65714

From: [Ole Hendrickson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:28:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ole Hendrickson
2065 Woodcrest Road
Ottawa, ON K1H 6H9

From: [Christine Stewart](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:28:08 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Christine Stewart
307 Whippoorwill Glen
307 Whippoorwill Glen
Escondido, CA 92026

From: [Julie Ford](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:26:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Julie Ford
16222 Monterey Lane #223
Huntington Beach, CA 92649

From: [Barbara Buck](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:25:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Barbara Buck
201 E Southern Ave
#81
Apache Junction, AZ 85119

From: [Rilla Heslin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:23:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Rilla Heslin
P. O. Box 982
La Mesa, CA 91944

From: [Ted Padgett](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:18:52 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ted Padgett
401 SE 149th Ave
Vancouver, WA 98684

From: [Lisa Gee](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:18:36 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Lisa Gee
PO Box 8674
La Crescenta, CA 91224

From: an.fidleir@gmail.com
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:18:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

CA 91224

From: [Jonna Johnson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:17:35 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Jonna Johnson
4653 18th St.
Byron Center, MI 49315

From: [Denise Kastner](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:15:36 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Denise Kastner
17667 Grant St
Lowell, IN 46356

From: [Theodora Tsongas](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:15:23 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Theodora Tsongas
7324 SE Madison St
Portland, OR 97215

From: [Carol A Newton](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:11:32 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Carol A Newton
3020 Griffith Park Blvd
Los Angeles, CA 90027

From: [Martina Brunner](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:09:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Martina Brunner
133 Columbus Ave
Apt 1A
West Harrison, NY 10604

From: [Peter Coleman](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:06:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Peter Coleman
3456 County Highway 35
Schenevus, NY 12155

From: [Anita Brandariz](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:05:40 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs Anita Brandariz
13 Willow
Brooklyn, NY 11201

From: [Barbara Nilsen](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:05:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Barbara Nilsen
214 E. Waring Ave.
State College, PA 16801

From: [gert coleman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:04:41 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. gert coleman
58 shadyside ave
staten island, NY 10309

From: [Kathy Nickodemus](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:03:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Kathy Nickodemus
905 Conway Ave
Las Cruces, NM 88005

From: [Tom Cannon](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:00:58 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Tom Cannon
1662 Lake Dr.
Haslett, MI 48840

From: [Ann Bartell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:00:12 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Ann Bartell
3810 Fairhaven Dr
West Linn, OR 97068

From: [Geoffrey cook](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 5:00:04 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Geoffrey cook
PO Box 4233
P.O. Box 4233
Berkeley, CA 94704

From: [Irene Saikevych](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:59:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Irene Saikevych
2037 Old Military Rd
Talent
Central Point, OR 97502

From: [Carol Gold](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:58:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Carol Gold
2901A Sir Francis Drake Blvd
Fairfax, CA 94930

From: [Lisa Piner](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:57:59 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Lisa Piner
1651 Iowa
Costa Mesa, CA 92626

From: [John Grillo](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:56:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste.

In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel. The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“... from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel.

The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components ...”

[-] Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

[-] Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,
Mr. John Grillo
3 Marsh Lane Apt. 21
Orono, ME 04473

From: [Linda Ferland](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:52:23 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Linda Ferland
43 Pearl St.
Claremont, NH 03743

From: [Jeffrey McCollim](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:51:45 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jeffrey McCollim
7154 N Downing Pl
Concord, OH 44077

From: [Clara Guerrero](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:48:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Clara Guerrero
4121 W. Grace
Chicago, IL 60641

From: [lyn.capurro](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:48:03 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

ms lyn capurro
8 valley
great, NY 11021

From: [Steve Leeper](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:46:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Steve Leeper
2247 Venetian Dr Atlanta Ga 30311-3333
Atlanta, GA 30311

From: [Thomas McDonald](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:44:36 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Thomas McDonald
3650 Grantley Rd,
Toledo, OH 43613

From: [Loni Hollenbeck](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:44:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Loni Hollenbeck
91 Westgate Dr. Salyer, Ca. 95563 61 Herring St. Eureka, Ca.
Salyer, CA 95563

From: [Barbara Brigham](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:44:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Sister Barbara Brigham
150 E. Huntingdon St.
Philadelphia, PA 19125

From: [Loretta Kerns](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:41:02 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Loretta Kerns
105 Brent Pl., .
Cortland, OH 44410

From: [Karl Koessel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:41:01 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Karl Koessel
PO Box 257
Blue Lake, CA 95525

From: [Harvey Dym](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:34:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Harvey Dym
4813 Tocora Ln
Madison, WI 53711

From: [Nancy Harlow](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:29:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Nancy Harlow
1152 E Purcell Ln
Pueblo, CO 81007

From: [Seth Snapp](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:27:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Seth Snapp
2214 H. Street
2214 H. Street
Bellingham, WA 98225

From: [Donald Harland](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:23:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Donald Harland
PO Box 2080, 677 N Luther Rd
Candler, NC 28715

From: [Mary Kirby<R.N.](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:22:10 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Mary Kirby<R.N.
160 Indianola Rd.
Pgh., PA 15238

From: [John de Forest](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:22:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. John de Forest
2534 Lake Street
San Francisco, CA 94121

From: [Rose Henderson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:22:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Rose Henderson
1222 W. 77th St.
Los Angeles, CA 90044

From: [Stephen Mudrick](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:20:52 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Stephen Mudrick
1015 Prospect St.
1015 Prospect St.
Columbia, MO 65203

From: [Marsha Jarvis](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:19:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Marsha Jarvis
512 Kenmare Ct
Pinole, CA 94564

From: [Clare Smith-Larson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:19:45 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Clare Smith-Larson
R. R.
Altoona, IA 50009

From: [Ed Oberweiser](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:18:33 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Please don't allow super-hot and long-lasting radioactive waste (GTCC) to go into "low-level" waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called "low-level" radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. I

The NRC draft regulatory basis, "Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste," (NRC ADAMS Accession No. ML19059A403) does not justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

"...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components..."

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,
Mr. Ed Oberweiser
19244 Benson Lane Fort Bragg, California USA

Fort Bragg, CA 95437

From: [Karen Arrington](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:18:12 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Karen Arrington
4416 NW 93rd Ave
Gainesville, FL 32653

From: [Chris Bradford](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:17:34 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Chris Bradford

911 9th St. #206, Enter the second line of your address...

Santa Monica, CA 90403

From: [David Bohn](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:14:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. David Bohn
1 IhoIho Place
310A
Wahiawa, HI 96786

From: [Thomas Pakurar](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:12:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Thomas Pakurar
13912 Bayport Landing Road
Midlothian, VA 23112

From: [Dara O'Donnell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:09:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Dara O'Donnell
417 W 4th ST
Sioux Falls, SD 57104

From: [Aleks Kosowicz](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:04:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Miss. Aleks Kosowicz
12876 N. Balsam Road
Hayward, WI 54843

From: [Maggie Davidson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:04:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Maggie Davidson
750 Pine Drive, Apt 11
Pompano Beach, FL 33060

From: [Colleen Johnson](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:03:42 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Colleen Johnson
9222 30th Ave SW
Seattle, WA 98126

From: [Millie Magner](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:02:37 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Millie Magner
4228 28th Place West
Seattle, WA 98199

From: [lucia fabbo](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:01:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. lucia fabbo
30 jamaica ave
plainviw, NY 11803

From: [Audrey Famette](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 4:00:07 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Audrey Famette
2004 Elm St
Montpelier, VT 05602

From: [William G Gonzalez](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:59:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. William G Gonzalez
200 Dashew Dr Apt A15
Suffern, NY 10901

From: [Margaret Ashforth](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:59:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Margaret Ashforth
101 Adams rd
Concord, MA 01742

From: [Denise Jakobsberg](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:58:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Denise Jakobsberg
4226 31st St
Mt. Rainier, MD 20712

From: [Pamela Scott](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:58:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Pamela Scott
167 Teilh Dr
Boulder Creek, CA 95006

From: [Denise Jakobsberg](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:57:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Denise Jakobsberg
4226 31st St
Mt. Rainier, MD 20712

From: [William Lochstet](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:56:03 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. William Lochstet
1908 Mews Blvd
Lancaster, PA 17603

From: [lois lommel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:55:52 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. lois lommel
2636 traymore rd
richmond, VA 23235

From: [Andra Heide](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:55:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

ms. Andra Heide
2653 Tulip Hill Road
2712 Southern Oaks Drive
Pace, FL 32571

From: [Jan Barshiis](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:55:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Jan Barshiis
2344 Pomona Lane
Wilmette, IL 60091

From: [Cheryl Fergeson](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:54:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Cheryl Fergeson
185 N. 1850 W.
West Point, UT 84015

From: [Dorinda Scott](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:52:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Dorinda Scott
1809 Treadwell St
Austin, TX 78704

From: [Michael Ahern](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:52:44 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Michael Ahern
9984 Mayfield Rd
Chesterland, OH 44026

From: [Nancy Earle](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:51:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Nancy Earle
121 Fern St
Bangor, ME 04401

From: [Paul Lapidus](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 3:49:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr Paul Lapidus
2995 Rea Ct
Aromas, CA 95004