

From: [Brian Carr](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:36:08 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Brian Carr
100 Ridge Street
Apt. 218
Charlottesville, VA 22902

From: [Mary Tuma](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:36:08 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Mary Tuma
4020 Larkspur Lane
Charlotte, NC 28205

From: [Moe Kafka](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:35:58 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Moe Kafka
Livingston Ave.
New Brunswick, MA 02657

From: [Dudley and Candace Campbell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:35:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. & Mrs. Dudley and Candace Campbell
13167 Ortley Place
Valley Glen, CA 91401

From: [cindi dean](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:35:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. cindi dean
gjasdlgkj
lujikl, NY 10580

From: [Mr. Anje" Waters](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:35:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called "low-level" waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called "low-level" radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, "Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste," (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

"...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components..."

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Mr. Anje' Waters
14945 Christmas Tree Ln.
980 Gold Flat Rd
Grass Valley, CA 95945

From: [Elizabeth Pendleton](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:35:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Elizabeth Pendleton
10649 Bartlett Dr, Grass Valley
Grass Valley, CA 95945

From: [Ron Holch](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:35:23 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,
Ron Holch

Sincerely,
Ron Holch
6599 Hokah Drive
Lino Lakes, MN 55014

From: [Melissa P](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:35:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Melissa P
5809 W 53rd St
Sioux Falls, SD 57106

From: [Jeff Slavens](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:35:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jeff Slavens
4500 Marcy Ln Apt 57
Indianapolis, IN 46205

From: [Elliott Sernel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:35:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Elliott Sernel
PO Box 301
Palm Springs, CA 92263

From: [Deborah Voves](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:34:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Deborah Voves
13231 Mountain Pl.
Anchorage, AK 99516

From: [Hillary Ostrow](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:31:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Hillary Ostrow
5835 Hesperia Ave
Encino, CA 91316

From: [Tim Wallace](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:31:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Tim Wallace
8982 Norway Ridge Rd
Zim, MN 55738

From: [Susan Vanderborg](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:31:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Susan Vanderborg
3810 Verner Street
Columbia, SC 29204

From: [elizabeth.shepherd](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:31:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. elizabeth shepherd
330 Haven Ave GH
New York, NY 10033

From: [Bonnie Murphy](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Bonnie Murphy
712 Cole Road
Coralville, IA 52241

From: [Susan Wechsler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Susan Wechsler
1820 NE Vine Ave
Corvallis, OR 97330

From: [Sylvia Duncan](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Sylvia Duncan
1117 Orlando Drive
Plano, TX 75075

From: [Steve Larrick](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:43 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Steve Larrick
920 South 8th Street
Lincoln, NE 68508

From: [John Cervantes](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:42 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. John Cervantes
532-28th Avenue #4
San Francisco, CA 94121

From: [Susan Lefler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:38 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

ms Susan Lefler
8701 bear creek drive
austin, TX 78737

From: [Ana Chou](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:29 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Ana Chou
3256 Ramona St
Palo Alto, CA 94306

From: [erin garcia](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:26 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. erin garcia
14924 dickens
sherman oaks, CA 91403

From: [anne ehmann](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. anne ehmann
2853 Harbor Rd
merrick, NY 11566

From: [J Angell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. J Angell
Ponderosa Rd
rescue, CA 95672

From: [Rita Sheehan](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Rita Sheehan
719 Schoolhouse Road
Brielle, NJ 08730

From: [Donald Davis](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:07 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Donald Davis
1406 W Brown Av
Fresno, CA 93705

From: [Sally Goldin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:07 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Sally Goldin
P.O. Box 544
Hadley, MA 01035

From: [Peter Butt](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:30:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Peter Butt
958 West 3rd Street
90009
San Pedro, CA 90731

From: [Carolyn Treadway](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:29:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Carolyn Treadway
1951 Circle Lane SE
Lacey, WA 98503

From: [marion held](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:29:49 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. marion held
71 N Fullerton Ave
montclair, NJ 07042

From: [Shawn Hall](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:29:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Shawn Hall
3211 Dauphine St
New Orleans, LA 70117

From: [Albert Coffman](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:29:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Albert Coffman
116 N Ridge Rd
Perkasie, PA 18944

From: [Ruth Boice](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:28:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Ruth Boice
162 Willow Grove Rd
Shamong, NJ 08088

From: [Mr. Shelley Dahlgren, PhD](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:28:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Mr. Shelley Dahlgren, PhD
4449 242nd Ave. S. E.
Issaquah, WA 98029

From: [Steven Markgraf](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:28:44 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Steven Markgraf
5205 Church St.
McFarland, WI 53558

From: [Gina Zirtzman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:28:43 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Gina Zirtzman
21521 220th St
Cornell, WI 54732

From: [Bruce Ross](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:28:30 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Bruce Ross
3707 Landon Park Dr.
Katy, TX 77449

From: [Carol Batchelder](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:28:24 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Carol Batchelder
15 Welfare Street
East Providence, RI 02914

From: [Karsten Mueller](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:28:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Karsten Mueller
50 Quail Crossing
Santa Cruz, CA 95061

From: [Nancy Boyce](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:28:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs Nancy Boyce
275 Los Ranchitos Road #127
San Rafael, CA 94903

From: [Jerry Kessinger](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:28:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jerry Kessinger
6727 Willow Road
Everett, WA 98203

From: [Deirdre Rose](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:28:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Deirdre Rose
1925 Adam Clayton Powell Jr. Blvd
5H
NY, NY 10026

From: [David Stetler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:27:44 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. David Stetler
9916 NE 134th Ct
Kirkland, WA 98034

From: [Loretta Marcel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:27:42 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Lorretta Marcel
100A Merrill St.
San Francisco, CA 94134

From: [Miriam Landman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:27:35 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Miriam Landman
150 Wagon Rd.
Sebastopol, CA 95472

From: [Janice Girocco](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:27:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Janice Girocco
9950 Scripps Vista Way
San Diego, CA 92131

From: [Joanne Sieck](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:27:25 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Joanne Sieck
5877 river ridge
Rochester, MN 55906

From: [Bob Druwing](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:27:23 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Bob Druwing
6633 Woodman Ave
Apt 20
Van Nuys, CA 91401

From: [Lisa Witham](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:27:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Lisa Witham
5980 Marine PkwyD117
Mentor On The Lake, OH 44060

From: [Deborah Reade](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:27:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Deborah Reade
117 Duran St
Santa Fe, NM 87501

From: [Jonathan Shkiele](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:27:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jonathan Shkiele
216 N. Chester
Park Ridge, IL 60068

From: [Michele Meyer](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:27:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Michele Meyer
206 Illinois st
Vallejo, CA 94590

From: [Paula Sneddon](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:26:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Paula Sneddon
1138 Portola Rd
Pebble Beach, CA 93953

From: [Richard McGrain](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:26:44 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Richard McGrain
1467 Monterey Dr
Charlottesville, VA 22901

From: [Ed Perry](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:26:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ed Perry
1532 Rosewood Terrace
New Braunfels, TX 78132

From: [Douglas Thorley](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:26:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Douglas Thorley
1565 Hillcrest Blvd.
Colfax, CA 95713

From: [Steven Vogel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:26:06 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Steven Vogel
449 Hampton Court
Falls Church, VA 22046

From: [Susan Enzinna](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:25:49 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Susan Enzinna
1516 Daphne Street
Broomfield, CO 80020

From: [David Peha](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:25:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. David Peha
5317 Carmelynn St.
5317 carmelynn st.
Torrance, CA 90503

From: [Matthew Schaut](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:25:37 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Matthew Schaut
3720 27th Ave S
Minneapolis, MN 55406

From: [Glen Anderson](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:25:26 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

ARE YOU CRAZY????????????????

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,
Mr. Glen Anderson
5015 15th Ave SE
Lacey, WA 98503

From: [Darlene Noesen](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:25:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Darlene Noesen
2572 W Argyle St
Chicago, IL 60625

From: [Linda Wright](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:25:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Linda Wright
2821 2nd Ave, #1804
Seattle, WA 98121

From: [Charles Byrne](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:25:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Charles Byrne
2019B N. Main Street, Apt. 101B
Wheaton, IL 60187

From: [Elaina Hatsis](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:25:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Elaina Hatsis
38 Whipple Road
Kittery, ME 03904

From: [Steven Sugarman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:25:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Steven Sugarman
PO Box 923
Malibu, CA 90265

From: [Al McCullough](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Al McCullough
1413 High Point Terrace
Birmingham, AL 35235

From: [Stephanie Bilenko](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Stephanie Bilenko
627 Barnsdale
LaGrange Park, IL 60526

From: [Shan Russell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Shan Russell
3310 Southgate Road
UNIT 243
Ottawa, ON K1V8X4

From: [Shan Russell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:44 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Shan Russell
3310 Southgate Road
UNIT 243
Ottawa, ON K1V8X4

From: [Edward Fisher](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:34 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Edward Fisher
619 East California Boulevard
Pasadena, CA 91106

From: [Gene Majewski](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Gene Majewski
209 E. Potter St.
Wood Dale, IL 60191

From: [Elizabeth Burr](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Elizabeth Burr
2025 Fairmount Ave.
Saint Paul, MN 55105

From: [Paul Vesper](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Paul Vesper
1601 Berkeley Way
Berkeley, CA 94703

From: [Nancy McFadden](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:03 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Nancy McFadden
2813 Blair Blvd
Nashville, TN 37212

From: [Yvette Tapp](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:02 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

ms Yvette Tapp
1255 Ave Morelia #204
Santa Fe, NM 87506

From: [Merry Harsh](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:02 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Merry Harsh
612 E 7th Street
Silver City, NM 88061

From: [Titilola Opawumi](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:20:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Titilola Opawumi
68 5th Street
South Orange, NJ 07079

From: [Jane Welford](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:19:58 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Jane Welford
2128 Woolsey Street
Berkeley, CA 94705

From: [Barbara Hughes](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:19:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Barbara Hughes
8013 Sierra Largo Drive
Las Vegas, NV 89128

From: [T.C](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:19:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. T C
16 H ST
CREST HILL, IL 60403

From: [Jay Levy](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:19:29 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr/Mrs Jay Levy
7431 Baltimore Ave
7431 Baltimore Ave
Takoma Park, MD 20912

From: [Linda Lynch](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:19:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Linda Lynch
43 Rock Pile Road
Santa Fe, NM 87508

From: [Ann Mcentee](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:58 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Ann Mcentee
14850 East Hills Dr
San Jose, CA 95127

From: [miriam.hill](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. miriam hill
167 Salish Way
Nanaimo, BC V9S 3G7

From: [miriam.hill](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. miriam hill
167 Salish Way
Nanaimo, BC V9S 3G7

From: [Beth Jane Freeman](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Beth Jane Freeman
1265 Hawthorne Drive East
Wantagh, NY 11793

From: [Stephen Sacks](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Stephen Sacks
458 W. San Ramon #102
458 W. San Ramon #102
Fresno, CA 93704

From: [Moraima Suarez](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:32 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment, and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Moraima Suarez
215 21st Street. apt 1F
Brooklyn, NY 11232

From: [Dori Grasso](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:32 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Dori Grasso
12207 Happy Hollow Road
Cockeysville, MD 21030

From: [Carol Grimm](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Carol Grimm
612 Dale St
San Marcos, TX 78666

From: [Chris Drumright](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Chris Drumright
1434 E. Main St. #26
N/A
Murfreesboro, TN 37130

From: [Sandra Smith](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Sandra Smith
2445 Spring hill drive
Cedarburg, WI 53012

From: [Thea Lanzisero](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Thea Lanzisero
16 Virginia Ave
Huntington, NY 11743

From: [Roselynn Woodward](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:18:02 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Roselynn Woodward
1101 17th Ave.
Seattle, WA 98122

From: [Neal Madnick](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:17:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Neal Madnick
16910 33rd Ave
Flushing, NY 11358

From: [William Schlesinger](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:17:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. William Schlesinger
854 N. La Jolla Avenue
Los Angeles, CA 90046

From: [John Soltero](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:17:42 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. John Soltero
14348 Riverside Dr.
Sherman Oaks, CA 91423

From: [Kristina Younger](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:17:40 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Kristina Younger
480 Pondview
Petersburg, NY 12138

From: [Donald Sievert](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:17:27 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Donald Sievert
300 Edgewood Ave
Columbia, MO 65203

From: [Janice Foss](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:17:25 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Janice Foss
2435 Colusa St.
Pinole, CA 94564

From: [Laurie Litman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:17:24 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Laurie Litman
301 27th St
301 27th St
Sacramento, CA 95816

From: [Morgan Clark](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:17:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Morgan Clark
203 Academy St
South Orange, NJ 07079

From: [Wendy Bradburn](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:17:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Wendy Bradburn
900 N.Taylor St.
Arlington, VA 22203

From: [Nancy LaPlaca](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:17:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Nancy LaPlaca
2012 Sprunt Ave
Durham, NC 27705

From: [k. hafer](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:17:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. k. hafer
405granada
san clemente, CA 92672

From: [Leslie Gold](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:16:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Leslie Gold
40 Downing St.
NYC, NY 10014

From: [Pamela Benton](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:16:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Pamela Benton
1213 N. Heritage Ave.
1213 N. Heritage Ave.
Castle Rock, CO 80104

From: [Victoria Swanson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:16:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Victoria Swanson
847 Concha Loma Drive
Carpinteria, CA 93013

From: [Amitav Dash](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:16:27 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Amitav Dash
26 Hasler Crescent
Guelph, ON N1L 0A2

From: [Marcella Hammond](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:16:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Marcella Hammond
4365 Alabama St. #1
San Diego, WI 53719

From: [Patricia Nadreau](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:16:06 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Patricia Nadreau
24191 Dial Ave
Tomah, WI 54660

From: [Gloria Diggle](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:16:03 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Gloria Diggle
637 SW Magnolia Ln
Fort White, FL 32038

From: [John Ashley](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:16:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. John Ashley
668 Park Hill Road
Danville, CA 94526

From: [Craig Shieler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:16:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Craig Shipler
521 West 47th St
Nyc, NY 10036

From: [frank.belcastro](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:15:59 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr frank belcastro
285 N Grandview Ave
none
dubuque, IA 52001

From: [Chanda Farley](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:15:45 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Chanda Farley
117 Ford St.
Canton, NC 28716

From: [Rachel Goldstein](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:15:37 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Rachel Goldstein
104 Vernon Dr
Davidson, NC 28036

From: [Beverly Ann Conroy](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:15:34 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Beverly Ann Conroy
739 S. Elmwood Ave
Oak Park, IL 60304

From: [Taylor Teegarden](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:15:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Taylor Teegarden
513 Midway Court
Martinez, CA 94501

From: [KURT CRUGER](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:15:31 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

MR KURT CRUGER
2845 E. MARIQUITA ST
LONG BEACH, CA 90803

From: [jim gergat](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:15:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. jim gergat
1689 s. main
bechtelsville, PA 19505

From: [Steve Dickman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:15:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Please do NOT allow hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

GTCC waste is the most concentrated so-called “low-level” radioactive waste not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don’t weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don’t change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it will remain radioactively hazardous .

Thank you.

Sincerely,

Sincerely,
Mr. Steve Dickman
1404 Livingston Place
Vestal, NY 13850

From: [Rev. Carolyn Quinn](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:15:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Rev. Carolyn Quinn
742 E Eugie Ave
Phx, AZ 85022

From: [Andre Meaux](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:14:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Andre Meaux
5214B Penrith Drive
Durham, FL 32821

From: [Michael Lombardi](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:14:29 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Michael Lombardi
19 Morning Glory Lane
Levittown, PA 19054

From: [judy.nakadegawa](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:14:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. judy nakadegawa
751 the alameda
Berkeley, CA 94707

From: [Carol Moss](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:14:06 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Carol Moss
2526 L St., #206
Sacramento, CA 95816

From: [Erik Roth](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:59 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Erik Roth
225 W 15th St
Minneapolis, MN 55403

From: [Ann Coffey](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:58 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ann Coffey
333 Montfort Street
Ottawa, ON K1L5N5

From: [Joan Lawson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Joan Lawson
900 University St Apt 9A
9A
Seattle, WA 98101

From: [Thomas Gorman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Thomas Gorman
31 Coyote Springs Rd
Santa Fe, NM 87508

From: [Erik LaRue](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Erik LaRue
17567 Maiben Rd.
Burlington, WA 98233

From: [Kenneth Mills](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:49 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Kenneth Mills
1
Seattle, WA 98125

From: [Michele Chapman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:37 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Michele Chapman
153 Silverado Dr.
Georgetown, TX 78633

From: [Tina Ann](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:35 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

ms Tina Ann
p.o. box 265
Bolinas, CA 94924

From: [Christopher Dunham](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:33 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Christopher Dunham
144 S. Eastview Ave.
Feasterville, PA 19053

From: [Ginny Krystel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:27 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Ginny Krystel
5001 W.112th Terrace
Leawood, KS 66211

From: [Michael Goebel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Michael Goebel
207 Cazador Drive
San Marcos, TX 78666

From: [Nicole Fountain](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Nicole Fountain
38719 Overacker Ave.
Fremont, CA 94536

From: [Jenette D'Alessandro](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:06 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Jenette D'Alessandro
151-53 21st Avenue
Whitestone, NY 11357

From: [Janet Bartos](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:06 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs Janet Bartos
75 Chevaux Circle
Little Rock, AR 72223

From: [J.Thierry](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:04 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. J Thierry
8220 65th Street Court West
University Place, WA 98467

From: [Virginia Mariposa](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:03 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Virginia Mariposa
4708 Chandler St
Santa Barbara, CA 93110

From: [Mark Holland](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:01 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Mark Holland
237 Casados St.
Santa Fe, NM 87501

From: [Tom Tripp](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:13:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Tom Tripp
3839 Bonney Moore Drive
Fort Collins, CO 80524

From: [Kurt Speidel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Kurt Speidel
761 Calle Los Olivos
San Clemente, CA 92673

From: [Robert Gibb](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:45 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Robert Gibb
5036 Revenue Street
Homestead, PA 15120

From: [Michael Japack](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:43 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Michael Japack
1246 W.1st. Ave.
Columbus, OH 43212

From: [Marilyn Shepherd](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:35 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Marilyn Shepherd
PO Box 715
Trinidad, CA 95570

From: [Barbara MacAlpine](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:34 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Barbara MacAlpine
PO Box 1906
Estes Park, CO 80517

From: [david merrill](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:33 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. david merrill
123 whippoorwill road
union, NH 03887

From: [Mark Heald](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Mark Heald
PO Box 284
Pleasant Hill, TN 38578

From: [Kay Reinfried](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Kay Reinfried
797 Scott Lane
Lititz, PA 17543

From: [LJ Okalde](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:27 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. LJ Okaldek
POB 59
Ulster PK, NY 12487

From: [Dona LaSchiava](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs Dona LaSchiava
4511 West Rockwood Drive
Tucson, AZ 85741

From: [Jon Singleton](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jon Singleton
45 rockefeller plaza
New York, NY 10118

From: [oliver.mccartney](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. oliver mccartney
PO BOX 920608
1 mile captains bay rd.
Dutch Harbor, AK 99692

From: [Sharron Coontz](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Sharron Coontz
3716 85th Ave NW
Olympia, WA 98502

From: [Brent Rocks](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Brent Rocks
1518 SW Upper Hall st
Portland, OR 97201

From: [Patricia Marida](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Patricia Marida
1710 Dorsetshire Rd.
Columbus, OH 43229

From: [Josna Rege](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:12:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Josna Rege
245 Pelham Road
245 Pelham Road
Amherst, MA 01002

From: [Joanne Groshardt](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:11:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

ms Joanne Groshardt
302 Trailridge
Richardson, TX 75081

From: [William Carmen](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:11:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. William Carmen
11420 133rd St.
South Ozone Park, NY 11420

From: [Kevin Rolfes](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:11:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Kevin Rolfes
14006 N Green Hills Loop
Austin, TX 78737

From: [Shari Kelts](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:11:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Shari Kelts
809 Lynda Ct
Kirkwood, MO 63122

From: [Katherin Balles](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:11:11 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Katherin Balles
2122 Brewster PL
Bremerton, WA 98310

From: [Gaia Cooksey](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:11:03 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Gaia Cooksey
399 Hilltopcircle
Colorado Springs, CO 80906

From: [Julie Squire](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:11:02 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs Julie Squire
6605 Claremont Ave
Raytown, MO 64133

From: [David Drum](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:11:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. David Drum
1831 Yosemite
Los Angeles, CA 90041

From: [Brian Victoria](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Brian Victoria
1360 Meadow Lane
Yellow Springs, OH 45387

From: [Dawn Albanese](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Dawn Albanese
156 Basswood Dr.
Elk Grove Village, IL 60007

From: [Steven Sicular](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Steven Sicular
116 E. Price Road
Oak Ridge, TN 37830

From: [Karen Pollach](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Karen Pollach
3326 SE Harrison Street
Portland, OR 97214

From: [Janice Wilfing](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Janice Wilfing
167 Sunset Place
Sequim, WA 98382

From: [Dee Randolph](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Dee Randolph
336 Mission Serra Terrace
Chico, CA 95926

From: [Dennis Nelson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Dennis Nelson
2890 Prestonwood St
Las Vegas, NV 89156

From: [Anne Swanson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Anne Swanson
1458 Ridgeley Dr
Campbell, CA 95008

From: [Linda Raiteri](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:35 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Linda Raiteri
3817 Allandale Ln
Memphis, TN 38111

From: [elyette weinstein](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:34 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. elyette weinstein
5000 ORVAS CT SE
5000 Orvas Ct. SE
OLYMPIA, WA 98501

From: [Dana Bordegaray](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

ms Dana Bordegaray
24th st
cayucos, CA 93430

From: [Cheryl Nelson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:27 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Cheryl Nelson
1971 Lone Tree Lane
Las cruces, NM 88011

From: [Mark Skaret](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Mark Skaret
153 Riverton Rd
Riverton, CT 06065

From: [Nicole Uhing](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Nicole Uhing
2619 Arnold Rd
Des Moines, IA 50310

From: [Pati Tomsits](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Pati Tomsits
42 Lakepines
Irvine, CA 92620

From: [Stephanie C. Fox](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Stephanie C. Fox
4 Wyndcliffe Park
Bloomfield, CT 06002

From: [Cecilia Nakamura](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Cecilia Nakamura
813 Dobbin Ct.
Hebron, KY 41048

From: [Gavin Bornholtz](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:06 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Gavin Bornholtz
9090 CREEKWOOD LAKE TRL
GRAND BLANC, MI 48439

From: [Marshall Sorkin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Marshall Sorkin
2920 W. Sherwin
Chicago, IL 60645

From: [Donna DeProspero](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:10:04 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Donna DeProspo
14718 Knoll Park Ct E
Bonney Lake, WA 98391

From: [Mary Landrum](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:59 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Mary Landrum
718 West Cedar St
Franklin, KY 42134

From: [Glenn Phillips](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:58 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Glenn Phillips
1711 23rd Ave S Apt217
Seattle, WA 98144

From: [Jim Yarbrough](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jim Yarbrough
1345 Apple Way
Ashland, OR 97520

From: [Julien Ball](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Julien Ball
10 Lundys Lane
San Francisco, CA 94110

From: [Marsha Balian](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Marsha Balian
5495 Kales Ave
Oakland, CA 94618

From: [joy baker](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. joy baker
380 19 av
san francisco, CA 94121

From: [Lisa Stone](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:45 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Lisa Stone
8902 Birdwood Ct
Houstpn, TX 77096

From: [Dana Abbott](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:45 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Dana Abbott
9639 Monroe Ave
2900 Neal Ave.
Aptos, CA 95001

From: [Marion Tidwell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:35 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Marion Tidwell
3330 W 78th Place
Merrillville, IN 46410

From: [Lee Margulies](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:34 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Lee Margulies
32 Glenridge ave
Stony Brook, NY 11790

From: [Keith Johnson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:25 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Keith Johnson
340 N Minnesota St.
Muscoda, WI 53573

From: [Judy Bertelsen](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:24 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Judy Bertelsen
P.O. Box 2774
Berkeley, CA 94702

From: [Kim Beeler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Kim Beeler
16400 Westview Dr
Lake Oswego, OR 97034

From: [Joan Brannigan](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:09:01 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Joan Brannigan
9411 Cimarron Ct.
Olivette, MO 63132

From: [maurice oldis](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:59 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. maurice oldis
4283 Express Lane
Sarasota, FL 34231

From: [Timothy Mullen](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Timothy Mullen
1272 Richland Avenue
Saint Charles, MN 55972

From: [Eaine Terrell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Eaine Terrell
2737 Camino Artesano
Santa Fe, NM 87505

From: [Roxanne Phillips](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Roxanne Phillips
1355 W. Arthur
Chicago, IL 60626

From: [J Beverly](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. J Beverly
803 Shurts Street
Urbana, IL 61801

From: [Harlan James](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:44 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Harlan James
644 Leonard Street
Brooklyn, NY 11222

From: [Matthew Palmer](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:41 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr Matthew Palmer
5209 E Peabody St
Long Beach, CA 90808

From: [Susan F Fleming](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:39 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Susan F Fleming
PO Box 58858
Salt Lake City, UT 84158

From: [Karen Nell Capadona](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:37 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Karen Nell Capadona
222 Whitley Gardens Dr
Paso Robles, CA 93446

From: [Michael Espinoza](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:36 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous . Thank you for your time.

Sincerely,

Sincerely,

Mr. Michael Espinoza
3260 Charles
Trenton, MI 48183

From: [Mark Gotvald](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:34 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Mark Gotvald
528 Monti Circle
Pleasant Hill, CA 94523

From: [Elaine Hickman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:34 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Elaine Hickman
520 N. 120th St.
S, WA 98133

From: [Jason Crawford](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:29 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jason Crawford
3224 Randy Rd
Lancaster, PA 17601

From: [Ron Katz](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ron Katz
13337 Lincoln Dr.
Huntington Woods, MI 48070

From: [Rhett Lawrence](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Rhett Lawrence
6445 N Commercial Ave
Portland, OR 97217

From: [Carol Nugent](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Carol Nugent
1103 NE IRENE CT
Hillsboro, OR 97124

From: [Dominique Edmondson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:05 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Dominique Edmondson
10706 Wyld Drive
Upper Marlboro, MD 20772

From: [Dave Garratt](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:08:01 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Dave Garratt
400 Plantation Grove Ln
St Augustine, FL 32086

From: [Joan Balfour](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Joan Balfour
6249 Copper Lake Ct
Boynton Beach, FL 33437

From: [Ed McCartan](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ed McCartan
103 Rita Way
Brunswick, ME 04011

From: [Richard Sparkes](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Thank you very much.

Sincerely,

Sincerely,
Mr. Richard Sparkes
3332 Pine Villa Ct
Grand Blanc MI 48439, MI 48439

From: [Jean Knowlton](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:41 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Jean Knowlton
321 Grant St
Laingsburg, MI 48848

From: [William Meadows](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:32 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. William Meadows
10307 West Broad Street, 105
Glen Allen, VA 23060

From: [Patricia Hedrick Young](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:30 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Patricia Hedrick Young
15 Kittyoungo Ln
Valley Grove, WV 26060

From: [Liz Erpelding-Garratt](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:30 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Liz Erpelding-Garratt
400 Plantation Grove Ln
Apt 23
Saint Augustine, FL 32086

From: [Edith Griffin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:27 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Edith Griffin
65 West Street
Groton, MA 01450

From: [Joseph Lawson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr Joseph Lawson
29 W 65th St., Apt 1G
New York, NY 10023

From: [Harriet McCleary](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Harriet McCleary
2440 Stevens Ave. S.
Minneapolis, MN 55404

From: [Marie Wakefield](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Marie Wakefield
3054 Hwy 20
Newport, OR 97365

From: [Tracy Cole](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Tracy Cole
10227 North 66th Drive
Glendale, AZ 85302

From: [Linda Goetz](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Linda Goetz
1030 W Huntington Dr Apt 16
Arcadia, AZ 91007

From: [Barbara Boltz](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Barbara Boltz
54 Medford St., #510
Arlington, MA 02474

From: [James Monroe](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. James Monroe
5521 Michigan Blvd
Concord, CA 94521

From: [Nina Macdonald](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Nina Macdonald
10 Handel Ct
Irvine, CA 92617

From: [Joan McGrath](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:12 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Joan McGrath
18 Island Rd.
FRANKLIN, MA 02038

From: [Mari Mennel-Bell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:07:07 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Mari Mennel-Bell
1524 Bayview Drive
Fort Lauderdale, FL 33304

From: [John A Beavers](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:06:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr John A Beavers
4431 N Troy #2
Chicago, IL 60625

From: [Dany Lindenbacher](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:06:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Dany Lindenbacher
205 Mountain Rd.
Ridgefield, CT 06877

From: [Michael Lahey](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:06:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Michael Lahey
1504 W Farwell Ave, 3
Chicago, IL 60626

From: [George Riggs](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:06:30 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. George Riggs
269 Watch Hill Rd.
269 Watch Hill Rd.
Cortlandt Manor, NY 10567

From: [Monique Edwards](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:06:26 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Monique Edwards
10861 N Sandra Rd
Tucson, AZ 85742

From: [Roy Taylor](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:06:24 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Roy Taylor
360 E Marietta St
Canton, GA 30114

From: [Linda Conte](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:06:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Linda Conte
1420 Journey's End Road
Croton-on-Hudson, NY 10520

From: [Chris Casper](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:06:07 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Chris Casper
410 Green Ave
Stevens Point, WI 54481

From: [Lana Fredrickson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:25:18 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Lana Fredrickson
355 Iehi ln
355 Iehi lane; Newcastle, CA
Newcastle, CA 95658

From: [Sharon Fetter](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:25:16 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Sharon Fetter
PO Box 521
Puyallup, WA 98371

From: [Daniel Gartner](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:23:01 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Daniel Gartner
13658 N. Pima Spring Way
Oro Valley, AZ 85755

From: [William Christwitz](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:22:57 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Rev William Christwitz
3568 Vista St.
Clearlake, CA 95422

From: [Don Hildenbrand](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:22:47 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,
Don Hildenbrand
No radiation, please

Sincerely,
Mr. Don Hildenbrand
455 West 29th Ave.
Eugene, OR 97405

From: [Kelly Reed Daulton](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:20:59 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Kelly Reed Daulton
622 Crocker St
TEMPLETON, CA 93465

From: [Dagmar Fabian](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:20:58 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs Dagmar Fabian
10 Warren Lodge 1c
10 Warren Lodge, 1C
Cockeysville, WA 98225

From: [Darlene St. Martin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:20:55 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Darlene St. Martin
506 N Laventure Road
NA
Mount Vernon, WA 98273

From: [William Blair](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:20:50 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr William Blair
11561 W Colony
Boise, ID
Boise, ID 83709

From: [Charlotte Alexandre](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:20:37 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Charlotte Alexandre
10345 Adams Pl
5732 E. 62nd Place, Tulsa, OK 74136
Thornton, CO 80229

From: [Bob Steinberg](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:20:34 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Bob Steinberg
1201 8th Street NW
Albuquerque, NM 87102

From: [Dr Lindsay Sharp](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:19:57 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Dr Lindsay Sharp
19747 Horseshoe Drive
Topanga, CA 90290

From: [sylvia lambert](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:19:31 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. sylvia lambert
P.O. Box 78
Interior, SD 57750

From: [Deirdre Brownell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:19:26 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Miss. Deirdre Brownell
333 Andover dr. Apt. 108
Burbank, CA 91504

From: [Charles Tribbey](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:19:24 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr Charles Tribbey
1237 Vista del Lago
San Luis Obispo, CA 93405

From: [Timothy Owen](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:19:02 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Timothy Owen
18 Green Road
Raymond, NH 03077

From: [Steven Schafer](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:18:39 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Steven Schafer
Po box 231213
Tigard, OR 97281

From: [Jay Hormel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:18:37 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jay Hormel
6020 Jay Road
Boulder, CO 80301

From: [Frankie Winchester](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:18:25 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Frankie Winchester
7070 Cradlerock Way Apt 427
Columbia, MD 21045

From: [Robin Hall](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:17:05 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Robin Hall
6610 Loblolly Circle
Waxhaw, NC 28173

From: [Jill McManus](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:16:59 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Jill McManus
401 E 81st St.
NY, NY 10028

From: [Kenneth Kast](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:16:22 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Kenneth Kast
1238 Calle La Mirada
Santa Fe, NM 87507

From: [Maureen O'Neal](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:15:51 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Maureen O'Neal
9100 s.w.80th ave., 08
08
Portland, OR 97223

From: [Claire Perricelli](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:15:41 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs Claire Perricelli
2259 16th
Eureka, CA 95501

From: [Elizabeth McCarthy](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:15:21 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Elizabeth McCarthy
308 S Chandler Ave
Street Address 2
Denison, TX 75020

From: [Stephen Verchinski](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:15:20 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Stephen Verchinski
2700 Espanola St NE
ALBUQUERQUE, NM 87110

From: [Chuck Lynd](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:14:24 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Chuck Lynd
5384 Woodville Ct
Delaware, OH 43015

From: [Patty McGrath](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:13:31 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Patty McGrath
11007 Edison Road
Potomac, MD 20854

From: [Sheridan Phillips](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:13:09 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Sheridan Phillips
369 Montezuma Ave. #478
Santa Fe, NM 87501

From: [Larry Harper](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:13:01 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Larry Harper
5490 Hessel Avenue
5490 Hessel Avenue
Sebastopol, CA 95472

From: [Carol Gordon](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:12:51 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mrs Carol Gordon
2801 Glendower Ave..
Los Angeles, CA 90027

From: [Liz Stromath](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:12:43 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Liz Stromath
760 14th street
manhattan beach, CA 90266

From: [John Petroni](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:12:41 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. John Petroni
823 Lexington Ave
El Cerrito, CA 94530

From: [Teri Hawn](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:12:25 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Miss. Teri Hawn
3112 W 2nd Ct.
Apt 203
Russellville, AR 72801

From: [Dennis Schaeff](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:12:24 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Dennis Schaef
715 Limber Rd
Meadville, PA 16335

From: [Randall Daugherty](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:11:31 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Randall Daugherty
1405 W 6th St
Aberdeen, WA 98520

From: [Barry Spielvogel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:11:14 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Barry Spielvogel
435 E. 79 St. Apt. 11-O
Apt. 11-O
New York, NY 10075

From: [Jeffrey Cohen](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:11:13 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jeffrey Cohen
11 Cedarwood Lane
Rowley, MA 01969

From: [Michael Mannion](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:10:59 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Michael Mannion
3 West 87th Street
Apt 1D
New York, NY 10024

From: [P.M](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:09:44 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. P M
8 dewitt
Chicago, IL 60611

From: [P.M](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:09:43 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. P M
8 dewitt
Chicago, IL 60611

From: [Lore Weber](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:09:27 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Lore Weber
52051 Farmington Square Road
Granger, IN 46530

From: [David Regen](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:09:22 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. David Regen
4342 Sneed Av
Nashville, TN 37215

From: [Cindy Beckkey](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:09:16 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Cindy Beckkey
3232 birdsall
Oakland, CA 94619

From: [Robert Johnson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:09:04 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Robert Johnson
140 Eichten Lane
Penngrove, CA 94951

From: [Elizabeth Watts](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:08:48 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Elizabeth Watts
2030 Santa Clara St.
Richmond, CA 94804

From: [John Ray](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:08:46 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. John Ray
485 N. Vinson Ave.
Fayetteville, AR 72701

From: [Richard Stern](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:08:12 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Richard Stern
11 Riverside Drive
New York, NY 10023

From: [Croitiene ganMoryn](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:07:50 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Croitiene ganMoryn
6211 SE 24th Ave
6211 SE 24th Avenue
Ocala, FL 34480

From: [Anthony Cozzucoli](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:07:49 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Anthony Cozzucoli
2953 Bienville Blvd 152
Ocean Springs, MS 39564

From: [Kaitlin Fitch](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:07:49 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Kaitlin Fitch
1013 State Highway 351
Troy, NY 12180

From: [Cheryl Eames](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:07:46 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Cheryl Eames
Box 1192
Sun City, AZ 85372

From: [Carol Savary](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:07:28 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Carol Savary
PO Box 2990
Kings Beach, CA 94131

From: [Claudia Leff](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:07:24 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Claudia Leff
149 Highview St
Mamaroneck, NY 10543

From: [Randy Gerlach](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:07:22 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Randy Gerlach
50 Ardendale Dr
Daly City, CA 94014

From: [j.talbot](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:07:07 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr j talbot
305 w milton
austin, TX 78704

From: [Rolf Friis](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:07:00 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Rolf Friis
206 Flanders Ct, Apt 2
Louisville, KY 40218

From: [Chris Moore](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:06:57 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Chris Moore
2126 S. Josephine St
Denver, CO 80210

From: [Anthony Cozzucoli](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:06:17 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Anthony Cozzucoli
2953 Bienville Blvd
Ocean Springs, MS 39564

From: [Sandra Naidich](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:06:13 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Sandra Naidich
603 4th Ave, Apt 2B
Brooklyn, NY 11215

From: [David Yao](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:05:48 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. David Yao
1538 N 128th St
Seattle, WA 98133

From: [Joyce R. Farber](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:05:05 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Joyce R. Farber
2874 Jackson Street
San Francisco, CA 94115

From: [Nancy Ellingham](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:04:54 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Nancy Ellingham
9106 Fortuna Drive,, Apt. 4201
Mercer Island, WA 98040

From: [Harold Watson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:04:36 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Harold Watson
1930 E Cairo St
Springfield, MO 65802

From: [Charles Davis](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:04:20 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Charles Davis
300 Sanhican Dr
Trenton, NJ 08618

From: [Sally Small](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:04:18 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Sally Small
802 N Layman Av
Indianapolis, IN 46219

From: [Kevin Laliberte](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:03:56 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Kevin Laliberte
1 Doral Dr
North Chelmsford, MA 01863

From: [Ivan Rivera](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:03:47 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ivan Rivera
1400 e Carey ave
North las vegas, NV 89030

From: [Debra Harris](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:03:40 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Debra Harris
9630 Keeler Ave
Skokie, IL 60076

From: [Ivan Rivera](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:03:30 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ivan Rivera
1400 e Carey ave
North las vegas, NV 89030

From: [Mark Hulett](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:03:22 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Mark Hulett
14720 McIntosh Ln SE
14720 McIntosh Ln SE
Tenino, WA 98589

From: [Ivan Rivera](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:03:17 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ivan Rivera
1400 e Carey ave
North las vegas, NV 89030

From: [Susan Klement](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:03:11 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Susan Klement
POB 468
Tucson, AZ 85702

From: [Ivan Rivera](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:02:43 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ivan Rivera
1400 e Carey ave
North las vegas, NV 89030

From: [Charlie Graham](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:02:36 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Charlie Graham
695 NE 4th Ave.
Hillsboro, OR 97124

From: [Donald Hunt](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:02:31 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Donald Hunt
1205 E Desert Rose Trl
San Tan Valley, AZ 85143

From: [Kimberly Allen](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:02:22 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Kimberly Allen
9614 Baseline Drive
Dallas, TX 75243

From: [Robert Guldin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:02:02 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Robert Guldin
7309 Willow AVE
Takoma Park, MD 20912

From: [Robert Brown](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:01:57 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Robert Brown
1443 Edwards Avenue
Fircrest, WA 98466

From: [Dennis Kreiner](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:01:55 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Dennis Kreiner
2307 Arrow St
Carpentersville, IL 60110

From: [Kevin Smith](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:01:46 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Kevin Smith
56 K St Apt 1
Turners Falls, MA 01376

From: [John Leddy](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:01:43 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. John Leddy
1179 Nelrose Ave.
1179 Nelrose Ave.
Venice, CA 90291

From: [Bruce Erickson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:01:31 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

owner Bruce Erickson
PO Box 1252
Mendocino, CA 95460

From: [Diane Turco](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:01:25 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Diane Turco
157 long road
157 Long Road
Harwich, MA 02645

From: [Randall Wayne](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:01:14 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Randall Wayne
2720 Onyx St.
Eugene, OR 97403

From: [Michael Tezla](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:01:08 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Michael Tezla
1876 Yorkshire Avenue
1876 Yorkshire Avenue
Saint Paul, MN 55116

From: [Mike Carberry](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:00:35 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Mike Carberry
2029 Friendship St
Iowa City, IA 52245

From: [Patrick Gaffey](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Tuesday, November 19, 2019 12:00:33 AM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Patrick Gaffey
901 Zola Circle
Las Vegas, NV 89145

From: [Cynthia McCarthy](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:59:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Cynthia McCarthy
P O Box 1411
Bishop, CA 93515

From: [Jason Tasato](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:58:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jason Tasato
2211 Wilson St
Honolulu, HI 96819

From: [Doree Christensen](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:58:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Doree Christensen
School St
Jerome, AZ 86331

From: [William McGoldrick](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:57:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. William McGoldrick
2754 Rangewood Drive NE
Atlanta, GA 30345

From: [JOHN HAFKENSCHIEL](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:57:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr. JOHN HAFKENSCHIEL
1611 alvina ave
1611 ALVINA AVENUE
SACRAMENTO, CA 95822

From: [Sandra Fisher](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:57:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Sandra Fisher
16110 Coleman Valley Road
Occidental, CA 95465

From: [Joseph Magid](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:57:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Joseph Magid
411 Holly Lane
Wynnewood, PA 19096

From: [Maryellen Healy](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:56:58 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Maryellen Healy
323 S Federal Hwy Apt 11
Lake Worth, FL 33460

From: [Larry Gioannini](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:56:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Larry Gioannini
205 Hoagland Rd
Las Cruces, NM 88005

From: [Linda Owen](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:56:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Linda Owen
1642 Pinyon Court
Loveland, CO 80538

From: [Patsy Lowe](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:56:10 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Patsy Lowe

9

Simi Valley, CA 93065

From: [Angie Johnson](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:55:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Angie Johnson
POB 17932
Seattle, WA 98127

From: [James Mulcare](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:55:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr James Mulcare
1110 Benjamin St
Clarkston, WA 99403

From: [Destiny Orantes](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:55:52 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Destiny Orantes
227 Washington Ave
Garden City, NY 11530

From: [Jon Bryant](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:55:43 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jon Bryant
3147 Roxanne Ave.
Long Beach, CA 90808

From: [D. Rincon](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:55:37 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr D. Rincon
2978 E. Terrace Ave., None
None
Fresno, CA 93703

From: [Jonathan Memmert](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:55:26 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jonathan Memmert
501 W 123 ST
2B
New York, NY 10027

From: [Karma Lekshe Tsomo](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:55:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Karma Lekshe Tsomo
2026 Emerald St.
San Diego, CA 92109

From: [Barrie Stebbings](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:55:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Barrie Stebbings
390A Cedar
Stinson Beach, CA 94970

From: [Theo Giesy](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:55:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Theo Giesy
4706 Chestnut Fork Rd.
Gloucester, VA 23061

From: [Jesse Williams](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:55:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr Jesse Williams
1525 marlowe ave
cincinnati, OH 45224

From: [Natylye Baldwin](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:54:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Natylie Baldwin
20800 Lake Chabot Road #328
Castro Valley, CA 94521

From: [PJ McDaniel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:54:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. PJ Mcdaniel
6409 Katson NE
Albuquerque, NM 87109

From: [G M](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:54:40 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. G M

111

A, AB 111111

From: [Larry Morningstar](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:54:38 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Larry Morningstar
315 S 1st St
Talent, OR 97540

From: [Jennifer Powers](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:54:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Jennifer Powers
1202 Kavanaugh Blvd
Little Rock, AR, AR 72205

From: [Bill Brown](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:54:11 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Bill Brown
P.O. Box 3245
Clovis, CA 93611

From: [Nick van Nes](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:53:40 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Nick van Nes
63 Pond View Farm Road
West Tisbury, MA 02575

From: [BARBARA SWYDEN](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:53:32 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. BARBARA SWYDEN
720 Garnet Dr. NE
Rio Rancho, NM 87124

From: [Elfed Jones](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:53:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Elfed Jones
10 singleton crescent,mochedre,
Colwyn Bay U K., ot Ll28 5as

From: [Howard Markert](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:53:24 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Howard Markert
1650 5th Ave
Youngstown, OH 44504

From: [Jeffrey Bains](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:53:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jeffrey Bains
1721 Myrtle Beach Drive
The Villages, FL 32159

From: [Paul Gardner](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:53:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Paul Gardner
548 Tulsa Street
San Lornzo, CA 94580

From: [Trish Gallagher](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:52:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Trish Gallagher
22 Dawson Stt.
Dorchester, MA 02124

From: [D Tim Seitz](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:52:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. D Tim Seitz
91 King St E
91 King St E
Kingston, ON K7L2Z8

From: [Dan & Ann Green](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:52:30 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Dan & Ann Green
83 Dutcher St.
Hopedale, MA 01747

From: [Ronald Partridge](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:52:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ronald Partridge
6490 Twin Circle Lane # 3
Simi Valley, CA 93063

From: [Patricia Always](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:52:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Patricia Always
10511 W Kingswood Cir
na
Sun City, AZ 85351

From: [Janice Delaura](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:52:21 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Janice Delaura
12650 shannon hill rd
louisa, VA 23093

From: [Cindy Borske](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:52:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Cindy Borske
286 S Alta Ave.
New Hampton, IA 50659

From: [Amy Harlib](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:52:03 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Amy Harlib
212 W. 22nd St.
#2N
New York., NY 10011

From: [clarence bolin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:51:58 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. clarence bolin
918 ranch road
boise, ID 83702

From: [Gilda Fusilier](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:51:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Gilda Fusilier
955 43rd Avenue
Sacramento, CA 95831

From: [Diane DiFante](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:51:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Diane DiFante
PO Box 672
Clearfield, PA 16830

From: [Rhys Atkinson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:51:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Rhys Atkinson
380 Channing Way #171,
San Rafael, CA 94903

From: [Christine Powell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:51:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Christine Powell
23701 Eli Lane
Gaithersburg, MD 20882

From: [Robert Fenstermaker](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:51:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Robert Fenstermaker
327 Daleville Hwy
Covington Twp, PA 18444

From: [Susannah Mitchell](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:51:26 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Susannah Mitchell
386 1/2 Ridge View Drive
Grand Junction, CO 81507

From: [joe sain](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:51:03 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. joe sain
8301 mission gorge rd. spc 118
spc 118
santee, CA 92071

From: [Cynthia Thomas](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:50:58 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Cynthia Thomas
P.O. Box 86
Menomonie, WI 54751

From: [Beth Carr](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:50:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Beth Carr
8759 Morganville Rd
Stafford, NY 14143

From: [Nalei Kahakalau](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:50:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Nalei Kahakalau
POBox 1764
Honoka`a, HI 96727

From: [Don Thompson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:50:17 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Don Thompson
11 Blackstone St, #7
Cambridge, MA 02139

From: [Carole Huelsberg](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:50:04 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Carole Huelsberg
4807 Willamette
Port Townsend, WA 98368

From: [Linda Faste](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:49:45 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mrs Linda Faste
90 Peter Coutts Cir.
Stanford, CA 94305

From: [Andrew Lyall](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:49:39 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Andrew Lyall
3873 Bentwood Lane
Corpus Christi, TX 78415

From: [Jennifer Merritt](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:49:37 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Jennifer Merritt
3393 Atlantic Highway
Waldoboro, ME 04572

From: [Donna Gaab](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:49:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Donna Gaab
406 E. Vista
Bisbee, AZ 85603

From: [Huntley Hennessy](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:49:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Huntley Hennessy
1 Inspiration Dr
Los Lunas, NM 87031

From: [liz murphy](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:49:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. liz murphy
p.o. box 658
LaFayette, TN 37083

From: [Heidi Hutner](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:48:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Heidi Hutner
10 bay drive west
10 bay drive west Huntington NY 11743
huntington, NY 11743

From: [Roberto Romo](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:48:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Roberto Romo
3227 Anza St.
San Francisco, CA 94121

From: [cheryl Kozanitas](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:48:38 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

ms cheryl Kozanitas
646 Pico Ave
San Mateo, CA 94403

From: [N. Dumser](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:48:34 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. N. Dumser
313 Asharoken Ave.
Northport, NY 11768

From: [C. Emerson](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:48:27 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

miss C Emerson
2320 n st
Sacramento, CA 95816

From: [Don Hawkins](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:48:06 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Don Hawkins
1406 Grant St.
North Braddock, PA 15104

From: [Fran Seldin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:48:04 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Fran Seldin
11300 Knights Landing Ct
Laurel, MD 20723

From: [Philip Duarte](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:47:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Philip Duarte
121vRuela Drive
Naugatuck, CT 06770

From: [Mike LaPorte](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:46:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Mike LaPorte
6488 SW midmar
Portland, OR 97223

From: [Ellen Beschler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:46:25 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Ellen Beschler
5 East 51st Street, #4B
New York, NY 10022

From: [Margery Winter](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:46:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Margery Winter
634 Iowa St
Ashland, OR 97520

From: [Christine Doyka](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:46:09 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Christine Doyka
471 Wallan Road
Garberville, CA 95542

From: [Charles Neidich](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:46:01 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Charles Neidich
200 Cabrini Blvd
200 Cabrini Blvd
New York, NY 10033

From: [Ruby Lowe](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:45:39 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Ruby Lowe
3324Bellemont Mt.Herman Rd.
Burlington, NC 27215

From: [Kahlil Goodwyn](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:45:24 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Kahlil Goodwyn
30 Montrose Ave. #22Q
Brooklyn, NY 11206

From: [Michael Shores](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:45:00 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Michael Shores
1021 S. Ash
Tempe, AZ 85281

From: [Martha Goldin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:44:33 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Martha Goldin
701 4th Ave
San Francisco, CA 94118

From: [Eric Robson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:44:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Eric Robson
318 Island Dr Apt 20
Madison, WI 53705

From: [Erlynn Wallace](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:44:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Erlynn Wallace
4065 W. 2650 S. Circle
Hurricane, UT 84737

From: [Yefim Maizel](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:44:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Yefim Maizel
5025 Diamond Heights Boulevard
San Francisco, CA 94131

From: [Gabriel Lautaro](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:44:01 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Gabriel Lautaro

4

Oakland, CA 94610

From: [patrick.donaldson](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:43:43 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

sir patrick donaldson
106 ne 61st ave
portland, OR 97213

From: [Mary Hicklin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:43:40 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Mary Hicklin
11770 Hi Ridge Rd
Lakeside, CA 92117

From: [Melvin Armolt](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:43:37 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Melvin Armolt
5229 Applecross Ave
Chambersburg, PA 17202

From: [Renee Austin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:43:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Renee Austin Renee Austin
P. O. Box #142
P. O. Box #142
Birchrunville, PA 19421

From: [Michael Abler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:42:59 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Michael Abler
99 Frederick St
Santa Cruz, CA 95062

From: [Joel Levine](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:42:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Joel Levine
Private
Ukiah, CA 95482

From: [Mike Bird](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:42:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Mike Bird
1711 65th Ave NE
Tacoma, WA 98422

From: [Norm Conrad](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:42:41 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Norm Conrad
1120 S 25th St Trlr 87
Mount Vernon, WA 98274

From: [Bill Holt](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:42:25 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Bill Holt
7407 Scenic Brook Dr
Austin, TX 78736

From: [Janette Jorgensen](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:41:59 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Janette Jorgensen
26 Drew Road
Richford, VT 05476

From: [Matthew Franck](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:41:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Matthew Franck
19 Raritan Ave Apt B5
119 Livingston Ave Apt 5G
Highland Park, NJ 08904

From: [Gregory Freeman](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:41:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Gregory Freeman
6333 E Apache Dr.
Pearce, AZ 85625

From: [Mary Keithler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:41:54 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Mary Keithler
11322 E Ida Ct
Englewood, CO 80111

From: [Jill Davine](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:41:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Jill Davine
4047 La Salle Avenue
4047 La Salle Avenue
Culver City, CA 90232

From: [Jean Blackwood](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:41:10 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Please don't kill us.

Sincerely,

Sincerely,
Ms Jean Blackwood
2710 West Rollins Rd D16
Columbia, MO 65203

From: [David Henning](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:41:06 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. David Henning
9352 Eisenhower
Marshfield, WI 54449

From: [Frank Fredenburg](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:40:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Frank Fredenburg
188 Spruce Lake Drive
Milford, PA 18337

From: [Barbara Murray](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:40:38 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Barbara Murray
Taylor Run
Alexandria, VA 22314

From: [CHARLOTTE Garrett](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:40:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. CHARLOTTE Garrett
604-28th Street West
Saskatoon, SK S7L 0L1

From: [Jaszmene Smith](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:40:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Miss. Jazmene Smith
67 Lee Avenue
Millville, NJ 08332

From: [Shawn Jones-Bunn](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:40:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Shawn Jones-Bunn
P.O. Box 2283
Avila Beach, CA 93424

From: [Linda Nedderman-Eaton](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:40:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Linda Nedderman-Eaton
8621 E Bobcat Trl
Prescott Valley, AZ 86314

From: [John Dunn](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:40:07 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. John Dunn
P.O. Box 1024
n/a
Vashon, WA 98070

From: [S. E. Williams](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:39:59 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. S. E. Williams
12707 Murphy Rd Trlr 70
Stafford, TX 77477

From: [Stacey Smith](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:39:42 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Stacey Smith
5439 Solvay Rd
Tully, NY 10708

From: [Jon Nadle](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:39:36 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jon Nadle
858 Gladys Ave
Pittsburgh, PA 15216

From: [Dwight Rousu](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:39:35 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Dwight Rousu
13824 NE 70th Pl
13824 NE 70th Pl
Redmond, WA 98052

From: [Glory Arroyos](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:39:30 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Glory Arroyos
3100 Garden Villa Ln
Austin, TX 78704

From: [Douglas Sedon](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:38:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Douglas Sedon
19935 Beallsville Road
Beallsville, MD 20839

From: [Walter Ramsey](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:38:44 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Walter Ramsey
4165 Cherry Court
Oakley, CA 94561

From: [Mary McGaughey](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:38:44 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Mary McGaughey
381 NEVillage Squire Av Unit 2
Gresham, OR 97030

From: [Alfred Soprano](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:38:35 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Alfred Soprano
1362 Waterloo Ln #31
Gardnerville, NV 89410

From: [Maureen Wright](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:38:24 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms Maureen Wright
2816 Kentucky St NE
2816 Kentucky St NE
Albuquerque, NM 87110

From: [Karen Barton](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:38:11 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Coordinator Karen Barton
714 Old Lancaster Road
714 Old Lancaster Road
Bryn Mawr, PA 19010

From: [S.L. May](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:37:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. S.L. May
1769 Eastbrook Dr. South
Columbus, OH 43223

From: [DANIEL SCHLAGMAN](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:37:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

MR. DANIEL SCHLAGMAN
338 CHERRY PLACE
338 CHERRY PLACE
EAST MEADOW, NY 11554

From: [Connie Kline](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:37:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Connie Kline

Sincerely,
Connie Kline
38531 Dodds Landing Drive
Willoughby Hills, OH 44094

From: [Carolyn Poinelli](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:37:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Carolyn Poinelli
36 Prince St
Boston, MA 02113

From: [Paul Reslink](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:37:44 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Paul Reslink
110 Blue Trail
Hamden, CT 06518

From: [brian.pinkerton](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:37:42 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr. brian pinkerton
507 w. newton st
507 w. newton
rice lake, WI 54868

From: [Gregory D Simpson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:37:32 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Gregory D Simpson
13242 , Penshurst Ln
Windermere, FL 34786

From: [Lesley Boyland](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:37:27 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Lesley Boyland
26651 Academy Dr
Palos Verdes Peninsula, CA 90274

From: [Robert Hanson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:37:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Robert Hanson
2600 saklan indian
walnut creek, CA 94595

From: [Bob Parker](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:37:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Bob Parker
11514 Chautauqua Trail
Brecksville, OH 44141

From: [Charley Bowman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:37:18 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Charley Bowman
48 Sandelwood Dr
Getzville, NY 14068

From: [Maria Royce](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:36:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely, Maria Royce

Sincerely,

Ms. Maria Royce
10932 Arleta Avenue
Mission Hills, CA, CA 91345

From: [jack greene](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:36:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. jack greene
500 summit creek dr
500 summit creek dr
smithfield, UT 84335

From: [David Brodsky](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:36:26 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. David Brodsky
15978 Cleviden Rd
East Cleveland, OH 44112

From: [Marcia Tendick](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:36:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Marcia Tendick
1889 Plateau Circle
Moab, UT 84532

From: [Martha Booz](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:36:10 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Martha Booz
3823 Valley Ln
El Sobrante, CA 94803

From: [Joel Masser](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:34:56 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Joel Masser
5327 Romford Dr
San Jose, CA 95124

From: [Romi Elnagar](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:34:51 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Romi Elnagar
1447 Bullrush Dr
Baton Rouge, LA 70810

From: [Anna kite](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:34:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Anna kite
2620 Woodview Ct
Waukegan, IL 60087

From: [Marc Beschler](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:34:32 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Marc Beschler
5 East 51st Street, #4A
New York, NY 10022

From: [Jack David Marcus](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:34:29 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Jack David Marcus
215 W 92nd St Apt 15E
New York, NY 10025

From: [Gregory Rosasco](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:34:28 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Gregory Rosasco
5380 Peacock Dr
Holiday, FL 34690

From: [Michael Andrews](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:34:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Michael Andrews
1350 Euclid Avenue, Apt. 2
Miami Beach, FL 33139

From: [Joseph Shulman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:34:16 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Joseph Shulman
6249 Romo Street
San Diego, CA 92115

From: [James Mullins](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:34:13 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

mr James Mullins
135 matthews avenue
athens, GA 30606

From: [David Reynolds](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:34:12 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. David Reynolds
68 Jenkins Valley Rd
Alexander, NC 28701

From: [DK Bolen](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:33:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms DK Bolen
5600 - 59 Way N
St Petersburg, FL 33709

From: [Eric West](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:33:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr Eric West
3943 S. Peninsula Drive
Port Orange, FL 32127

From: [Myra Toth](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:33:47 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Myra Toth
Box 11
Ojai, CA 93024

From: [Cara Melbye](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:33:46 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Cara Melbye
Minnesota Ave.
Buffalo, NY 14215

From: [Ken Windrum](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:33:27 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Ken Windrum
160 S Gramercy Pl Apt 206
Los Angeles, CA 90004

From: [Sharon Wilensky](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:33:19 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Sharon Wilensky
1355 12th Ave
San Francisco, CA 94122

From: [tom borst](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:33:15 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. tom borst
60857 state route 20
marblemount, WA 98267

From: [Shanna Crockett](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:33:14 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Shanna Crockett
917 HOUGH AVE, APT 7
Lafayette, CA 94549

From: [Richard Jackson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:57 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Richard Jackson
206 Dana Lane
Sand Lake, MI 49343

From: [John Tovar](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:55 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. John Tovar
4305 Autumn Ridge Rd Unit# 210
Unit# 210
Cedar Falls, IA 50613

From: [Sue Biederman](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. Sue Biederman
1374 Wild Turkey Ct NE
Swisher, IA 52338

From: [Rita Meuer](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:53 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Rita Meuer
1422 Wheeler Road
Madison, WI 53704

From: [Lance Green](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:50 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. Lance Green
186 Dixon St
Madison, WI 53704

From: [justine yildiz](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:48 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mrs. justine yildiz
42 Hawthorn St
cambridge, MA 02138

From: [Nancy Hiestand](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:44 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Nancy Hiestand
526 South Campus Way, Davis
Davis
Davis, CA 95616

From: [Paul Eisenberg](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:37 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. Paul Eisenberg
1005 S. Hawthorne Drive
Bloomington, IN 47401

From: [leslie derbin](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:27 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Dr. leslie derbin
vindel
napa, CA 94558

From: [Nancy Lyles](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:25 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

CPhT Nancy Lyles
1246 5th Avenue
Gold Hill, OR 97525

From: [Wendy Ebersberger](#)
To: [RulemakingComments.Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:23 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

This is to urge you to not allow super-hot and long-lasting radioactive waste (GTCC) to go into “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Please do not weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Do not change the rules to allow a huge increase in the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending that it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment, and gene pools for the millennia it remains radioactively hazardous.

Sincerely,

Sincerely,
Ms. Wendy Ebersberger
153 Chapman Ln
Front Royal, VA 22630

From: [David Erickson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:22 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Mr. David Erickson
3443 Canadian Way
Tucker, GA 30084

From: [Jessica Palmer](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:20 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Jessica Palmer
610 Canyon Woods Ct
Apt C
Lafayette, CA 94549

From: [Judi Poulson](#)
To: [RulemakingComments Resource](#)
Subject: [External_Sender] Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste
Date: Monday, November 18, 2019 11:32:12 PM

NRC rulemaking comments

RE: Docket ID NRC-2017-0081--Manage Greater-Than-Class-C nuclear waste as High-Level Waste

Dear ,

Secretary, Nuclear Regulatory Commission (NRC)
ATTN: Rulemaking and Adjudications Staff
Washington, DC 20555-0001

Re: Docket ID NRC-2017-0081, GTCC Greater than Class C nuclear waste

Dear NRC Commissioners and Staff:

Do NOT allow super-hot and long-lasting radioactive waste (GTCC) to go into so-called “low-level” waste sites.

Greater than Class C or GTCC waste is the most concentrated so-called “low-level” radioactive waste, not suited to shallow land burial. It can have more deadly and long-lasting radionuclides than some of the hottest high level waste. In fact some reactor core components are radioactively hotter than the hottest irradiated fuel—High Burnup Fuel.

The NRC draft regulatory basis, “Regulatory Basis for the Disposal of Greater-than-Class C (GTCC) Waste,” (NRC ADAMS Accession No. ML19059A403) is not adequate to justify this very dangerous generic deregulation and reduction in regulatory control of nuclear power waste.

According to nuclear physicist Dr. Marvin Resnikoff,

“...from 10 years on, the core shroud (GTCC) is more radioactive than High Burnup Fuel (high level waste). The long-lived Nickel-59 (half-life 75,000 years; hazardous life 750,000 to 1,500,000 years) accounts for the long-lived radioactivity in both the core shroud and high burnup fuel. The core shroud also contains the long-lived Nb-94 (half-life 20,000 years; hazardous life 200,000 to 400,000 years), which is a gamma emitter. Reactor internals closest to or part of the reactor core, such as the core shroud, are the most radioactive internal components...”

Don't weaken controls and protections over nuclear waste, especially as reactors close and are decommissioned and more GTCC waste is generated.

Don't change the rules to allow a huge increase the amount of radioactivity going to the Waste Control Specialists TX site by 160 million curies, more than 28 times the licensed amount. Require better storage.

Instead of pretending it can go into shallow burial grounds, continue to manage GTCC radioactive waste as High Level to give the world a better chance of isolating it from our air, water, environment and gene pools for the millennia it remains radioactively hazardous .

Sincerely,

Sincerely,

Ms. Judi Poulson
1881 Knollwood Drive
Fairmont, MN 56031