



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

NOV 25 2019

Richard L. Dobben, M.D.  
Radiation Safety Officer  
Franciscan Health Michigan City  
3500 Franciscan Way  
Michigan City, IN 46360

Dear Dr. Dobben:

Enclosed is Amendment No. 52 to your NRC Material License No. 13-13144-02 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

In your correspondence to us dated March 4, 2019, and August 7, 2019, you indicated that you wished to release for unrestricted use your former location of use located at 301 Homer Street, Michigan City, Indiana.

The NRC staff has reviewed your final status surveys. Based on its review, the staff has concluded that all licensable radioactive material has been removed from within your former area of use and residual radioactive material attributable to licensed activities does not exceed current NRC criteria.

Based on these conclusions no further remediation or actions, except as specified below, with respect to NRC regulated material is required for your former location of use at 301 Homer Street, Michigan City, Indiana and it is suitable for unrestricted use.

We also changed your mailing address on the license to 3500 Franciscan Way, Michigan City, Indiana, as requested.

If you have any questions concerning this amendment please contact me at either (630) 829-9841 or (800) 522-3025, ext. 9841. My fax number is 630-515-1078. My email address is [colleen.casey@nrc.gov](mailto:colleen.casey@nrc.gov).

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you.

This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions.


Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture.

You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>.

We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

Sincerely,

A handwritten signature in cursive script that reads "Colleen Carol Casey".

Colleen Carol Casey  
Materials Licensing Branch

License No. 13-13144-02  
Docket No. 030-09928

Enclosure:

Amendment No. 52