



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

JAN 06 2020

Jack L. Bridges, M.D.
Radiation Safety Officer
Mosaic Life Care
ATTN: Nuclear Medicine
5325 Faraon St.
St. Joseph, MO 64506

Dear Dr. Bridges:

Enclosed is Amendment No. 57 to your U.S. Nuclear Regulatory Commission (NRC) Material License No. 24-18287-01 for Mosaic Life Care in accordance with your requests dated September 4, 2019 and October 14, 2019. Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the NRC Region III office at (630) 829-9887 so that we may provide appropriate corrections and answers.

In your letter dated November 19, 2019, you provided the history of use and close-out survey results for room 1460 located at 5325 Faraon Street, St. Joseph, Missouri. You also confirmed that all residual licensed material used at this location had been removed – such that any remaining residual radioactivity is within the limits of Title 10 of the *Code of Federal Regulations* (CFR) Part 20, Subpart E.

Based on its review of close-out survey information, the staff has concluded that all licensable radioactive material has been removed from the room and residual radioactive material attributable to licensed activities in this room does not exceed current NRC criteria. Based on these conclusions no further remediation or actions with respect to NRC regulated material is required. Room 1460 at 5325 Faraon Street, St. Joseph, Missouri is suitable for unrestricted use.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. The NRC may issue a notice of violation, imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The enclosed document contains sensitive security-related information.
When separated from this cover letter this letter is uncontrolled.

J. Bridges

- 2

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

NRC's Regulatory Issue Summary (RIS) 2005-31 provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS, the NRC's electronic document system. Pursuant to NRC's RIS 2005-31 and in accordance with 10 CFR 2.390, the enclosed license document is exempt from public disclosure because its disclosure to unauthorized individuals could present a security vulnerability. The RIS may be located on the NRC Web site at: <https://www.nrc.gov/docs/ML1619/ML16196A237.pdf> and the link for frequently asked questions regarding protection of security related sensitive information may be located at: <https://www.nrc.gov/reading-rm/sensitive-info/faq.html>.

A copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from ADAMS, accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,



Magdalena R. Gryglak
Health Physicist
Materials Licensing Branch

License No. 24-18287-01
Docket No. 030-14791

Enclosure: Amendment No. 57