

LICENSEE EVENT REPORT

EXHIBIT A

CONTROL BLOCK: 1										(PLEASE PRINT OR TYPE ALL REQUIRED INFORMATION)									
01 N C M G S 1 2 0 0 0 - 0 0 0 0 0 0 - 0 0 3 4 1 1 1 1 1 4 5										7 8 9 14 15 25 26 30 37 38 40									
01 REPORT SOURCE 1 5 0 5 0 0 0 3 6 9 7 0 6 2 1 6 8 1 8 0 7 2 4 8 1 9										7 8 9 14 15 25 26 30 37 38 40									
02 After entry into Mode 4 from Mode 5, the operability of EMF-36's low and high										7 8 9 14 15 25 26 30 37 38 40									
03 range detectors were not checked during the required surveillance following the										7 8 9 14 15 25 26 30 37 38 40									
04 plant's change in status. This is a violation of Tech. Spec. 3.3.3.9(4a) which										7 8 9 14 15 25 26 30 37 38 40									
05 is reportable per TS 6.9.1.13(b). Since the event occurred during the pre-										7 8 9 14 15 25 26 30 37 38 40									
06 operational stages of the plant, no radioactive gases were present. However, even										7 8 9 14 15 25 26 30 37 38 40									
07 if radioactivity had been present, the detectors would still have functioned and										7 8 9 14 15 25 26 30 37 38 40									
08 alarmed if their setpoints had been exceeded. Thus the health and safety of the										7 8 9 14 15 25 26 30 37 38 40									
09 public were not affected.										7 8 9 14 15 25 26 30 37 38 40									
17 LER/RO REPORT NUMBER 8 1										7 8 9 14 15 25 26 30 37 38 40									
18 ACTION TAKEN 1 2										7 8 9 14 15 25 26 30 37 38 40									
19 FUTURE ACTION 2 1										7 8 9 14 15 25 26 30 37 38 40									
20 EFFECT ON PLANT 2 1										7 8 9 14 15 25 26 30 37 38 40									
21 SHUTDOWN METHOD 2 1										7 8 9 14 15 25 26 30 37 38 40									
22 HOURS 0 0 0 0										7 8 9 14 15 25 26 30 37 38 40									
23 ATTACHMENT SUBMITTED N 23										7 8 9 14 15 25 26 30 37 38 40									
24 NPRO-4 FORM SUB. N 24										7 8 9 14 15 25 26 30 37 38 40									
25 PRIME COMP. SUPPLIER L 25										7 8 9 14 15 25 26 30 37 38 40									
26 COMPONENT MANUFACTURER G 0 6 3										7 8 9 14 15 25 26 30 37 38 40									
10 When the semi-daily surveillance items procedure was revised on June 16, 1981 to										7 8 9 14 15 25 26 30 37 38 40									
11 reflect the addition of a Hi-Hi detector to the EMF-36 system, the requirement										7 8 9 14 15 25 26 30 37 38 40									
12 to perform the surveillance on the low and high detectors was inadvertently de-										7 8 9 14 15 25 26 30 37 38 40									
13 leted. The procedure was revised again (June 26, 1981) to correct this de-										7 8 9 14 15 25 26 30 37 38 40									
14 ficiency, and the required surveillance performed the same day.										7 8 9 14 15 25 26 30 37 38 40									
15 FACILITY STATUS X 28										7 8 9 14 15 25 26 30 37 38 40									
16 POWER 0 0 0 29 Mode 4										7 8 9 14 15 25 26 30 37 38 40									
17 ACTIVITY CONTENT 2 33										7 8 9 14 15 25 26 30 37 38 40									
18 RELEASED OF RELEASE 2 34 NA										7 8 9 14 15 25 26 30 37 38 40									
19 AMOUNT OF ACTIVITY 35										7 8 9 14 15 25 26 30 37 38 40									
20 LOCATION OF RELEASE 36 NA										7 8 9 14 15 25 26 30 37 38 40									
21 PERSONNEL EXPOSURES 37 38 NA										7 8 9 14 15 25 26 30 37 38 40									
22 PERSONNEL INJURIES 39 40 NA										7 8 9 14 15 25 26 30 37 38 40									
23 LOSS OF OR DAMAGE TO FACILITY 41 42 NA										7 8 9 14 15 25 26 30 37 38 40									
24 PUBLICITY 43 44 NA										7 8 9 14 15 25 26 30 37 38 40									
25 ISSUED DESCRIPTION 45 NA										7 8 9 14 15 25 26 30 37 38 40									
26 NRC USE ONLY										7 8 9 14 15 25 26 30 37 38 40									