

## CONTROL BLOCK

(PLEASE PRINT OR TYPE ALL REQUIRED INFORMATION)

[illegible]

CON'T

0	1
7	8

REPORT SOURCE

L	6	0	5	0	0	2	9	6	7	0	8	2	5	8	1	8	0	9	1	8	8	1	9	
60	61	JACKET NUMBER						68	69	EVENT DATE						74	75	REPORT DATE						80

EVENT DESCRIPTION AND PROBABLE CONSEQUENCES (10)

0 2 | During normal steady state operation, the drywell 3-RM-90-256 continuous air monitor  
0 3 | (CAM) iodine channel failed downscale at 1800 on 8/25/81. (T.S. 3.6.C.2) There was  
0 4 | no danger to the health or safety of the public. There were no redundant systems  
0 5 | and no previous similar events.

0	6	
0	7	

CODE CODE CODE CODE CODE CODE

(0) (9) (11) (X) (Z) (I N S T R U) (E) (Z)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

(17) LER/RD REPORT NUMBER

EVENT YEAR		SEQUENTIAL REPORT NO.			OCCURRENCE CODE		REPORT TYPE		REVISION NO.	
8	1	0	4	3	/	0	3	L	-	0
21	22	23	24	26	27	28	29	30	31	32

ACTION TAKEN (B) (18) FUTURE ACTION (Z) (19) EFFECT ON PLANT (Z) (20) SHUTDOWN METHOD (Z) (21) HOURS (0) (0) (0) (22) ATTACHMENT SUBMITTED (Y) (23) NPRD-4 FORM SUB. (N) (24) PRIME COMP. SUPPLIER (L) (25) COMPONENT MANUFACTURER (N) (3) (0) (5) (26)

CAUSE DESCRIPTION AND CORRECTIVE ACTIONS (27)

1 0 The thermostat on the heat trace of the sample line had a loose connection. With-

1 1 out heat trace, condensation collected and plugged the unit. Water was purged,

1 2 sample line heat trace repaired, and the NMC Model AM-331BF CAM was returned to

1 3 service at 0510 on 8/27/81. This is considered a random event and no further

1 4 recurrence control is required.

FACILITY STATUS      % POWER      OTHER STATUS      METHOD OF DISCOVERY      DISCOVERY DESCRIPTION

1 2 E (28) 0 9 3 (29) NA A (31) Operator observed (32)

7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50

ACTIVITY CONTINUED

RELEASED OR RELEASE

AMOUNT OF ACTIVITY (35)

LOCATION OF RELEASE (36)

1 6 7 8 9 10 11

4 3.3 14

NA

45 80

PERSONNEL EXPOSURES							
SUMMARY			TYPE		DESCRIPTION		
1	7		0	0	0	Z	NA
F	R	G	I1	I2	I3		B3

PERSONNEL INJURED		NUMBER		DESCRIPTION	
1	2	3	4	5	6
		0	0	0	NA

1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40		41		42		43		44		45		46		47		48		49		50		51		52		53		54		55		56		57		58		59		60		61		62		63		64		65		66		67		68		69		70		71		72		73		74		75		76		77		78		79		80		81		82		83		84		85		86		87		88		89		90		91		92		93		94		95		96		97		98		99		100	
1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40		41		42		43		44		45		46		47		48		49		50		51		52		53		54		55		56		57		58		59		60		61		62		63		64		65		66		67		68		69		70		71		72		73		74		75		76		77		78		79		80		81		82		83		84		85		86		87		88		89		90		91		92		93		94		95		96		97		98		99		100	

FORM 10-75 (Rev. 11-29-73)

1. **ISSUED** **FOR** **DESCRIPTION** **(4)**

2. **NA**

3. **NAC USE ONLY**

NRC USE ONLY

NAME OF PREPARED: Gene Holder

PHONE (205) 729-6134

8109240294 810918  
PDR ADOCK 05000296  
S PDR

FOR SUPPLEMENTAL INFORMATION

BERD 59- 296 / 81043 Technical Specification Incident 3.6.C.2

Reported Under Technical Specification 6.7.2.b(2) State due NRC: 9/24/81

Date of Occurrence: 8/25/81 Time of Occurrence: 1800 Unit: 3

Identification and Description of Occurrence:

During normal steady state operation, the drywell 3-RM-90-256 continuous air monitor (CAM) iodine channel failed downscale at 1800 on 8/25/81.

Conditions Prior to Occurrence:

Unit 1 in refueling outage.

Unit 2 ... 76%.

Unit 3 at 93%.

Action specified in the Technical Specification Surveillance Requirements met due to inoperable equipment. Describe:

Met requirements of T.S. 4.6.C.2.

Apparent Cause of Occurrence:

The thermostat on the heat trace of the sample line had a loose connection. Without heat trace, condensation collected and plugged the unit.

Analysis of Occurrence:

There was no danger to the health or safety of the public, no release of activity, no damage to the plant or equipment, and no resulting significant chain of events.

Corrective Action: Water was purged from sample line and unit, sample line heat trace was repaired, and the model AM-331BF continuous air monitor was returned to service at 0510 on 8/21/81. During period of inoperability sampling program was initiated. This is considered a random event and no further recurrence control is required.

Failure Data: None

Retention: Period - Lifetime; Responsibility: Document Control Supervisor

\*Revision: *AK*