



Georgia Institute of Technology

NEELY NUCLEAR RESEARCH CENTER
800 ATLANTIC DRIVE
ATLANTA, GEORGIA 30332-0425

(404) 894-3600

May 15, 1991

Mr. Marvin M. Mendonca
Senior Project Manager
Non-Power Reactors, Decommissioning
and Environmental Project Director
Division of Reactors and
Office of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Dear Mr. Mendonca:

Subject: February 5, 1991 Request to Amend GTRR License,
Docket No. 50-160, License No. R-97

Pursuant to telephone conversation with you yesterday, May 14, 1991, and in addition to our request of February 5, 1991, to amend the organizational chart, Figure 6.1, Page 39 of the Technical Specifications, we further request that Technical Specification 6.1.b which states:

"A Radiological Safety Officer, who is organizationally independent of the GTRR operations staff, shall advise the Director, Nuclear Research Center in matters pertaining to radiological safety at the GTRR."

be changed to:

The Manager, Office of Radiation Safety, shall advise the Director, Nuclear Research Center in matters pertaining to radiological safety. She/he has access to the Vice-President, Interdisciplinary Programs and/or the President of the Institute as needed.

A "new" page 38 of the Technical Specifications incorporating the above change is appended as Attachment A.


The Neely Nuclear Research Center has fifty seven (57) approved radiation protection procedures. A list of these procedures is appended as Attachment B. These procedures are audited on an annual basis by the independent Nuclear Safeguard Committee. Examples of audits by Nuclear Safeguard Committee are included in Attachment C. Response to NSC audits is included in Attachment D.

9105300112 910515
PDR ADOCK 05000160
PDR

Mr. Marvin Mendonca
May 15, 1991
Page 2

Should you have any question, please let me know. I
appreciate your help and cooperation in this matter.

Sincerely,



R.A. Karam, Ph.D., Director
Neely Nuclear Research Center

RAK/ccg
Attachments-4

Attachment A