

Linde, Amy

From: Stinson, Narvaez (CDC/DDPHSS/OLSS/OLS) <nks5@cdc.gov>
Sent: Thursday, January 16, 2020 11:53 AM
To: Ullrich, Elizabeth
Cc: Chapp, Paul (ATSDR/DCHI/EB)
Subject: [External_Sender] CDC License Amendment Request for RSO Removal
Attachments: Lic Amend Request_Remove Narvaez Stinson as RSO_Jan152020.pdf

Good morning Ms. Ullrich,

The Centers for Disease Control and Prevention (CDC) is requesting to amend both of its NRC Materials Licenses No. 10-06772-01 and No. 10-06772-02. This amendment involves removing Mr. Narvaez L. Stinson from each of the licenses as the approved Radiation Safety Officer. Mr. Stinson has accepted employment with another agency, and therefore, his official release date from the CDC is February 15, 2020. Please see the attached license amendment request.

Please let us know if additional information is required for this action.

Respectfully,
Narvaez

03004001
Branch 2

Narvaez L. Stinson, MHS, CEM (GEMA)
RSO / Radiological Emergency Response Coordinator
Office of Laboratory Science & Safety
Centers for Disease Control and Prevention
1600 Clifton Road, Atlanta, GA 30329, Mailstop D17
Office: NStinson@cdc.gov
Personal: NLStinson1906@gmail.com
Office: 404-639-2486
Cell: 404-664-7100

OLSS Office of Laboratory
Science and Safety
Strengthening the culture of laboratory science and safety at CDC

617679
617680

NMSS/RGN1 MATERIALS-002

Re: Amendment Request for Materials License Nos. 10-06772-01 and 10-06772-02

DATE 15 January 2020

TO U.S. Nuclear Regulatory Commission, Region I
2100 Renaissance Blvd., Suite 100
King of Prussia, PA 19406-2713

FROM CDC Radiation Safety Officer
Chair, Radiation Safety Committee

SUBJECT Removal of Narvaez L. Stinson as the Radiation Safety Officer from CDC's NRC
Materials License Nos. 10-06772-01 and 10-06772-02

Dear Ms. Ullrich,

Mr. Narvaez L. Stinson has accepted employment at another federal agency, and as of February 15, 2020, will no longer be employed by the Centers for Disease Control and Prevention. Therefore, we request to amend CDC's NRC Materials Licenses No. 10-06772-01 and No. 10-06772-02 by removing Mr. Stinson from each of these licenses as the Radiation Safety Officer.

Point of contact for this license amendment request is Narvaez L. Stinson, and can be reached at NStinson@cdc.gov, and by cell phone at (404) 664-7100. If you need to discuss this request after February 15, 2020, you may contact Mary E. Brandt at mbb4@cdc.gov or by telephone at (404) 639-0281.

Sincerely yours,

**Narvaez L.
Stinson -S**

Digitally signed by
Narvaez L. Stinson -S
Date: 2020.01.15
15:58:40 -05'00'

Narvaez L. Stinson, RSO
Radiation Safety Activity
Office of the Director for
Laboratory Science and Safety



ACKNOWLEDGEMENT - RECEIPT OF CORRESPONDENCE

Name and Address of Applicant and/or Licensee

U.S. Department of Health and Human Services
Centers for Disease Control & Prevention
ATTN: Mary Brandt, Director, Office of Laboratory
Safety
1600 Clifton Road, N.E.
Atlanta, GA 30333-4018

Date

01/27/2020

License Number(s)

10-06772-02

Mail Control Number(s)

617680

Licensing and/or Technical Reviewer or Branch

CIRDA, DNMS

This is to acknowledge receipt of your: ☒ Letter and/or ☐ Application Dated: 1/16/2020

The initial processing, which included an administrative review, has been performed.

☒ Amendment ☐ Termination ☐ New License ☐ Renewal

☒ There were no administrative omissions identified during our initial review.

☐ This is to acknowledge receipt of your application for renewal of the material(s) license identified above. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

☐ Your application for a new NRC license did not include your taxpayer identification number. Please complete and submit NRC Form 531, Request for Taxpayer Identification Number, located at the following link: <http://www.nrc.gov/reading-rm/doc-collections/forms/nrc531.pdf>
Follow the instructions on the form for submission.

☐ The following administrative omissions have been identified:

--

Your application has been assigned the above listed MAIL CONTROL NUMBER. When calling to inquire about this action, please refer to this control number. Your application has been forwarded to a technical reviewer. Please note that the technical review, which is normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions concerning the processing of your application, our contact information is listed below:

Region I
U. S. Nuclear Regulatory Commission
Division of Nuclear Materials Safety
2100 Renaissance Boulevard, Suite 100
King of Prussia, PA 19406-2713
(610) 337-5260, (610) 337-5313,
(610) 337-5398, (610) 337-5513 or (610) 337-5239