

BAKER & BOTTS

ONE SHELL PLAZA
HOUSTON, TEXAS 77002

WASHINGTON OFFICE
1701 PENNSYLVANIA AVE. N. W.
WASHINGTON, D. C. 20006
TELEPHONE (202) 457-5500

TELEPHONE (713) 229-1234

RELATED CORRESPONDENCE

TELEX 76-2779
TELECOMMUNICATION
(713) 229-1523 HOUSTON
(202) 457-5531 WASHINGTON, D. C.

H-2412-228E
Houston Lighting & Power Company
Re: Allens Creek Fuel
Contract & Licensing

April 5, 1982


Mr. Chase R. Stephens
Docketing and Service Section
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Re: Docket No. 50-466

Dear Mr. Stephens:

It has come to our attention that there is a typographical error in Applicant's Answers and Objections to Doherty's Fifth Set of Interrogatories. On page five, in the answer to Interrogatory 5(b), the following sentence appears: "In addition, HL&P reviews the acceptability and applicability of analysis methodology including computer codes as part of its regulatory activities." That sentence should read: "In addition, NRC reviews the acceptability and applicability of analysis methodology including computer codes as part of its regulatory activities."

Very truly yours,



Scott E. Rozzell
Attorney for Houston
Lighting & Power Company

SER:128
cc: All Parties



DS03
1/0