



Omaha Public Power District

1623 HARNEY ■ OMAHA, NEBRASKA 68102 ■ TELEPHONE 536-4000 AREA CODE 402

April 1, 1982

LIC-82-140

Mr. John T. Collins, Administrator
U. S. Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 1000
Arlington, Texas 76011

Reference: Docket No. 50-285

Dear Mr. Collins:

Subject: IE Inspection Report 81-35, Finding 4,
Regarding Respiratory Protection

Omaha Public Power District's letter to the Commission dated March 18, 1982 detailed the District's program and schedule for resolving the subject concern. As part of the District's program, we had identified a need for 18 additional self-contained breathing apparatuses (SCBA's) and, in our March 18, 1982 letter, we committed to ordering these by April 1, 1982. This letter is provided to clarify the District's commitment.

The District has implemented the purchasing process on the 18 SCBA's. The first step in this process, in accordance with existing District purchasing procedures, requires written quotations from the available vendors. These quotations have been requested, but it could be several weeks to a month before the actual order can be placed with a vendor. By requesting quotations, the District has met the intended commitment of our March 18, 1982 letter and we will continue to expedite the ordering and placing in operation of the 18 SCBA's.

Sincerely,

W. C. Jones
Division Manager
Production Operations

cc: U. S. Nuclear Regulatory Commission
Office of Inspection and Enforcement
Washington, D.C. 20555

LeBoeuf, Lamb, Leiby & MacRae
1333 New Hampshire Avenue, N.W.
Washington, D.C. 20036