

50-395

SOUTH CAROLINA ELECTRIC & GAS COMPANY

POST OFFICE BOX 764

COLUMBIA SOUTH CAROLINA 29218

RANDOLPH R. MAHAN
ATTORNEY

May 5, 1982

'82 MAY -7 AM

Herbert Grossman, Esquire
Chairman, Atomic Safety
and Licensing Board
U. S. Nuclear Regulatory
Commission
Washington, D. C. 20555

Mr. Gustave A. Linenberger
Member, Atomic Safety and
Licensing Board Panel
U. S. Nuclear Regulatory
Commission
Washington, D. C. 20555

Dr. Frank F. Hooper
School of Natural Resources
University of Michigan
Ann Arbor, Michigan 48109

Re: V. C. Summer Information Brochure

Gentlemen:

Attached is a copy of the V. C. Summer Emergency Information brochure, revised in accordance with commitments stated by Ms. R. M. McSwain, Supervisor, Nuclear Information for South Carolina Electric & Gas Company, in her statement before the Board (following Tr. page 3001) and in response to other criticisms. (See also Applicants Proposed Findings, paragraphs 51-72, pp. 26-34, and specifically paragraph 70, p. 33.)

Specifically, the emergency instructions are presented in the beginning of the brochure; the emergency instructions are presented in a simple instruction format; evacuation routes to specific county reception centers have been simplified; the evacuation routes map presents the locations of all reception centers; the radiation exposure information chart has been reexamined and redone; and the two-mile area around the Summer Station has been identified with a sector designation (A-0). Also, reference to a 25,000 millirem exposure as a level at which health effects are first detected has been eliminated and all references to the radiological cleanliness of the secondary loop have been deleted. (Applicants' Proposed Findings, paragraphs 64 and 68 respectively.)

Very truly yours,

Randolph R. Mahan

Randolph R. Mahan

8205130197 820505
PDR ADDCK 05000395
G PDR

RRM/dgs
Attachment
cc: Service List (w/attachment)

DS03
5/11



DOCUMENT/ PAGE PULLED

ANO. 8205130197

NO. OF PAGES 2

REASON

☐ PAGE ILLEGIBLE

☐ HARD COPY FILED AT. PDR CF

OTHER _____

☐ BETTER COPY REQUESTED ON _____

☒ PAGE TOO LARGE TO FILM

☒ HARD COPY FILED AT. PDR

CF

OTHER _____

☒ FILMED ON APERTURE CARD NO 8205130197-01

thru

8205130197-02