

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED:

High Mountain Inspection Service, Inc.
2000 West Revenue Boulevard, Casper, WY &
TJS at ~5164 W. Yellowstone Hwy, Casper WY
(GPS: 42.859870 N, 106.397414 West)

REPORT NO.: 2020-001

2. NRC/REGIONAL OFFICE

U.S. Nuclear Regulatory Commission
Region IV, 1600 East Lamar Blvd
Arlington, Texas 76011-4511

3. DOCKET NUMBER

030-33887

4. LICENSE NUMBER

49-26808-02

5. DATE(S) OF INSPECTION

February 4, 5, & 7, 2020

LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:



1. Based on the inspection findings, no violations were identified.



2. Previous violation(s) closed. (IR2019-001)



3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy to exercise discretion, were satisfied.



Non-Cited Violation(s) was/were discussed involving the following requirement(s) and Corrective Action(s):



4. During this inspection certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

Licensee's Statement of Corrective Actions for Item 4, above.

I hereby state that, within 30 days, the actions described by me to the inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

Title

Printed Name

Signature

Date

LICENSEE'S
REPRESENTATIVE

NRC INSPECTOR

J. vonEhr

BRANCH CHIEF

Patricia A. Silva

2/11/2020

3/6/2020



Non-Public



Sensitive – Security-Related



Public



Non-Sensitive

From: [Kevin MacManus](#)
To: [VonEhr, Jason](#)
Subject: [External_Sender] Re: NRC Inspection Report - High Mountain Inspection Service
Date: Tuesday, February 11, 2020 5:32:30 PM

Received, thank you.

On Tue, Feb 11, 2020, 2:01 PM VonEhr, Jason <Jason.VonEhr@nrc.gov> wrote:

Kevin,

I'd like to thank you for your time today and you and your staff during the NRC inspection at your facility and a temporary job site in Casper, Wyoming, on February 4, 5, and 7, 2020. As I explained during our exit briefing today, the NRC has determined that no violations of greater-than-minor significance were identified. The attached NRC Inspection Report (NRC Form 591M) documents the results of the inspection. This does not require you to take any action and you are not required to sign the document or return it. I do however request a courtesy email response from you acknowledging receipt.

If you have any questions or concerns, please do not hesitate to contact me,

--

Jason vonEhr

Health Physicist

U.S. Nuclear Regulatory Commission, Region-IV

1600 East Lamar Boulevard

Arlington, Texas 76011-4511

Office: (817) 200-1186

Fax: (817) 200-1083

Email: jason.vonehr@nrc.gov

2in-color-nrc-logo

