

LICENSEE EVENT REPORT

CONTROL BLOCK: (PLEASE PRINT OR TYPE ALL REQUIRED INFORMATION)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|----|---|---|---|----|----|---|---|---|---|---|---|---|----------------|---|---|----|----|---|---|---|---|---|--------------|---|---|--|--|--|--|--|--|--|--------|--|--|--|--|--|--|--|--|--|
| 01 | IA | D | A | C | 1 | 2 | 0 | 0 | - | 0 | 0 | 0 | 0 | 0 | - | 0 | 0 | 3 | 4 | 1 | 1 | 1 | 1 | 1 | 4 | 5 | | | | | | | | | | | | | | | | | |
| 7 | 8 | 9 | | | 14 | 15 | | | | | | | | | | | 25 | 26 | | | | | | | | | | | | | | | | | | | | | | | | | |
| LICENSEE CODE | | | | | | | | | | | | | | LICENSE NUMBER | | | | | | | | | | LICENSE TYPE | | | | | | | | | | CAT 58 | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|----|---------------|---|---|---|----|----|----|---|---|---|---|---|------------|----|----|---|---|---|---|---|---|---|-------------|---|---|---|---|--|--|--|--|--|
| CON'T | 01 | REPORT SOURCE | L | 6 | 0 | 15 | 10 | 10 | 0 | 3 | 3 | 1 | 7 | 0 | 12 | 12 | 1 | 1 | 8 | 3 | 3 | 0 | 3 | 0 | 3 | 8 | 3 | 9 | | | | | |
| 7 | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DOCKET NUMBER | | | | | | | | | | | | | | EVENT DATE | | | | | | | | | | REPORT DATE | | | | | | | | | |

EVENT DESCRIPTION AND PROBABLE CONSEQUENCES (10)

02 During cold shutdown surveillance testing, PS-1917A and PS-1917B tripped

03 out-of-spec low at 93 and 89 psig respectively. These pressure switches

04 provide a signal to ADS that 1P-229B, the 'B' RHR pump, is running. T.S.

05 Table 3.2 requires the setpoint to be 100 +/- 5.2 psig. One previous sim

06 ilar occurrence (see R0 80-52).

07

08

| | | | | | | | |
|---|----------------------|-----------------|-----------------------|-----------------|----------------------|------------------|----------------------|
| 09 | SYSTEM CODE | CAUSE CODE | CAUSE SUBCODE | COMPONENT CODE | COMP. SUBCODE | VALVE SUBCODE | REVISION NO. |
| | S | E | E | I | S | Z | 0 |
| | 9 | 11 | 12 | 13 | 19 | 20 | 32 |
| 17 | LER/RO REPORT NUMBER | EVENT YEAR | SEQUENTIAL REPORT NO. | OCCURRENCE CODE | REPORT TYPE | | |
| | 8 | 3 | 0 | 0 | L | | |
| | 21 | 22 | 24 | 28 | 30 | | |
| 18 | ACTION TAKEN | EFFECT ON PLANT | SHUTDOWN METHOD | HOURS | ATTACHMENT SUBMITTED | NPRO-A FORM SUB. | PRIME COMP. SUPPLIER |
| E | Z | Z | Z | 0 | N | N | A |
| 33 | 34 | 35 | 36 | 37 | 41 | 42 | 43 |
| CAUSE DESCRIPTION AND CORRECTIVE ACTIONS (27) | | | | | | | |

10 Instrument drift. PS-1917A and PS-1917B were promptly recalibrated and f

11 unctionally tested with satisfactory results. PS-1917A and PS-1917B are

12 Static-O-Ring Model SN-AA3-X9533 pressure switches. No further correctiv

13 e action is planned.

| | | | | | |
|----|------------------|--------------------|---------------------|---------------------|-----------------------|
| 14 | FACILITY STATUS | % POWER | OTHER STATUS | METHOD OF DISCOVERY | DISCOVERY DESCRIPTION |
| | H | 0 | NA | B | Surveillance Testing |
| | 7 | 8 | 11 | 45 | 46 |
| 15 | ACTIVITY CONTENT | AMOUNT OF ACTIVITY | LOCATION OF RELEASE | | |
| | Z | NA | NA | | |
| | 7 | 10 | 44 | | |

| | | |
|----|-------------------------------|-------------|
| 16 | PERSONNEL EXPOSURES | DESCRIPTION |
| | 0 | NA |
| | 7 | 11 |
| 17 | PERSONNEL INJURIES | DESCRIPTION |
| | 0 | NA |
| | 7 | 11 |
| 18 | LOSS OF OR DAMAGE TO FACILITY | DESCRIPTION |
| | Z | NA |
| | 7 | 10 |

| | | |
|----|-----------|-------------|
| 19 | PUBLICITY | DESCRIPTION |
| | N | NA |
| | 7 | 10 |
| 20 | ISSUED | DESCRIPTION |
| | N | NA |
| | 7 | 10 |

NAME OF PREPARER Kimuel L. Hill

PHONE 319-851-7309

NRC USE ONLY