


Georgia Power Company
40 Inverness Center Parkway
Post Office Box 1295
Birmingham, Alabama 35201
Telephone 205 877-7279

J. T. Beckham, Jr.
Vice President - Nuclear
Hatch Project



July 29, 1994

Docket Nos. 50-321
50-366

HL-4658

U.S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, D.C. 20555

Edwin I. Hatch Nuclear Plant
SAFEGUARDS Event Log


Gentlemen:

In accordance with the requirements of 10 CFR 73.71(c)(2), Georgia Power Company is providing a copy of the safeguards event log for the Edwin I. Hatch Nuclear Plant for the second quarter of 1994. During this period, Unit 1 was in operation. Unit 2 began a scheduled refueling outage on March 16, 1994 and returned to service on April 30, 1994.

This log has been reviewed and determined not to contain safeguards information requiring protection. Therefore, this log can be placed in the public document room.

Should you have any questions in this regard, please contact this office.

Sincerely,


J. T. Beckham, Jr.

JKB/cr

cc: (See next page.)

010005

9408020082 940729
PDR ADOCK 05000321
F PDR

ADD: NMSS/FCOB/DEM

5003/1
Ltr. Encl.

U.S. Nuclear Regulatory Commission
July 29, 1994

Page 2

cc: Georgia Power Company
Mr. H. L. Sumner, Nuclear Plant General Manager
NORMS

U.S. Nuclear Regulatory Commission, Washington, D.C.
Mr. K. Jabbour, Licensing Project Manager - Hatch

U.S. Nuclear Regulatory Commission, Region II
Mr. S. D. Ebner, Regional Administrator
Mr. B. L. Holbrook, Senior Resident Inspector - Hatch

7/28/94

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Page 1

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-001	4/1/94	23:12	4/1/94	23:58	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-002	4/2/94	11:45	4/2/94	17:00	DOOR NOT SECURING PROPERLY. DISCOVERED ON PATROL.	COMPENSATORY MEASURES TAKEN.
94-2-003	4/3/94	22:11	4/3/94	22:45	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-004	4/5/94	23:34	4/6/94	05:00	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-005	4/7/94	01:12	4/7/94	19:36	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-006	4/7/94	07:23	4/7/94	16:00	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-007	4/7/94	11:12	4/7/94	16:00	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

7/28/94

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Page 2

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-008	4/7/94	16:54	4/7/94	18:00	DOOR NOT SECURING PROPERLY. DISCOVERED BY PATROL.	COMPENSATORY MEASURES TAKEN.
94-2-009	4/11/94	10:27	4/11/94	12:30	DOOR NOT SECURING PROPERLY. DISCOVERED BY PATROL.	COMPENSATORY MEASURES TAKEN.
94-2-011	4/11/94	19:40	4/12/94	05:50	DOOR NOT SECURING PROPERLY. DISCOVERED BY PATROL.	COMPENSATORY MEASURES TAKEN.
94-2-012	4/11/94	23:40	4/12/94	04:45	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-013	4/12/94	02:45	4/12/94	19:00	LOSS OF POWER IN PESB DUE TO TRIPPED TRANSFORMER.	COMPENSATORY MEASURES TAKEN.
94-2-014	4/12/94	18:29	4/13/94	03:20	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-015	4/12/94	19:20	4/13/94	03:44	TAMPER INDICATION ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

7/28/94

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Page 3

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-016	4/13/94	05:10	4/13/94	05:37	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-017	4/14/94	02:40	4/14/94	04:55	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-018	4/14/94	04:02	4/14/94	05:10	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-019	4/15/94	22:52	4/15/94	24:00	DOOR NOT SECURING PROPERLY. DISCOVERED BY PATROL.	COMPENSATORY MEASURES TAKEN.
94-2-020	4/16/94	03:17	4/16/94	05:43	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-021	4/16/94	09:17	4/16/94	12:00	DOOR NOT SECURING PROPERLY. DISCOVERED BY PATROL.	COMPENSATORY MEASURES TAKEN.
94-2-022	4/17/94	19:50	4/18/94	00:80	DOOR NOT SECURING PROPERLY. DISCOVERED BY PATROL.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

7/28/94

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Page 4

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-023	4/17/94	23:23	4/17/94	23:45	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-024	4/19/94	15:36	4/19/94	16:36	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-025	4/22/94	16:33	4/22/94	18:00	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-026	4/22/94	22:15	4/22/94	23:00	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-027	4/23/94	00:16	4/23/94	19:00	CARD READER ON VITAL AREA DOOR OFFLINE.	COMPENSATORY MEASURES TAKEN.
94-2-028	4/23/94	02:20	4/23/94	03:50	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-029	4/23/94	04:42	4/23/94	05:20	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-030	4/28/94	03:18	4/28/94	04:50	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-031	5/4/94	00:58	5/4/94	03:25	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-032	5/4/94	03:39	5/4/94	04:40	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-033	5/4/94	03:30	5/4/94	05:05	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-034	5/4/94	08:05	5/4/94	12:00	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-035	5/5/94	07:05	5/5/94	14:18	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-036	5/5/94	06:41	5/5/94	14:00	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

7/28/94

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Page 6

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-037	5/8/94	17:05	5/8/94	20:00	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-038	5/11/94	06:03	5/11/94	06:35	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-039	5/12/94	23:55	5/13/94	04:30	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-040	5/13/94	07:56	5/13/94	12:30	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-041	5/13/94	17:44	5/13/94	17:58	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-042	5/14/94	07:10	5/14/94	13:00	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-043	5/14/94	09:07	5/14/94	10:34	SECURITY SYSTEM MULTIPLEXOR CABINET DOOR UNLOCKED.	JOURNAL REPORT REVEALED NO UNAUTHORIZED ACCESS TO THE MUX.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

7/28/94

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Page 7

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-044	5/15/94	01:05	5/15/94	03:12	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-045	5/15/94	02:20	5/15/94	03:19	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-046	5/15/94	03:38	5/15/94	03:50	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-047	5/15/94	07:19	5/15/94	15:05	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-048	5/15/94	07:20	5/15/94	15:00	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-049	5/15/94	19:04	5/15/94	19:04	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-050	5/15/94	22:38	5/15/94	23:30	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-051	5/16/94	01:40	5/16/94	04:28	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-052	5/18/94	05:34	5/18/94	06:20	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-053	5/18/94	09:35	5/18/94	10:30	CONTRACTOR VAN LEFT UNLOCKED WHILE UNATTENDED. VAN SECURED.	DRIVER ADVISED OF REQUIREMENT TO SECURE UNATTENDED VEHICLES IN PA.
94-2-054	5/18/94	16:50	5/18/94	17:00	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-055	5/19/94	03:00	5/19/94	04:20	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-056	5/19/94	06:00	5/19/94	06:00	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-057	5/19/94	07:05	5/19/94	14:28	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

7/28/94

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Page 9

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-058	5/20/94	03:38	5/20/94	04:20	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-059	5/20/94	13:30	5/20/94	13:30	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-060	5/22/94	14:36	5/22/94	16:42	FREQUENT ALARM ON DOOR.	COMPENSATORY MEASURES TAKEN.
94-2-061	5/23/94	11:08	5/23/94	18:00	FREQUENT ALARM ON DOOR.	COMPENSATORY MEASURES TAKEN.
94-2-062	5/24/94	02:20	5/24/94	02:27	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-063	5/25/94	02:17	5/25/94	04:30	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-064	5/25/94	04:47	5/25/94	05:25	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-065	5/28/94	03:45	5/28/94	05:00	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-066	5/28/94	08:40	5/28/94	11:00	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-067	5/29/94	01:40	5/29/94	02:50	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-068	5/29/94	06:32	5/29/94	09:30	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-069	5/29/94	12:19	5/29/94	12:30	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-070	5/29/94	12:27	5/29/94	13:00	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-071	5/30/94	04:25	5/30/94	06:20	DOOR FOUND IMPROPERLY SECURED.	DOOR PINS UNSECURE, DOOR PROPERLY LOCKED AND ALARMED.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-072	5/30/94	04:48	5/30/94	06:01	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-073	5/30/94	15:46	5/30/94	16:45	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-074	5/31/94	23:04	6/1/94	04:00	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-075	6/1/94	02:34	6/1/94	04:30	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-076	6/1/94	04:45	6/1/94	05:15	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-077	6/1/94	07:20	6/1/94	09:00	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-078	6/2/94	15:53	6/2/94	16:50	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-079	6/2/94	19:55	6/3/94	02:01	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-080	6/3/94	18:35	6/3/94	21:40	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-081	6/4/94	13:30	6/4/94	13:45	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-082	6/4/94	16:58	6/4/94	17:20	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-083	6/4/94	20:03	6/4/94	20:45	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-084	6/4/94	22:42	6/4/94	23:58	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-085	6/5/94	17:42	6/5/94	18:24	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-086	6/5/94	17:42	6/5/94	18:24	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-087	6/6/94	00:17	6/6/94	02:15	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-088	6/6/94	21:27	6/7/94	02:00	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-089	6/7/94	04:45	6/7/94	05:30	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-090	6/7/94	15:29	6/7/94	18:00	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-091	6/8/94	07:26	6/8/94	10:30	DOOR FOUND UNSECURE BY PATROL. NO ALARMS OR TAMPERING. SECURED	COMPENSATORY MEASURES TAKEN.
94-2-092	6/8/94	13:28	6/8/94	15:20	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-093	6/8/94	21:16	6/9/94	01:00	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-094	6/9/94	09:22	6/9/94	16:45	DOOR FOUND UNSECURE BY PATROL. MAINTENANCE PERFORMED ON LOCK.	COMPENSATORY MEASURES TAKEN.
94-2-095	6/9/94	16:10	6/9/94	17:28	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-096	6/9/94	22:20	6/9/94	22:40	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-097	6/10/94	00:29	6/10/94	02:35	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-098	6/11/94	15:54	6/11/94	17:39	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-099	6/11/94	20:39	6/11/94	23:55	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-100	6/13/94	02:26	6/13/94	04:07	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-101	6/13/94	06:50	6/13/94	07:20	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-102	6/13/94	21:10	6/13/94	23:55	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-103	6/14/94	17:00	6/14/94	17:31	ALARM WITHOUT RESET. MAINTENANCE INITIATED.	COMPENSATORY MEASURES TAKEN.
94-2-104	6/15/94	15:07	6/15/94	16:45	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-105	6/16/94	03:16	6/16/94	05:13	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-106	6/16/94	07:47	6/16/94	17:05	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-107	6/16/94	13:36	6/16/94	17:16	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-108	6/17/94	02:41	6/17/94	03:25	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-109	6/17/94	07:15	6/17/94	16:40	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-110	6/17/94	15:29	6/17/94	17:00	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-111	6/18/94	09:25	6/18/94	09:39	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-112	6/18/94	11:54	6/18/94	12:15	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.
94-2-113	6/18/94	14:12	6/18/94	17:35	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-114	6/19/94	02:58	6/19/94	03:10	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-115	6/19/94	14:40	6/19/94	17:00	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-116	6/21/94	19:05	6/21/94	21:43	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-117	6/23/94	07:55	6/23/94	17:55	UPS FAILED DUE TO INVERTER PROBLEMS	MAINTENANCE SCHEDULED FOR 06/24/94.
94-2-118	6/23/94	16:26	6/23/94	17:40	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-119	6/28/94	02:52	6/28/94	05:00	TAMPER WITHOUT RESET ON VITAL AREA DOOR.	COMPENSATORY MEASURES TAKEN.MAINTENANCE INITIATED.
94-2-120	6/28/94	14:13	6/28/94	16:05	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.

7/28/94

Plant E. I. Hatch
Quarterly Safeguards Event Log
Summary

Page 18

Log Number	Event Date	Event Time	Log Date	Log Time	Event Summary	Report Summary
94-2-121	6/29/94	13:35	6/29/94	18:00	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-122	6/29/94	18:58	6/29/94	23:45	FREQUENT ALARMS ON PERIMETER ZONES.	COMPENSATORY MEASURES TAKEN.
94-2-123	6/29/94	20:45	6/30/94	00:40	POOR VISIBILITY ON PERIMETER CAMERAS.	COMPENSATORY MEASURES TAKEN.
94-2-124	6/30/94	14:00	6/30/94	18:00	FREQUENT ALARMS ON PERIMETER ZONE.	COMPENSATORY MEASURES TAKEN.

Weather conditions and site cooling tower configuration contributes to the rate of alarms and visibility entries, which are often higher than industry averages.