

STUDY OF THE EFFECTS OF AEROSOLIZED POLYMERIZATION

(PLEASE PRINT OR TYPE ALL REQUIRED INFORMATION)

CONT

0	1
---	---

REPORT SOURCE

L	6	0	5	0	0	0	2	3	7	7	0	5	1	2	8	3	3	0	6	0	3	8	3	9
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

DOCKET NUMBER

EVENT DATE

REPORT DATE

EVENT DESCRIPTION AND PROBABLE CONSEQUENCES (10)

7 8 9

CAUSE DESCRIPTION AND CORRECTIVE ACTIONS (27)

1	4	
---	---	--

PERSONNEL EXPOSURES

PERSONNEL INJURIES 80

LOSS OF OR DAMAGE TO FACILITY ☒ 80

7 8 9 10

U. D. Ponomarev

58 69 80

PHONE: (815) 942-2920 x526



Commonwealth Edison

Dresden Nuclear Power Station

R.R. #1

Morris, Illinois 60450

Telephone 815/942-2920

DMB

June 3, 1983

DJS Ltr #83-544

James G. Keppler, Regional Administrator
Region III
U.S. Nuclear Regulatory Commission
799 Roosevelt Road
Glen Ellyn, IL 60137

Reportable Occurrence Report #83-42/03L-0 Docket #050-237 is being submitted to your office in accordance with Dresden Nuclear Power Station Technical Specification 6.6.B.2.(a), reactor protection system or engineered safety feature instrument settings which are found to be less conservative than those established by the technical specifications but which do not prevent the fulfillment of the functional requirements of affected systems.

D. L. Scott
Station Superintendent
Dresden Nuclear Power Station

DJS/kjl

Enclosure

cc: Director of Inspection & Enforcement
Director of Management Information & Program Control
U.S. NRC, Document Management Branch
File/NRC

JUN 6 1983

IF22
1/1