

ATTACHMENT 1

LIMERICK GENERATING STATION

UNITS 1 AND 2

Docket Nos. 50-352
50-353

License Nos. NPF-39
NPF-85

REVISED TECHNICAL SPECIFICATIONS PAGES SUPPORTING
TECHNICAL SPECIFICATIONS CHANGE REQUEST

No. 90-13-0

LIST OF AFFECTED PAGES

<u>UNIT 1</u>	<u>UNIT 2</u>
6-3	6-3

ADMINISTRATIVE CONTROLS

UNIT STAFF (Continued)

Any deviation from the above guidelines shall be authorized by the Plant Manager or personnel designated in administrative procedures or higher levels of management, in accordance with established procedures and with documentation of the basis for granting the deviation. Controls shall be included in the procedures such that individual overtime shall be reviewed monthly by the Plant Manager, or the appropriate designated personnel to assure that excessive hours have not been assigned. Routine deviation from the above guidelines is not authorized; and

- g. The Superintendent Operations or the Assistant Superintendent Operations shall hold a Senior Reactor Operator License.

ADMINISTRATIVE CONTROLS

6.2.2 UNIT STAFF (Continued)

3. A break of at least 8 hours should be allowed between work periods, including shift turnover time.
4. Except during extended shutdown periods, the use of overtime should be considered on an individual basis and not for the entire staff on a shift.

Any deviation from the above guidelines shall be authorized by the Plant Manager or personnel designated in administrative procedures or higher levels of management, in accordance with established procedures and with documentation of the basis for granting the deviation. Controls shall be included in the procedures such that individual overtime shall be reviewed monthly by the Plant Manager, or the appropriate designated personnel to assure that excessive hours have not been assigned. Routine deviation from the above guidelines is not authorized; and

- g. The Superintendent Operations or the Assistant Superintendent Operations shall hold a Senior Reactor Operator License.