

Georgia Power Company
40 Inverness Center Parkway
Post Office Box 1295
Birmingham, Alabama 35201
Telephone 205 877-7279

J. T. Beckham, Jr.
Vice President—Nuclear
Hatch Project



August 31, 1994

Docket Nos. 50-321
50-366

HL-4663

TAC Nos. M87310
M87311

U.S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, D.C. 20555

Edwin I. Hatch Nuclear Plant
Request to Revise Technical Specifications:
Improved Standard Technical Specifications Submittal Revision

Gentlemen:

By letter dated February 25, 1994, Georgia Power Company proposed to convert the current Edwin I. Hatch Nuclear Plant Technical Specifications to the Improved Technical Specifications consistent with NUREG 1433. Attached is a partial revision to the February 25 amendment request. The attachment includes page change insertion instructions. This revision is the result of meetings and discussions with the NRC staff, and resolution of industry generic issues. Any revisions to, or additional no significant hazards evaluations, are also provided. The Environmental Assessment provided in the February 25, 1994 submittal remains valid.

In accordance with the requirements of 10 CFR 50.91, a copy of this letter and all applicable attachments will be sent to the designated State official of the Environmental Protection Division of the Georgia Department of Natural Resources.

200071

9409190330 940831
PDR ADDCK 05000321
P PDR

ADD


U.S. Nuclear Regulatory Commission

Page Two


August 31, 1994

Mr. J. T. Beckham, Jr. states he is Vice President of Georgia Power Company and is authorized to execute this oath on behalf of Georgia Power Company, and to the best of his knowledge and belief, the facts set forth in this letter are true.

Sincerely,


J. T. Beckham, Jr.

Sworn to and subscribed before me this 31st day of August, 1994.


Notary Public

My Commission Expires: August 8, 1995

SRM/et

Attachment: Edwin I. Hatch Nuclear Plant Unit 1 and Unit 2
Improved Technical Specifications, Revision D

cc: Georgia Power Company
Mr. H. L. Sumner, Nuclear Plant General Manager
NORMS (w/o attachment)

U.S. Nuclear Regulatory Commission, Washington, D.C.
Mr. K. Jabbour, Licensing Project Manager - Hatch
Mr. C. Grimes, Technical Specifications Branch

U.S. Nuclear Regulatory Commission, Region II
Mr. S. D. Ebnetter, Regional Administrator
Mr. B. L. Holbrook, Senior Resident Inspector - hatch

State of Georgia
Mr. J. D. Tanner, Commissioner - Department of Natural Resources

ATTACHMENT

EDWIN I. HATCH NUCLEAR PLANT
UNIT 1 AND UNIT 2

IMPROVED TECHNICAL SPECIFICATIONS

Revision D

**EDWIN L HATCH NUCLEAR PLANT
IMPROVED TECHNICAL SPECIFICATIONS**

**REVISION INSERTION INSTRUCTIONS
REVISION D**

<u>Page</u>	<u>Instruction</u>
<u>Cover Sheet (U1 Improved Specifications)</u>	Discard
3.0-1	Replace
3.1-1	Replace
3.1-3	Replace
3.1-13	Replace
3.3.-11	Replace
3.3-17	Replace
3.3-25	Replace
3.3-51	Replace
3.3-57	Replace
3.5-7	Replace
3.6-7	Replace
3.6-9	Replace
3.6-13	Replace
3.6-15	Replace
3.6-23	Replace
3.6-37	Replace
3.6-39	Replace
3.8-7	Replace
3.8-9	Replace
3.8-11	Replace
3.8-17	Replace
3.8-19	Replace
3.8-21	Replace
3.8-37	Replace
3.9-11	Replace
3.9-13	Replace
3.10-1	Replace
5.0-3	Replace
5.0-9	Replace
5.0-10A	Add
5.0-19	Replace
5.0-21	Add

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instruction</u>
<u>Cover Sheet (Unit 1 Improved Bases)</u>	Discard
B 2.0-7	Replace
B 3.0-5	Replace
B 3.1-3	Replace
B 3.1-4A	Add
B 3.1-5	Replace
B 3.1-23	Replace
B 3.1-25	Replace
B 3.1-27	Replace
B 3.3-25	Replace
B 3.3-39	Replace
B 3.3-43	Replace
B 3.3-45	Replace
B 3.3-49	Replace
B 3.3-50	Add
B 3.3-53	Replace
B 3.3-75	Replace
B 3.3-76	Add
B 3.3-153	Replace
B 3.3-169	Replace
B 3.3-181	Replace
B 3.4-13	Replace
B 3.4-15	Replace
B 3.4-16A	Add
B 3.4-21	Replace
B 3.4-22A	Add
B 3.4-25	Replace
B 3.4-26	Add
B 3.4-41	Replace
B 3.4-45	Replace
B 3.4-49	Replace
B 3.4-51	Replace
B 3.5-13	Replace
B 3.5-15	Replace
B 3.5-19	Replace

Revision D Insertion Instructions (continued)

Page

Instructions

(Unit 1 Improved Bases) continued

B 3.5-20A	Add
B 3.5-27	Replace
B 3.5-28	Add
B 3.6-11	Replace
B 3.6-12A	Add
B 3.6-15	Replace
B 3.6-16	Add
B 3.6-17	Replace
B 3.6-19	Replace
B 3.6-21	Replace
B 3.6-23	Replace
B 3.6-24A	Add
B 3.6-25	Replace
B 3.6-35	Replace
B 3.6-36A	Add
B 3.6-47	Replace
B 3.6-79	Replace
B 3.6-80	Add
B 3.8-17	Replace
B 3.8-18A	Add
B 3.8-23	Replace
Blank page backed up by B 3.8-26	Replace
B 3.8-37	Replace
B 3.8-41	Replace
B 3.8-42	Add
B 3.8-43	Replace
B 3.8-49	Replace
B 3.8-69	Replace
B 3.8-71	Replace
B 3.8-73	Replace
B 3.8-75	Replace
B 3.8-76A	Add
B 3.8-77	Replace
B 3.8-78	Add
B 3.9-7	Replace
B 3.9-23	Replace

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instructions</u>
<u>(Unit 1 Improved Bases) continued</u>	
B 3.9-27	Replace
B 3.9-28A	Add
B 3.10-1	Replace
B 3.10-2	Add
B 3.10-3	Replace
B 3.10-17	Replace
<u>Cover Sheet (U1 CTS Markup & DOC) ^(a)</u>	
Insert 3.0-2	Discard
3 (ITS 3.1.4)	Replace
1 (ITS 3.3.1.2)	Replace
CTS 3.2-22 (1 of 9)	Replace
2 (ITS 3.3.3.1)	Replace
3 (ITS 3.3.3.1)	Replace
4 (ITS 3.3.3.1)	Replace
5 (ITS 3.3.3.1)	Replace
CTS 3.2-36 (15 of 19)	Replace
2 (ITS 3.3.5.1)	Replace
2A (ITS 3.3.5.1)	Replace
CTS 3.2-26 (10 of 16)	Replace
1 (ITS 3.3.6.1)	Replace
3 (ITS 3.3.6.1)	Replace
5 (ITS 3.3.6.1)	Replace
3 (ITS 3.4.3)	Replace
3A through 3C (ITS 3.4.3)	Add
CTS 3.5-4 (4 of 15)	Replace
5 (ITS 3.5.1)	Replace
CTS 3.7-6 (1 of 3)	Replace
1 (ITS 3.6.1.2)	Replace
CTS 3.7-13 (1 of 13)	Replace
CTS 3.7-14 (2 of 13)	Replace
CTS 3.7-16 (3 of 13)	Replace
CTS 3.7-10a (12 of 13)	Replace
CTS 3.7-6a (13 of 13)	Replace
1 (ITS 3.6.1.3)	Replace

a. In replacing each CTS page, reference the upper right corner for appropriate ITS section.

Revision D Insertion Instructions (continued)

Page

Instructions

(U1 CTS Markup & DOC) ^(a) continued

2 (ITS 3.6.1.3)	Replace
2A (ITS 3.6.1.3)	Add
3 (ITS 3.6.1.3)	Replace
CTS 3.7-8 (1 of 2)	Replace
1 (ITS 3.6.1.8)	Replace
1 (ITS 3.6.3.2)	Replace
1 (ITS 3.6.4.1)	Replace
CTS 3.7-12 (1 of 2)	Replace
CTS 3.7-13 (2 of 2)	Replace
1 (ITS 3.6.4.2)	Replace
2 (ITS 3.6.4.2)	Replace
2A (ITS 3.6.4.2)	Add
1 (ITS 3.6.4.3)	Replace
3.9-2a (3 of 13)	Replace
4 (ITS 3.8.1)	Replace
6 (ITS 3.8.1)	Replace
6A (ITS 3.8.1)	Add
1 (ITS 3.8.2)	Replace
CTS 3.9-3 (2 of 2)	Replace
2 (ITS 3.8.6)	Replace
3 (ITS 3.8.6)	Replace
CTS 6-2 (2 of 7)	Replace
1 (ITS 5.2)	Replace
CTS 6-23 (1 of 2)	Replace
CTS 6-23a (2 of 2)	Replace
1 (ITS 5.5.4)	Replace
CTS 3.6-10 (1 of 1)	Replace
1 (ITS 5.5.6)	Replace
CTS 6-15d (6 of 10)	Replace
3 (ITS 5.6)	Replace
CTS 6-20 (1 of 2) (ITS 5.7)	Add
CTS 6-21 (2 of 2) (ITS 5.7)	Add
1 (ITS 5.7)	Add
CTS 6-20 (1 of 2) (CTS 6.12)	Discard
CTS 6-21 (2 of 2) (CTS 6.12)	Discard
1 (CTS 6.12) (CTS 6.12)	Discard

a. In replacing each CTS page, reference the upper right corner for appropriate ITS section.

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instructions</u>
<u>Cover Sheet (Unit 1 No Sig Hazards D'tion)</u>	Discard
5 (NSHD ITS 3.3.3.1)	Add
1 (NSHD ITS 3.8.2)	Replace
1 (NSHD ITS 3.8.6)	Replace
 <u>Cover Sheet (U2 Improved Specifications)</u>	 Discard
3.0.1	Replace
3.1-1	Replace
3.1-3	Replace
3.1-13	Replace
3.3-13	Replace
3.3-17	Replace
3.3-27	Replace
3.3-53	Replace
3.3-59	Replace
3.5-7	Replace
3.5-9	Replace
3.6-7	Replace
3.6-9	Replace
3.6-13	Replace
3.6-15	Replace
3.6-23	Replace
3.6-39	Replace
3.6-41	Replace
3.6-43	Replace
3.6-45	Replace
3.6-47	Replace
3.6-49	Replace
3.6-51	Replace
3.8-7	Replace
3.8-9	Replace
3.8-11	Replace
3.8-17	Replace
3.8-17	Replace
3.8-19	Replace
3.8-21	Replace

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instructions</u>
<u>(U2 Improved Specifications) continued</u>	
3.8-39	Replace
3.9-11	Replace
3.9-13	Replace
3.10-1	Replace
5.0-3	Replace
5.0-9	Replace
5.0-10A	Add
5.0-19	Replace
5.0-21	Add
<u>Cover Sheet (U2 Improved Bases)</u>	
B 2.0-7	Discard
B 3.0-5	Replace
B 3.1-3	Replace
B 3.1-4A	Replace
B 3.1-5	Add
B 3.1-23	Replace
B 3.1-25	Replace
B 3.1-27	Replace
B 3.3-25	Replace
B 3.3-39	Replace
B 3.3-43	Replace
B 3.3-45	Replace
B 3.3-49	Replace
B 3.3-50	Add
B 3.3-53	Replace
B 3.3-75	Replace
B 3.3-76	Add
B 3.3-169	Replace
B 3.3-181	Replace
B 3.4-13	Replace
B 3.4-15	Replace
B 3.4-21	Replace
B 3.4-25	Replace
B 3.4-26	Add

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instructions</u>
<u>(U2 Improved Bases) continued</u>	
B 3.4-41	Replace
B 3.4-45	Replace
B 3.4-49	Replace
B 3.4-51	Replace
B 3.5-13	Replace
B 3.5-15	Replace
B 3.5-19	Replace
B 3.5-20A	Add
B 3.5-27	Replace
B 3.6-11	Replace
B 3.6-12A	Add
B 3.6-15	Replace
B 3.6-16	Add
B 3.6-17	Replace
B 3.6-19	Replace
B 3.6-21	Replace
B 3.6-23	Replace
B 3.6-24A	Add
B 3.6-25	Replace
B 3.6-27	Replace
B 3.6-35	Replace
B 3.6-47	Replace
B 3.6-83	Replace
B 3.6-84A	Add
B 3.6-87	Replace
B 3.6-91	Replace
B 3.6-92	Add
B 3.6-111	Replace
B 3.6-112A	Replace
B 3.8-17	Replace
B 3.8-21	Replace
B 3.8-22	Add
B 3.8-25	Replace
B 3.8-26	Add
B 3.8-27	Replace

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instructions</u>
<u>(U2 Improved Cases) continued</u>	
B 3.8-37	Replace
B 3.8-41	Replace
B 3.8-42A	Add
B 3.8-43	Replace
B 3.8-49	Replace
B 3.8-69	Replace
B 3.8-71	Replace
B 3.8-73	Replace
B 3.8-75	Replace
B 3.8-76A	Add
B 3.8-77	Replace
B 3.8-78	Add
B 3.9-7	Replace
B 3.9-23	Replace
B 3.9-27	Replace
B 3.10-1	Replace
B 3.10-3	Replace
B 3.10-17	Replace
<u>Cover Sheet (U2 CTS Markup & DOC) ^(a)</u>	
Insert 3/4 0-1(2) (3 of 9)	Discard
1 (ITS 3.1.4)	Replace
CTS 3/4 3-2 (2 of 11)	Replace
CTS 3/4 3-8 (8 of 11)	Replace
CTS 3/4 3-56 (1 of 4)	Replace
CTS 3/4 9-4 (4 of 4)	Replace
CTS 3/4 3-50 (1 of 3)	Replace
CTS 3/4 3-52 (3 of 3)	Replace
1 (ITS 3.3.3.2)	Replace
CTS 3/4 3-66 (1 of 5)	Replace
2 (ITS 3.3.5.1)	Replace
1 (ITS 3.3.6.1)	Replace
2 (ITS 3.3.6.1)	Replace
6 (ITS 3.3.6.1)	Replace
3 (ITS 3.3.7.1)	Replace

a. In replacing each CTS page, reference the upper right corner for appropriate ITS section.

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instructions</u>
<u>(U2 CTS Markup & DOC) ^(a) continued</u>	
2 (ITS 3.4.3)	Replace
2A through 2D (ITS 3.4.3)	Add
CTS 3/4 8-10 (10 of 10)	Replace
3 (ITS 3.5.1)	Replace
3A (ITS 3.5.1)	Add
CTS 3/4 6-6 (1 of 1)	Replace
1 (ITS 3.6.1.2)	Replace
CTS 3/4 6-15 (1 of 25)	Replace
CTS 3/4 6-16 (2 of 25)	Replace
CTS 3/4 6-17 (3 of 25)	Replace
CTS 3/4 4-19 (19 of 25)	Replace
CTS 3/4 6-1 (20 of 25)	Replace
CTS 3/4 6-3 (21 of 25)	Replace
CTS 3/4 6-5 (23 of 25)	Replace
CTS 3/4 6-46 (24 of 25)	Replace
CTS 3/4 6-47 (25 of 25)	Replace
2 (ITS 3.6.1.3)	Replace
3 (ITS 3.6.1.3)	Replace
4 (ITS 3.6.1.3)	Replace
4A (ITS 3.6.1.3)	Add
CTS 3/4 6-34 (2 of 2)	Replace
3 (ITS 3.6.1.8)	Replace
1 (ITS 3.6.3.2)	Replace
CTS 3/4 6-36 (1 of 1)	Replace
1 (ITS 3.6.4.1)	Replace
CTS 3/4 6-37 (1 of 3)	Replace
2 (ITS 3.6.4.4)	Replace
3 (ITS 3.6.4.4)	Replace
CTS 3/4 9-8 (1 of 2)	Replace
2 (ITS 3.6.4.6)	Replace
3 (ITS 3.6.4.6)	Replace
CTS 3/4 8-4 (6 of 11)	Replace
3 (ITS 3.8.1)	Replace
5 (ITS 3.8.1)	Replace
5A (ITS 3.8.1)	Add

a. In replacing each CTS page, reference the upper right corner for appropriate ITS section.

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instructions</u>
<u>(U2 CTS Markup & DOC) ^(a) continued</u>	
2 (ITS 3.8.2)	Replace
CTS 3/4 8-14 (2 of 5)	Replace
CTS 3/4 8-6 (3 of 5)	Replace
1 (ITS 3.8.6)	Replace
3 (ITS 3.8.6)	Replace
CTS 3/4 8-10 (1 of 2)	Replace
CTS 6-2 (2 of 6)	Replace
1 (ITS 5.2)	Replace
CTS 6-22A (2 of 2)	Replace
1 (ITS 5.5.4)	Replace
CTS 3/4 0-2 (1 of 2)	Replace
CTS 3/4 0-3 (2 of 2)	Replace
CTS 6-14d (5 of 9)	Replace
ITS DOC 5.5.6 (page 2)	Discard
3 (ITS 5.6)	Replace
CTS 6-18 (1 of 2) (ITS 5.7)	Add
CTS 6-19 (2 of 2) (ITS 5.7)	Add
1 (ITS 5.7)	Add
CTS 6-18 (1 of 2) (CTS 6.12)	Discard
CTS 6-19 (2 of 2) (CTS 6.12)	Discard
<u>Cover Sheet (U2 No Sig Hazards D'tion)</u>	
1 (ITS 3.6.1.3)	Replace
3 (ITS 3.6.1.8)	Replace
2 (ITS 3.6.4.4)	Replace
3 (ITS 3.6.4.6)	Replace
4 (ITS 3.8.6)	Add
<u>Cover Sheet (NUREG 1433 Comparison - Specs)</u>	
3.0-1	Discard
3.1-1	Replace
3.1-3	Replace
3.1-13	Replace

a. In replacing each CTS page, reference the upper right corner for appropriate ITS section.

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instructions</u>
<u>(NUREG 1433 Comparison - Specs) continued</u>	
3.3-1	Replace
3.3-11	Replace
3.3-15	Replace
3.3-25	Replace
3.3-27	Replace
3.3-51	Replace
3.3-53	Replace
3.3-63	Replace
3.4-9	Replace
3.5-5	Replace
3.5-7	Replace
INSERT A for proposed TS 3.5.2	Replace
3.5-11	Replace
INSERT A for proposed TS 3.6.1.1	Replace
3.6-7	Replace
3.6-9	Replace
3.6-15	Replace
3.6-17	Replace
3.6-25	Replace
3.6-27	Replace
3.6-47 (U1 TS 3.6.4.1)	Replace
3.6-49 (U1 TS 3.6.4.2)	Replace
3.6-47 (U2 TS 3.6.4.1)	Replace
3.6-47 (U2 TS 3.6.4.2)	Replace
3.6-47 (U2 TS 3.6.4.3)	Replace
3.6-49 (U2 TS 3.6.4.4)	Replace
3.6-49 (U2 TS 3.6.4.5)	Replace
3.6-49 (U2 TS 3.6.4.6)	Replace
3.8-5	Replace
3.8-7	Replace
3.8-9	Replace
INSERT Notes 3.8.1.8	Replace
INSERT Notes 3.8.1.12	Replace
INSERT SR 3.8.1.19 (U1 version)	Replace
INSERT SR 3.8.1.19 (U2 version)	Replace
3.8-17	Replace
3.8-19	Replace
3.8-33	Replace

Revision D Insertion Instructions (continued)

Page

Instructions

(NUREG 1433 Comparison - Specs) continued

INSERT C (page 3.8-33)

3.9-11

Add

3.9-13

Replace

3.10-1

Replace

4.0-1

Replace

5.0-3

Replace

5.0-21

Replace

INSERT 5.5

Replace

5.0-23

Add

5.0-25

Replace

5.0-35

Replace

5.0-39

Replace

5.0-41

Replace

Replace

Cover Sheet (NUREG 1433 Comparison - Bases)

B 2.0-7

Discard

B 3.0-5

Replace

B 3.1-3

Replace

B 3.1-5

Replace

B 3.1-23

Replace

B 3.1-25

Replace

B 3.1-27

Replace

B 3.3-3

Replace

B 3.3-25

Replace

B 3.3-41

Replace

B 3.3-45

Replace

B 3.3-47

Replace

B 3.3-49

Replace

INSERT B 50B

Replace

B 3.3-53

Add

INSERT R.2A

Replace

B 3.3-73

Replace

B 3.3-75

Replace

INSERT I for proposed B 3.3.6.1

Replace

B 3.3-173

Replace

Replace

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instructions</u>
<u>(NUREG 1433 Comparison - Bases) continued</u>	
B 3.3-177	Replace
B 3.3-191	Replace
B 3.4-11	Replace
B 3.4-13	Replace
INSERT B14 a	Replace
B 3.4-19	Replace
INSERT B21	Add
B 3.4-23	Replace
B 3.4-27	Replace
INSERT B22 (p. 34-28a)	Add
B 3.4-43	Replace
B 3.4-47	Replace
B 3.4-51	Replace
B 3.4-53	Replace
INSERT B53b	Replace
B 3.5-11	Replace
INSERT B for Proposed Bases 3.5.1	Replace
B 3.5-15	Replace
B 3.5-19	Replace
INSERT C for Proposed Bases 3.5.2 (Unit 2 only)	Replace
B 3.5-27	Replace
INSERT A for Proposed Bases 3.5.3	Replace
INSERT A for Proposed Bases 3.6.1.1	Replace
INSERT B for Proposed Bases 3.6.1.1	Replace
B 3.6-11	Replace
B 3.6-15	Replace
B 3.6-17	Replace
B 3.6-19	Replace
B 3.6-25	Replace
B 3.6-27	Replace
B 3.6-29	Replace
INSERT P for Proposed Bases 3.6.1.3	Replace
B 3.6-39	Replace
INSERT A for Proposed Bases 3.6.1.6	Replace
B 3.6-51	Replace

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instructions</u>
<u>(NUREG 1433 Comparison - Bases) continued</u>	
B 3.6-53	Replace
B 3.6-57	Replace
B 3.6-99 (U1 TS 3.6.4.1)	Replace
B 3.6-99 (U2 TS 3.6.4.1)	Replace
B 3.6-99 (U2 TS 3.6.4.2)	Replace
B 3.6-99 (U2 TS 3.6.4.3)	Replace
B 3.6-109 (U2 TS 3.6.4.7)	Replace
INSERT C	Add following p. B 3.6-110
B 3.8-15	Replace
INSERT SR 3.8.1.6 (U1 Version)	Replace
INSERT SR 3.8.1.6 (U2 Version)	Replace
B 3.8-21	Replace
INSERT SR 3.8.1.8	Replace
INSERT SR 3.8.1.12 Notes	Replace
INSERT SR 3.8.1.17 Note (U1)	Replace
INSERT SR 3.8.1.17 Note (U2)	Replace
B 3.8-35	Replace
B 3.8-37	Replace
INSERT LCO 3.8.2-1	Add
INSERT Action A	Discard
B 3.8-39	Replace
INSERT Action 3.8.3	Replace
B 3.8-45	Replace
B 3.8-47	Replace
B 3.8-59	Replace
INSERT LCO 3.8.5-1	Discard
B 3.8-63	Replace
B 3.8-65	Replace
B 3.8-67	Replace
INSERT B Table (p. B 3.8-67)	Add
B 3.8-69	Replace
INSERT Ref. (p. B 3.8-69a)	Replace
B 3.9-1	Replace
B 3.9-7	Replace
B 3.9-19	Replace

Revision D Insertion Instructions (continued)

<u>Page</u>	<u>Instructions</u>
<u>(NUREG 1433 Comparison - Bases) continued</u>	
B 3.9-27	Replace
B 3.9-31	Replace
B 3.10-1	Replace
B 3.10-3	Replace
B 3.10-9	Replace
<u>Cover Sheet (NUREG 1433 J for Deviation)</u>	
2 (ITS 1.0)	Discard
2 (ITS 2.0)	Replace
1 (ITS 3.0)	Replace
3 (ITS 3.1)	Replace
4 (ITS 3.1)	Replace
1 (ITS 3.2)	Replace
1 (ITS 3.3)	Replace
3 (ITS 3.3)	Replace
12 (ITS 3.3)	Replace
13 (ITS 3.3)	Replace
5 (ITS 3.4)	Replace
2 (ITS 3.5)	Replace
3 (ITS 3.5)	Replace
1 (ITS 3.6)	Replace
6 (ITS 3.6)	Replace
8 (ITS 3.6)	Replace
10 (ITS 3.6)	Replace
10A (ITS 3.6)	Add
5 (ITS 3.7)	Replace
3 (ITS 3.8)	Replace
4 (ITS 3.8)	Replace
5 (ITS 3.8)	Replace
7B (ITS 3.8)	Replace
7C (ITS 3.8)	Add
8 (ITS 3.8)	Replace
3 (ITS 3.9)	Replace
1 (ITS 3.10)	Replace
2 (ITS 3.10)	Replace

Revision D Insertion Instructions (continued)

Page

Instructions

(NUREG 1433 J for Deviation) continued

1 (ITS 4.0)

Discard

1 (ITS 5.0)

Replace

4A (ITS 5.0)

Replace

4B (ITS 5.0)

Replace

Add

UNIT 1 IMPROVED TECHNICAL SPECIFICATIONS