

3150-0011

NRC USE ONLY

8308240574 830810
PDR ADDCK 05000387
S PDR



Pennsylvania Power & Light Company

Two North Ninth Street • Allentown, PA 18101 • 215 / 770-5151

August 10, 1983

Dr. Thomas E. Murley
Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
631 Park Avenue
King of Prussia, PA 19406

SUSQUEHANNA STEAM ELECTRIC STATION
LICENSEE EVENT REPORT 83-036/03X-1
ER 100450 FILE 841-23
PLA-1786

Docket No. 50-387
License No. NPF-14

Dear Dr. Murley:

Attached is Licensee Event Report No. 83-036/03X-1. This event was determined to be reportable per Technical Specification 6.9.1.9.b, in that Reactor Core Isolation Cooling Instruments at the Remote Shutdown Panel were de-energized due to a blown fuse. This update report is to identify additional occurrences of the event. Recorders have been installed to monitor the circuitry and to provide more detailed information.

This data will be analyzed to provide a resolution to the problem.
Further information will be provided when available.

H.W. Keiser
Superintendent of Plant-Susquehanna

APP/pjg

cc: G.G. Rhoads
Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 52
Shickshinny, PA 18655

Document Control Desk
U.S. Nuclear Regulatory Commission
Washington, DC 20555

IE22
1/1