

LICENSEE EVENT REPORT

CONTROL BLOCK:										(PLEASE PRINT OR TYPE ALL REQUIRED INFORMATION)									
<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">01</div> <div style="border: 1px solid black; padding: 2px;">MIPAL</div> <div style="border: 1px solid black; padding: 2px;">1200-000000-000</div> <div style="border: 1px solid black; padding: 2px;">3411111</div> <div style="border: 1px solid black; padding: 2px;">4</div> <div style="border: 1px solid black; padding: 2px;">5</div> </div> <div> <div style="border: 1px solid black; padding: 2px;">7</div> <div style="border: 1px solid black; padding: 2px;">8</div> <div style="border: 1px solid black; padding: 2px;">9</div> <div style="border: 1px solid black; padding: 2px;">14</div> <div style="border: 1px solid black; padding: 2px;">15</div> <div style="border: 1px solid black; padding: 2px;">25</div> <div style="border: 1px solid black; padding: 2px;">26</div> <div style="border: 1px solid black; padding: 2px;">30</div> <div style="border: 1px solid black; padding: 2px;">57</div> <div style="border: 1px solid black; padding: 2px;">58</div> </div> </div>										<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">01</div> <div style="border: 1px solid black; padding: 2px;">L</div> <div style="border: 1px solid black; padding: 2px;">605000255</div> <div style="border: 1px solid black; padding: 2px;">70190683</div> <div style="border: 1px solid black; padding: 2px;">9092083</div> <div style="border: 1px solid black; padding: 2px;">9</div> </div> <div> <div style="border: 1px solid black; padding: 2px;">7</div> <div style="border: 1px solid black; padding: 2px;">8</div> <div style="border: 1px solid black; padding: 2px;">9</div> <div style="border: 1px solid black; padding: 2px;">60</div> <div style="border: 1px solid black; padding: 2px;">61</div> <div style="border: 1px solid black; padding: 2px;">68</div> <div style="border: 1px solid black; padding: 2px;">69</div> <div style="border: 1px solid black; padding: 2px;">74</div> <div style="border: 1px solid black; padding: 2px;">75</div> <div style="border: 1px solid black; padding: 2px;">80</div> </div> </div>									
<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">02</div> <div style="border: 1px solid black; padding: 2px;">On September 6, 1983, a pipe cap was removed from the containment side of</div> </div> <div> <div style="border: 1px solid black; padding: 2px;">10</div> </div> </div>										<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">03</div> <div style="border: 1px solid black; padding: 2px;">penetration #21A (Hydrogen Monitoring Supply), in accordance with procedures</div> </div> </div>									
<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">04</div> <div style="border: 1px solid black; padding: 2px;">governing construction work activities. Removal of the one-half inch pipe</div> </div> </div>										<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">05</div> <div style="border: 1px solid black; padding: 2px;">cap created an open path to the outside of containment. Refueling operations</div> </div> </div>									
<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">06</div> <div style="border: 1px solid black; padding: 2px;">were in progress at the time of the occurrence, but were halted upon</div> </div> </div>										<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">07</div> <div style="border: 1px solid black; padding: 2px;">notification. Reportable per TS 3 8.1(b) and 6.9.2.a(6). No threat to</div> </div> </div>									
<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">08</div> <div style="border: 1px solid black; padding: 2px;">public health or safety resulted.</div> </div> </div>										<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">09</div> <div style="border: 1px solid black; padding: 2px;">M C</div> <div style="border: 1px solid black; padding: 2px;">11</div> <div style="border: 1px solid black; padding: 2px;">D</div> <div style="border: 1px solid black; padding: 2px;">12</div> <div style="border: 1px solid black; padding: 2px;">Z</div> <div style="border: 1px solid black; padding: 2px;">13</div> <div style="border: 1px solid black; padding: 2px;">Z Z Z Z Z</div> <div style="border: 1px solid black; padding: 2px;">14</div> <div style="border: 1px solid black; padding: 2px;">Z</div> <div style="border: 1px solid black; padding: 2px;">15</div> <div style="border: 1px solid black; padding: 2px;">Z</div> <div style="border: 1px solid black; padding: 2px;">16</div> </div> <div> <div style="border: 1px solid black; padding: 2px;">7</div> <div style="border: 1px solid black; padding: 2px;">8</div> <div style="border: 1px solid black; padding: 2px;">9</div> <div style="border: 1px solid black; padding: 2px;">9</div> <div style="border: 1px solid black; padding: 2px;">10</div> <div style="border: 1px solid black; padding: 2px;">11</div> <div style="border: 1px solid black; padding: 2px;">12</div> <div style="border: 1px solid black; padding: 2px;">13</div> <div style="border: 1px solid black; padding: 2px;">18</div> <div style="border: 1px solid black; padding: 2px;">19</div> <div style="border: 1px solid black; padding: 2px;">20</div> </div> </div>									
<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">17</div> <div style="border: 1px solid black; padding: 2px;">LER-RO REPORT NUMBER</div> <div style="border: 1px solid black; padding: 2px;">83</div> <div style="border: 1px solid black; padding: 2px;">21</div> <div style="border: 1px solid black; padding: 2px;">22</div> </div> <div> <div style="border: 1px solid black; padding: 2px;">23</div> <div style="border: 1px solid black; padding: 2px;">24</div> <div style="border: 1px solid black; padding: 2px;">26</div> <div style="border: 1px solid black; padding: 2px;">27</div> <div style="border: 1px solid black; padding: 2px;">28</div> <div style="border: 1px solid black; padding: 2px;">29</div> </div> <div> <div style="border: 1px solid black; padding: 2px;">30</div> <div style="border: 1px solid black; padding: 2px;">31</div> <div style="border: 1px solid black; padding: 2px;">32</div> </div> </div>										<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">18</div> <div style="border: 1px solid black; padding: 2px;">X</div> <div style="border: 1px solid black; padding: 2px;">19</div> <div style="border: 1px solid black; padding: 2px;">Z</div> <div style="border: 1px solid black; padding: 2px;">20</div> <div style="border: 1px solid black; padding: 2px;">Z</div> <div style="border: 1px solid black; padding: 2px;">21</div> <div style="border: 1px solid black; padding: 2px;">0000</div> <div style="border: 1px solid black; padding: 2px;">22</div> <div style="border: 1px solid black; padding: 2px;">Y</div> <div style="border: 1px solid black; padding: 2px;">23</div> <div style="border: 1px solid black; padding: 2px;">N</div> <div style="border: 1px solid black; padding: 2px;">24</div> <div style="border: 1px solid black; padding: 2px;">Z</div> <div style="border: 1px solid black; padding: 2px;">25</div> <div style="border: 1px solid black; padding: 2px;">Z999</div> <div style="border: 1px solid black; padding: 2px;">26</div> </div> <div> <div style="border: 1px solid black; padding: 2px;">33</div> <div style="border: 1px solid black; padding: 2px;">34</div> <div style="border: 1px solid black; padding: 2px;">35</div> <div style="border: 1px solid black; padding: 2px;">36</div> <div style="border: 1px solid black; padding: 2px;">37</div> <div style="border: 1px solid black; padding: 2px;">40</div> <div style="border: 1px solid black; padding: 2px;">41</div> <div style="border: 1px solid black; padding: 2px;">42</div> <div style="border: 1px solid black; padding: 2px;">43</div> <div style="border: 1px solid black; padding: 2px;">44</div> <div style="border: 1px solid black; padding: 2px;">47</div> </div> </div>									
<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">10</div> <div style="border: 1px solid black; padding: 2px;">Cause attributed to procedural inadequacy. Appropriate administrative</div> </div> </div>										<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">11</div> <div style="border: 1px solid black; padding: 2px;">procedures will be evaluated and revised to require a complete assessment</div> </div> </div>									
<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">12</div> <div style="border: 1px solid black; padding: 2px;">of the impact of construction work activities on current plant status.</div> </div> </div>										<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">13</div> <div style="border: 1px solid black; padding: 2px;"></div> </div> </div>									
<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">14</div> <div style="border: 1px solid black; padding: 2px;"></div> </div> </div>										<div style="display: flex; justify-content: space-between;"> <div> <div style="border: 1px solid black; padding: 2px;">15</div> <div style="border: 1px solid black; padding: 2px;">H</div> <div style="border: 1px solid black; padding: 2px;">26</div> <div style="border: 1px solid black; padding: 2px;">000</div> <div style="border: 1px solid black; padding: 2px;">29</div> <div style="border: 1px solid black; padding: 2px;">NA</div> <div style="border: 1px solid black; padding: 2px;">30</div> </div> <div> <div style="border: 1px solid black; padding: 2px;">7</div> <div style="border: 1px solid black; padding: 2px;">8</div> <div style="border: 1px solid black; padding: 2px;">9</div> <div style="border: 1px solid black; padding: 2px;">10</div> <div style="border: 1px solid black; padding: 2px;">12</div> </div></div>									

8309270252 830920
PDR ADOCK 05000255
S PDR

JGKeppler, Administrator
Palisades Plant
Attachment to LER 83-60
September 20, 1983

At approximately 1400 on September 6, 1983, construction workers removed a pipe cap from the containment side of penetration #21A (Hydrogen Monitoring Supply) to facilitate the installation of a spool piece. Removal of the one-half inch pipe cap was in accordance with the applicable construction procedures. Subsequently, the need for containment integrity during refueling operations was questioned. All refueling operations were stopped. A pipe cap was re-installed and satisfactorily tested by 1915, September 6, 1983. Refueling operations were resumed following a management review of the occurrence.

The cause of the occurrence has been attributed to a procedural inadequacy. Appropriate administrative procedures will be evaluated and revised as necessary to assure that the impact of work activities on current plant status is addressed and transmitted to operations personnel prior to implementation of the work.



Consumers
Power
Company

General Offices: 1945 West Parnall Road, Jackson, MI 49201 • (517) 788-0550

September 20, 1983

James G Keppler, Administrator
Region III
US Nuclear Regulatory Commission
799 Roosevelt Road
Glen Ellyn, IL 60137

DOCKET 50-255 - LICENSE DPR-20 -
PALISADES PLANT - LICENSEE EVENT REPORT 83-60 (LACK OF CONTAINMENT PENETRATION
INTEGRITY DURING REFUELING OPERATIONS)

Attached please find Licensee Event Report 83-60 (Lack of Containment
Penetration Integrity During Refueling Operations) which is reportable to the
NRC per Technical Specification 6.9.2.a(6).

Brian D Johnson
Staff Licensing Engineer

CC Director, Office of Nuclear Reactor Regulation
Director, Office of Inspection and Enforcement
NRC Resident Inspector - Palisades

Attachments

SEP 22 1983

OC0983-0013AA-NL02

IE 22
11