



GPU Nuclear Corporation  
Post Office Box 480  
Route 441 South  
Middletown, Pennsylvania 17057-0191  
717 944-7621  
TELEX 84-2386  
Writer's Direct Dial Number:

May 8, 1984  
5211-84-2113

U. S. Nuclear Regulatory Commission  
Attn: Reba M. Diggs,  
Facilities Program Coordinator  
License Fee Management Branch  
Office of Administration  
Washington, D.C. 20555

Dear Ms. Diggs:

Three Mile Island Nuclear Station, Unit I (TMI-1)  
Operating License No. DPR-50  
Docket. No. 50-289  
Technical Specification Change Request 126 Additional Class III Fee

We received your request dated March 26, 1984, for additional application fees for our TMI-1 Technical Specification Change Request 126 filed July 11, 1983.

Enclosed please find our check No. 050823 in the amount of \$2,800.00 to cover the fees as requested.

Sincerely,

*H. D. Hukill*  
H. D. Hukill,  
Director, TMI-1

HDH/JGB/mle


Enclosures (2) Check #050823 - \$2,800.00  
NRC letter dated 3-26-84

8405110138 840508  
PDR ADOCK 05000289  
P PDR

*M008  
1/1 w/check \$2,800  
#00111524*



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
WASHINGTON, D. C. 20555



MAR 26 1984  
521-84-3094

Docket No. 50-289

GPU Nuclear Corporation  
ATTN: Mr. H. D. Hukill  
Post Office Box 480  
Middletown, Pennsylvania 17057

Gentlemen:

We have received a copy of your July 11, 1983 (TSCR 126) application which was filed with the Office of Nuclear Reactor Regulation (ONRR) for review. This application proposed certain Technical Specification changes relating to surveillance standards and to clarification of the structure and function of the Independent Onsite Safety Review Group for the Three Mile Island Nuclear Station Unit No. 1. A Class II fee (\$1,200) was remitted with your application pursuant to 10 CFR 170.22. By letter dated November 8, 1983, your Corporation withdrew that portion of your application relating to the structure and functions of the Independent Onsite Safety Review Group.

Based on information provided by the ONRR staff as the result of their preliminary review of your application, it has been determined that a Class III fee (\$4,000) is appropriate since the review of the surveillance standards will involve a single safety issue. Therefore, you are requested to remit the additional sum of \$2,800 to this office. If the ONRR staff's final review of your application reveals that this fee is not appropriate, you will be notified and any necessary adjustments will be made.

Sincerely,

Reba M. Diggs  
Facilities Program Coordinator  
License Fee Management Branch  
Office of Administration

8404110465