


Georgia Power Company
40 Inverness Center Parkway
Post Office Box 1295
Birmingham, Alabama 35201
Telephone 205 877-7122

C. K. McCoy
Vice President, Nuclear
Vogtle Project



April 27, 1995

LCV-0595-A

Docket Nos. 50-424
50-425

U. S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, D. C. 20555

Ladies and Gentlemen:

VOGTLE ELECTRIC GENERATING PLANT
RESUBMITTAL OF
SAFEGUARDS EVENT LOG FOR THE FIRST QUARTER OF 1995


In accordance with 10 CFR 73.71 (c)(2), Georgia Power Company hereby resubmits the Vogtle Electric Generating Plant safeguards event log for the first quarter of 1995.

This resubmittal reflects the addition of two events which are marked with revision bars. These log entries were inadvertently omitted due to personnel error from the original log submittal, letter number LCV-0595 dated April 17, 1995.

This log has been reviewed and determined not to contain safeguards information and therefore may be placed in the Public Document Room.

Please contact this office if you have any questions.

Sincerely,


C. K. McCoy

CKM/AFS

Enclosure: Resubmittal of Safeguards Event Log - First Quarter 1995

xc: (continued next page)

5002

U. S. Nuclear Regulatory Commission

Page 2

xc: Georgia Power Company
Mr. J. B. Beasley, Jr.
Mr. M. Sheibani
NORMS

U. S. Nuclear Regulatory Commission
Mr. S. D. Ebnetter, Regional Administrator
Mr. D. S. Hood, Licensing Project Manager, NRR
Mr. B. R. Bonser, Senior Resident Inspector, Vogtle

April 21, 1995

VOGTLE ELECTRIC GENERATING PLANT
SECURITY INFORMATION MANAGEMENT SYSTEM
INCIDENT LOG (73.71)
Sorted by Incident Number
01/01/95 Thru 03/31/95

PAGE 1

INCIDENT NUMBER	DATE OF EVENT	TIME OF EVENT	DATE OF REPORT	TIME OF REPORT	EVENT	RESPONSE
1675-95	01/01/95	10:54	01/01/95	11:40	73.71/ MUX FAILURE ANSO (COMPUTER)	COMPENSATORY MEASURES ESTABLISHED/ TESTING CONDUCTED
1676-95	01/10/95	16:25	01/10/95	16:48	73.71/ ACAD OUT OF CONTROL SEC. MGR. (BADGES)	ACAD INACTIVATED/ TRACE CONDUCTED
1677-95	01/11/95	17:18	01/11/95	19:25	73.71/ UNSECURE VITAL AREA DOOR ANSO (DOOR)	DOOR SECURED/ SEARCH CONDUCTED/ VADC CONDUCTED
1678-95	01/13/95	05:33	01/13/95	12:00	73.71/ INADEQUATE BARRIER ANSO (OTHER FAILURES)	SEARCH CONDUCTED/ BARRIER IS ONLY AN ISSUE DURING OUTAGES WHEN THE AFFECTED AREA IS DEVITALIZED
1679-95	01/15/95	22:52	01/16/95	05:18	73.71/ MUX FAILURE ANSO (COMPUTER)	COMPENSATORY MEASURES ESTABLISHED/ TESTS CONDUCTED
1680-95	01/17/95	06:49	01/17/95	06:55	73.71/ ACAD OUT OF CONTROL ANSO (BADGES)	ACAD INACTIVATED/ SUBJECT ESCORTED OUT OF PA/ TRACE CONDUCTED
1681-95	01/18/95	16:01	01/18/95	16:33	73.71/ ACAD OUT OF CONTROL EMPLOYEE (BADGES)	ACAD INACTIVATED/ SUBJECT ESCORTED OUT OF PA/ TRACE CONDUCTED
1685-95	01/30/95	14:32	01/30/95	14:48	73.71/ AUTOMATIC LOOP RECONFIGURATION ANSO (COMPUTER)	ALARM CAPABILITY VERIFIED
1686-95	01/31/95	07:53	01/31/95	09:35	73.71/ AUTOMATIC LOOP RECONFIGURATION ANSO (COMPUTER)	ALARM CAPABILITY VERIFIED
1687-95	02/04/95	00:42	02/04/95	00:53	73.71/ CCTV CAMERA INOPERATIVE ANSO (CCTV FAILURES)	COMPENSATORY MEASURES ESTABLISHED
1688-95	02/04/95	06:12	02/04/95	08:14	73.71/ CCTV CAMERA INOPERATIVE ANSO (CCTV FAILURES)	COMPENSATORY MEASURES ESTABLISHED
1690-95	02/06/95	22:52	02/07/95	01:17	73.71/ INOPERATIVE VITAL AREA DOOR LOCK ANSO (DOOR)	COMPENSATORY MEASURES ESTABLISHED/ SEARCH CONDUCTED/ ALARM CAPABILITY VERIFIED/ LOCK REPAIRED
1693-95	02/10/95	08:44	02/10/95	09:58	73.71/ UNSECURE VITAL AREA DOOR ANSO (UNSECURE DOOR)	DOOR SECURED/ VADC CONDUCTED/ SEARCH CONDUCTED
1694-95	02/11/95	11:42	02/11/95	11:42	73.71/ UNSECURE DESIGNATED VEHICLE ANSO (NON-SECURITY FORCE ERROR)	VEHICLE SECURED/ KEYS RETAINED BY SECURITY

April 21, 1995

VOGTLE ELECTRIC GENERATING PLANT
SECURITY INFORMATION MANAGEMENT SYSTEM

PAGE 2

INCIDENT LOG (73.71)
Sorted by Incident Number
01/01/95 Thru 03/31/95

INCIDENT NUMBER	DATE OF EVENT	TIME OF EVENT	DATE OF REPORT	TIME OF REPORT	EVENT	RESPONSE
1696-95	02/16/95	06:21	02/16/95	07:48	73.71/ UNSECURE VITAL AREA DOOR ANSO (DOOR)	COMPENSATORY MEASURES ESTABLISHED/ DOOR REPAIRED/ VADC CONDUCTED
1697-95	02/16/95	14:15	02/16/95	16:48	73.71/ UNSECURE VITAL AREA DOOR ANSO (UNSECURE DOOR)	DOOR SECURED/ VADC CONDUCTED/ SEARCH CONDUCTED
1699-95	02/18/95	16:47	02/18/95	17:12	73.71/ MUX FAILURE ANSO (COMPUTER)	COMPENSATORY MEASURES ESTABLISHED/ OPERATIONAL TEST CONDUCTED
1700-95	02/19/95	16:47	02/19/95	18:09	73.71/ ACAD OUT OF CONTROL EMPLOYEE (BADGES)	ACAD INACTIVATED/ SUBJECT ESCORTED OUT OF PROTECTED AREA/ TRACE CONDUCTED
1701-95	02/20/95	13:21	02/20/95	14:45	73.71/ UNSECURE VITAL AREA DOOR ANSO (UNSECURE DOOR)	DOOR SECURED/ VADC CONDUCTED/ SEARCH CONDUCTED
1702-95	02/20/95	15:26	02/20/95	16:06	73.71/ E-FIELD ZONE INOPERATIVE ANSO (ALARMS)	COMPENSATORY MEASURES ESTABLISHED/ OPERATIONAL TEST CONDUCTED
1703-95	02/22/95	10:14	02/22/95	11:32	73.71/ ACAD REMOVED FROM PROTECTED AREA ANSO (BADGES)	ACAD INACTIVATED/ TRACE CONDUCTED
1705-95	02/22/95	13:50	02/23/95	07:47	73.71/ FAILURE TO MAINTAIN CONTROL OF VISITOR INFORMANT (ACCESS AUTHORIZATION/CONTROL)	ESCORT REMINDED OF RESPONSIBILITIES/ VISITOR ESCORTED OFFSITE
1706-95	02/23/95	22:26	02/23/95	23:15	73.71/ ACAD OUT OF CONTROL INFORMANT (BADGES)	ACAD INACTIVATED/ INDIVIDUAL OUT OF PROTECTED AREA/ TRACE CONDUCTED
1707-95	02/26/95	09:34	02/26/95	10:20	73.71/ UNSECURE VITAL AREA DOOR ALARM (DOOR)	DOOR SECURED/ VADC CONDUCTED/ SEARCH CONDUCTED
1709-95	02/27/95	01:18	02/28/95	08:41	73.71/ INADEQUATE ACCESS CONTROLS NSS (OTHER SEC. FORCE ERROR)	OFFICER REPOSITIONED TO PROVIDE POSITIVE ACCESS CONTROL/ AREA SEARCHED
1710-95	02/26/95	10:48	02/28/95	11:59	73.71/ UNSECURE VITAL AREA DOOR ANSO (UNSECURE DOOR)	DOOR SECURED/ VADC CONDUCTED/ SEARCH CONDUCTED
1711-95	02/28/95	19:40	02/28/95	21:59	73.71/ UNSECURE VITAL AREA DOOR ANSO (UNSECURE DOOR)	DOOR SECURED/ VADC CONDUCTED/ SEARCH CONDUCTED
1712-95	03/01/95	02:40	03/01/95	03:55	73.71/ UNSECURE VITAL AREA DOOR ANSO (UNSECURE DOOR)	DOOR SECURED/ VADC CONDUCTED/ SEARCH CONDUCTED

April 21, 1995

VOGTLE ELECTRIC GENERATING PLANT
SECURITY INFORMATION MANAGEMENT SYSTEM
INCIDENT LOG (73.71)
Sorted by Incident Number
01/01/95 Thru 03/31/95

PAGE 3

INCIDENT NUMBER	DATE OF EVENT	TIME OF EVENT	DATE OF REPORT	TIME OF REPORT	EVENT	RESPONSE
1713-95	03/02/95	00:05	03/02/95	03:24	73.71/ ACAD OUT OF CONTROL ANSO (BADGES)	ACAD INACTIVATED/ TRACE CONDUCTED
1714-95	03/02/95	20:04	03/02/95	22:13	73.71/ UNSECURE VITAL AREA DOOR ANSO (UNSECURE DOOR)	DOOR SECURED/ VADC CONDUCTED/ SEARCH CONDUCTED
1716-95	03/03/95	06:49	03/03/95	10:47	73.71/ ACAD OUT OF CONTROL ANSO (BADGES)	ACAD INACTIVATED/ SUBJECT ESCORTED OUT OF PA/ TRACE CONDUCTED
1717-95	03/06/95	05:10	03/06/95	06:05	73.71/ CCTV CAMERAS DEGRADED DUE TO FOG ANSO (CCTV ENVIRONS)	COMPENSATORY MEASURES ESTABLISHED
1718-95	03/06/95	19:12	03/06/95	21:30	73.71/ ACAD REMOVED FROM PROTECTED AREA ANSO (BADGES)	ACAD INACTIVATED/ TRACE CONDUCTED
1719-95	03/06/95	21:55	03/06/95	23:55	73.71/ ACAD OUT OF CONTROL ANSO (BADGES)	ACAD INACTIVATED/ TRACE CONDUCTED/ SUBJECT ESCORTED OUT OF PA
1720-95	03/07/95	09:13	03/07/95	14:00	73.71/ ACAD REMOVED FROM PA ANSO (BADGES)	ACAD INACTIVATED/ TRACE CONDUCTED
1721-95	03/07/95	12:50	03/07/95	17:00	73.71/ UNSECURE DESIGNATED VEHICLE ANSO (NON-SECURITY FORCE ERROR)	DESIGNATED VEHICLE STATUS REVOKED/ ACCESS DENIED
1722-95	03/07/95	14:03	07/03/95	16:02	73.71/ UNSECURE VITAL AREA DOOR ANSO (UNSECURE DOOR)	DOOR SECURED/ VADC CONDUCTED/ SEARCH CONDUCTED
1724-95	03/06/95	19:12	03/06/95	21:30	73.71/ ACAD REMOVED FROM PA ANSO (BADGES)	ACAD INACTIVATED/ TRACE CONDUCTED
1725-95	03/08/95	19:24	03/08/95	22:18	73.71/ ACAD REMOVED FROM PA ANSO (BADGES)	ACAD INACTIVATED/ TRACE CONDUCTED
1726-95	03/10/95	11:35	03/10/95	12:28	73.71/ FAILURE TO W/DRAW ACCESS AUTH. IN TIMELY MANNER SCS-TRNG (ACCESS AUTHORIZATION/CONTROL)	TRACE CONDUCTED WITH NEGATIVE RES
1728-95	03/11/95	09:09	03/11/95	09:26	73.71/ UNSECURE VITAL AREA DOOR ANSO (UNSECURE DOOR)	DOOR SECURED/ VADC CONDUCTED/ SEARCH CONDUCTED
1729-95	03/11/95	23:57	03/12/95	01:50	73.71/ UNSECURE VITAL AREA DOOR ANSO (DOOR)	COMPENSATORY MEASURES ESTABLISHED/ VADC CONDUCTED/ SEARCH CONDUCTED

April 21, 1995

VOGTLE ELECTRIC GENERATING PLANT
SECURITY INFORMATION MANAGEMENT SYSTEM
INCIDENT LOG (73.71)
Sorted by Incident Number
01/01/95 Thru 03/31/95

PAGE 4

INCIDENT NUMBER	DATE OF EVENT	TIME OF EVENT	DATE OF REPORT	TIME OF REPORT	EVENT	RESPONSE
1730-95	03/12/95	19:13	03/12/95	19:13	73.71/ MUX FAILURE ANSO (COMPUTER)	COMPENSATORY MEASURES ESTABLISHED/ TESTING CONDUCTED
1732-95	03/14/95	12:00	03/14/95	15:00	73.71/ FAILURE TO TERMINATE ACCESS AUTH. IN TIMELY MANNER ADMIN SUPV (ACCESS AUTHORIZATION/CONTROL)	
1734-95	03/15/95	09:05	03/15/95	10:49	73.71/ ACAD OUT OF PA ANSO (BADGES)	ACAD INACTIVATED/ SUBJECT ESCORTED/ TRACE CONDUCTED
1735-95	03/15/95	14:11	03/15/95	15:18	73.71/ AUTOMATIC LOOP RECONFIGURATION ANSO (COMPUTER)	ALARM CAPABILITY VERIFIED
1737-95	03/16/95	14:49	03/16/95	16:03	73.71/ ACAD OUT OF CONTROL ANSO (BADGES)	ACAD INACTIVATED/ SUBJECT ESCORTED OUT OF PA/ TRACE CONDUCTED
1739-95	03/17/95	01:49	03/17/95	05:55	73.71/ CCTV DEGRADED DUE TO FOG ANSO (CCTV ENVIRONS)	COMPENSATORY MEASURES ESTABLISHED
1741-95	03/17/95	17:05	03/17/95	18:54	73.71/ ACAD OUT OF CONTROL INFORMANT (BADGES)	ACAD INACTIVATED/ SUBJECT ESCORTED OUT OF PA/ TRACE CONDUCTED
1742-95	03/18/95	20:36	03/18/95	20:47	73.71/ ACAD OUT OF CONTROL INFORMANT (BADGES)	ACAD INACTIVATED/ SUBJECT ESCORTED OUT OF PA/ TRACE CONDUCTED
1743-95	03/20/95	00:10	03/20/95	01:16	73.71/ ACAD OUT OF CONTROL ANSO (BADGES)	ACAD INACTIVATED/ SUBJECT ESCORTED OUT OF PA/ TRACE CONDUCTED
1745-95	03/20/95	16:00	03/20/95	16:29	73.71/ FAILURE TO WITHDRAW ACCESS AUTH. IN A TIMELY MANNER SEC. SUPV-ADMIN (ACCESS AUTH./CONTROL)	ACAD INACTIVATED/ DETERMINED THAT BADGE WAS NOT USED AFTER 3/17/95
1746-95	03/20/95	21:23	03/20/95	23:35	73.71/ UNSECURE VITAL AREA DOOR ANSO (UNSECURE DOOR)	DOOR SECURED/ VADC CONDUCTED/ SEARCH CONDUCTED
1747-95	03/20/95	21:10	03/20/95	23:10	73.71/ INADEQUATE LIGHTING ANSO (POWER/LIGHTING)	COMPENSATORY MEASURES ESTABLISHED/ LIGHTS RETURNED TO SERVICE
1748-95	03/21/95	12:16	03/21/95	12:27	73.71/ AUTOMATIC LOOP RECONFIGURATION ANSO (COMPUTER)	ALARM CAPABILITY VERIFIED
1750-95	03/22/95	22:01	03/23/95	00:06	73.71/ UNSECURE DESIGNATED VEHICLE ANSO (NON-SECURITY FORCE ERROR)	VEHICLE REMOVED FROM PA/ DESIGNATED VEHICLE STATUS REVOKED

April 21, 1995

VOITTE ELECTRIC GENERATING PLANT
SECURITY INFORMATION MANAGEMENT SYSTEM
INCIDENT LOG (73.71)
Sorted by Incident Number
01/01/95 Thru 03/31/95

PAGE 5

INCIDENT NUMBER	DATE OF EVENT	TIME OF EVENT	DATE OF REPORT	TIME OF REPORT	EVENT	RESPONSE
1751-95	03/24/95	15:36	03/24/95	16:57	73.71/ ACAD OUT OF CONTROL ANSO (BADGES)	ACAD INACTIVATED/ TRACE CONDUCTED
1752-95	03/25/95	03:27	03/25/95	05:01	73.71/ MICROWAVE ZONE INOPERATIVE ANSO (ALARMS)	COMPENSATORY MEASURES ESTABLISHED/ WORK REQUEST PREPARED
1753-95	03/26/95	18:10	03/27/95	04:59	73.71/ MICROWAVE ZONE INOPERATIVE ANSO (ALARMS)	COMPENSATORY MEASURES ESTABLISHED/ OPERATIONAL TEST CONDUCTED
1754-95	03/27/95	14:59	03/27/95	16:17	73.71/ ACAD OUT OF CONTROL INFORMANT (BADGES)	ACAD INACTIVATED/ SUBJECT ESCORTED OUT OF PA/ TRACE CONDUCTED
1755-95	03/28/95	09:06	03/28/95	16:11	73.71/ UNSECURE DESIGNATED VEHICLES INFORMANT (NON SECURITY FORCE ERROR)	KEYS REMOVED/ PERSONNEL ADVISED OF REQUIREMENTS/ STOCK PICKER REMOVED FROM DESIGNATED VEHICLE LIST
1756-95	03/31/95	01:12	03/31/95	02:20	73.71/ ACAD OUT OF CONTROL ANSO (BADGES)	ACAD INACTIVATED/ SUBJECT ESCORTED OUT OF PA/ TRACE CONDUCTED
1757-95	03/30/95	14:25	03/31/95	08:30	73.71/ FAILURE TO WITHDRAW ACCESS AUTHORIZATION INFORMANT (ACCESS AUTHORIZATION/CONTROL)	ACAD WAS INACTIVATED
1758-95	03/22/95	:	03/31/95	15:00	73.71/ FAILURE TO WITHDRAW ACCESS AUTHORIZATION INFORMANT (ACCESS CONTROL/AUTHORIZATION)	ALL OTHER TERMINATIONS KEYED ON 03/22/95 WERE CHECKED TO VERIFY PROPER TERMINATION/ CHECK CONDUCTED TO ENSURE BADGE WASNOT USED AFTER 3/22/95