

BOSTON EDISON

Pilgrim Nuclear Power Station
Rocky Hill Road
Plymouth, Massachusetts 02360

W. C. Rothert
General Manager Technical

August 17, 1995
BEC0 5.95.060

NPDES Program Operations Section (WCP)
Environmental Protection Agency
P.O. Box 8127
Boston, MA 02114


Massachusetts Division of Water Pollution Control
Lakeville Hospital
Lakeville, MA 02346

Discharge Monitoring Report

Dear Sirs:

Enclosed is the Discharge Monitoring Report for Pilgrim Nuclear Power Station (PNPS), NPDES Permit Number MA0003557 (Federal) and Number 359 (State).

The period covered by this report is July, 1995.


W. C. Rothert

RDA/lam/RAP/DMR

Attachments: 1. Summary
2. Discharge Monitoring Report

cc: U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555

U. S. Nuclear Regulatory Commission
Region I
475 Allendale Road
King of Prussia, PA 19406

Senior NRC Resident Inspector
Pilgrim Nuclear Power Station

220016

9508230379 950731
PDR ADDCK 05000293
R PDR

1F25
11

SUMMARY

PILGRIM I DISCHARGE MONITORING REPORT

In accordance with the Federal Clean Water Act, as amended (33USC 1251 et seq; the "CWA"), and the Massachusetts Clean Water Act, as amended (M.G.L.; Chap. 21, 26-53), regarding effluent limitations, monitoring requirements and other conditions set forth in the Pilgrim NPDES Permit (Federal Permit Number MA0003557, and State Permit Number 359), parts I and II, the following information is submitted for the period July, 1995.

I. Discharge Points Covered in this Report

<u>Discharge Point</u>	<u>Discharge Identification</u>
001	Condenser Cooling Water
002	Thermal Backwash for Biofouling Control
003	Intake Screen Wash
004, 005, 006, and 007	Yard Drains (April and September)
008	Sea Foam Suppression
010	Service Cooling Water
011	Makeup Water and Demineralizer Waste Discharge

II. Summary and Notes of Discharge Report

- A. The flow at points 001 and 010 are calculated from system pump capacity and are equal to the total for all pumps in each system running at full capacity for a 24-hour period. The flow at 011 is measured by noting sump levels before and after discharge. Flow at point 002 is a conservative figure obtained by calculating flow if backwashing took place for 24 hours. Flow at points 003 and 008 are calculated from system pump capacity and mean operating time.
- B. The temperatures at points 001 and 002 are measured by resistance temperature detectors (RTD's).
- C. Periodically, total residual chlorine (TRC) concentration in the service cooling water (010) exceeds Permit requirements (0.50 ppm daily average TRC and 1.00 ppm daily maximum TRC) prior to mixing with any other stream, primarily because of the number of service water pumps in operation. Chlorine injection levels are lowered as a corrective measure. The dilution provided by the PNPS circulating water flow keeps total residual chlorine concentrations discharged to Cape Cod Bay below the NPDES Permit limit of 0.1 ppm.
- D. For stormwater outfalls 004, 005, 006 and 007, Sigma 800 SL Portable Composite Samplers are utilized. The samplers are equipped with a "liquid level activator" that commences the sampling when the liquid reaches a predetermined level. This assures a sample is taken "within the first hour of the start of a significant storm event." The intake and collection assemblies of the samplers conform to U.S. EPA requirements for collecting oil and grease samples (USEPA letter to BECo dated 1/7/92). No additional inputs to these stormwater outfalls occur downstream of the composite samplers' sampling locations.

- E. Intake traveling water screens were operated with dechlorination pumps operating at all times.
- F. No sawdust was applied to seek and seal PNPS condenser leaks in July.
- G. The following boron and sodium nitrite discharges (ppm) occurred in July 1995 from discharge point #001. All discharges were below NPDES Permit limits prior to entering Cape Cod Bay.

<u>Date Discharged</u>	<u>Gallons Discharged</u>	<u>Concentration Before Discharge</u>	<u>Concentration Discharged</u>
Boron			
7/03/95	11,022	<1.0	<0.0013
7/14/95	10,354	<1.0	<0.0013
7/23/95	14,195	<1.0	<0.0013
Sodium Nitrite			
7/03/95	11,022	1.5	0.0019
7/14/95	10,354	112.5	0.1452
7/23/95	14,195	7.5	0.0097

- H. On July 19, 1995 a telephone call (BEC Co Telecon 4.95.010) was made to the USEPA, as required by the PNPS NPDES Permit, to inform them of discharge ΔT violation from 1400-1500 on that date when the ΔT was 33.3°F, which is above the Permit limit of 32°F. The temporary loss of one of the two main circulating seawater system pumps (Pump "B") due to mechanical problems, combined with high, low tide intake temperatures was believed to account for the exceedance of the ΔT .

ATTACHMENT 2 TO BECo LETTER 5.95.060

DISCHARGE MONITORING REPORT

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

NAME BOSTON ED #1 PILGRIM PLANT

ADDRESS ROCKY HILL ROAD

2ED #1

PLYMOUTH

MA 02360

FACILITY

LOCATION

ATTN: T.A. SULLIVAN, PLANT MANAGER

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MA0003557

PERMIT NUMBER

001 1

DISCHARGE NUMBER

MAJOR

(SUBR S)

Form Approved.

F - FINAL

OMB No. 2040-0004

CONDENSER COOLING WATER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER DEG. FAHRENHEIT 00011 1 0 0	SAMPLE MEASUREMENT	*****	*****		*****	*****	92.7	(15)	0	99/99 RC
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	102	OF		CONTINRCORDR
OXIDANTS, TOTAL RESIDUAL 34044 1 0 0	SAMPLE MEASUREMENT	*****	*****		*****	0.02	0.04	(19)	0	WH/DS GR
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	0.1	0.1	MG/L		WHEN GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0	SAMPLE MEASUREMENT	432.0	446.4	(03)	*****	*****	*****		0	99/99 ES
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	447.0	510.0	MGD	*****	*****	*****	****		CONTINESTIMA
TEMP. DIFF. BETWEEN INTAKE AND DISCHARGE 61576 1 0 0	SAMPLE MEASUREMENT	*****	*****		*****	*****	33.3	(15)	*1	99/99 CA
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	32	OF		CONTINICALCTD
							DAILY MX	DEG.F		UOUS
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T. A. SULLIVAN
PLANT MANAGER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

508 747-8100 95 8 10

AREA
CODE

NUMBER

YEAR

MO

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* SEE SUMMARY NOTES #II. H.

PH SHALL NOT VARY MORE THAN 0.5 PH STANDARD UNITS FROM INTAKE WATER. SEE PERMIT PAGE 5 PARAGRAPHS M&N FOR BORON AND SODIUM NITRATE REPORTING REQUIREMENTS. ATTACH ALL RELATED REPORTS TO THIS FORM. A BARRIER

NET SHALL BE MAINTAINED AT THE THERMAL END OF DISCHARGE CANAL AT ALL TIMES.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME BOSTON ED #1 PILGRIM PLANT
 ADDRESS ROCKY HILL ROAD
ED #1
PLYMOUTH MA 02360
 FACILITY
 LOCATION

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

MA0003557
 PERMIT NUMBER


002 1
 DISCHARGE NUMBER

MAJOR (SUBR S) Form Approved.
 F - FINAL OMB No. 2040-0004
 THERMAL BACKFLUSH Approval expires 10-31-94

MONITORING PERIOD							
FROM				TO			
YEAR	MO	DAY		YEAR	MO	DAY	
95	07	01		95	07	31	
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)	

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-65)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TEMPERATURE, WATER DEG. FAHRENHEIT 00011 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****			
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	*****			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	no backwash (03)	****	*****	*****	*****			
	PERMIT REQUIREMENT	*****	255.0 DAILY MX MGD	****	*****	*****	*****			
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319 (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE	
T.A. SULLIVAN PLANT MANAGER TYPED OR PRINTED			508 747-8100	95	8

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

THE PH SHALL NOT VARY MORE THAN 0.5 STANDARD UNITS FROM THAT OF THE INTAKE WATER. FLOW RATE IS TO BE ESTIMATED AS IF BACKFLUSHING TOOK PLACE FOR 24 CONTINUOUS HOURS. SEE PERMIT PAGE 8 FOR CONDITIONS REGARDING TH

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME BOSTON ED #1 PILGRIM PLANT
ADDRESS ROCKY HILL ROAD
RED #1
PLYMOUTH MA 02360
FACILITY
LOCATION

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)
MAD003557 003 A
PERMIT NUMBER DISCHARGE NUMBER

MAJOR (SUBR S) Form Approved.
F - FINAL OMB No. 2040-0004
INTAKE SCREEN WASH Approval expires 10-31-94

MONITORING PERIOD
FROM YEAR MO DAY TO YEAR MO DAY
95 07 01 95 07 31
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

ATTN: T.A. SULLIVAN, PLANT MANAGER

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 1 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	0.145	0.294	(03) MGD	*****	*****	*****		0 01/01	ES
	PERMIT REQUIREMENT	4.1 MO AVG	4.1 DAILY MX	MGD	*****	*****	*****	****		DAILY ESTIMA
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
PLANT MANAGER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

508 747-8100 95 8 10
AREA CODE NUMBER YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

THE TEMPERATURE OF THIS DISCHARGE SHALL AT NO TIME EXCEED THE TEMPERATURE OF THE INTAKE WATER.
ALL FISH SHELLFISH AND OTHER ORGANISMS COLLECTED OR TRAPPED ON INTAKE SCREEN SHOULD BE RETURNED TO WATER
IF AMBIENT TEMP. SUFFICIENTLY DISTANT FROM INTAKE STRUCTURES TO PREVENT REIMPINGEMENT.

PERMITTEE NAME/ADDRESS (Include
Facility Name/Location if different)
NAME BOSTON PD #1 PILGRIM PLANT
ADDRESS ROCKY HILL ROAD
RED #1
PLYMOUTH MA 02360
FACILITY
LOCATION

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MA000357

PERMIT NUMBER

008 A

DISCHARGE NUMBER

MAJOR

(SUBR S) Form Approved.

F - FINAL OMB No. 2060-0004

SEA FOAM SUPPRESSION DISCHARGE

MONITORING PERIOD

FROM YEAR MO DAY TO YEAR MO DAY
95 07 01 95 07 31

(20-21) (22-23) (24-25)

(26-27) (28-29) (30-31)

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

ATTN: T.A. SULLIVAN, PLANT MANAGER

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-51)			QUALITY OR CONCENTRATION (4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-47)	MAXIMUM (48-49)	UNITS (50-51)	MINIMUM (38-39)	AVERAGE (40-41)	MAXIMUM (42-43)	UNITS (44-45)					
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	no discharge (03)			*****	*****	*****						
	PERMIT REQUIREMENT	0.73 MO AVG	0.73 DAILY MX	MGD	*****	*****	*****	****					DAILY ESTIMA
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
PLANT MANAGER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED
AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED
ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR
OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS
TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE
SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING
THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND
33 U.S.C. § 1319. (Penalties under these statutes may include fines up to
\$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

508 747-8100

25 8 10

AREA
CODE

NUMBER

YEAR

MO

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME BOSTON ED #1 PILGRIM PLANT
ADDRESS ROCKY HILL ROAD
ED #1
PLYMOUTH MA 02360
FACILITY
LOCATION

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

MA0003557
PERMIT NUMBER

010 A
DISCHARGE NUMBER

MAJOR
(SUBR S) Form Approved.
F - FINAL OMB No. 2040-0004
PLANT SERVICE COOLING WATER

MONITORING PERIOD
FROM YEAR 95 MO 07 DAY 01 TO YEAR 95 MO 07 DAY 31
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE 1-1 ***
NOTE: Read instructions before completing this form.

ATTN: T.A. SULLIVAN, PLANT MANAGER

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) (38-45)	QUALITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
OXIDANTS, TOTAL RESIDUAL 34044 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	0.15	0.45	(19)	O	99/99	RC
	PERMIT REQUIREMENT	*****	*****	****	*****	0.5 MO AVG	1.0 DAILY MX	MG/L			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	9.7	*****	(03)	*****	*****	*****		O	99/99	ES
	PERMIT REQUIREMENT	19.4 MO AVG	*****	MGD	*****	*****	*****	****			
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

T.A. SULLIVAN
PLANT MANAGER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

508 747-8100

95 8 10

AREA
CODE

NUMBER

YEAR

MO

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

CONTINUOUS CHLORINATION OF SERVICE WATER SYSTEM MAY BE USED FOR MACROINVERTEBRATE CONTROL. FLOW RATE SHALL BE ESTIMATED FROM PUMP CAPACITY CURVES AND OPERATIONAL HOURS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME BOSTON ED #1 PILGRIM PLANT
ADDRESS ROCKY HILL ROAD
RED #1
PLYMOUTH MA 02360
FACILITY
LOCATION

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16) (17-19)

MA0003557
PERMIT NUMBER

011 A
DISCHARGE NUMBER

MAJOR
(SUBR S) Form Approved.
F - FINAL OMB No. 2040-0004
Approval expires 10-31-84
MAKE UP WATER AND DERMINERALIZE

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
95	07	01	95	07	31
(20-21)		(22-23)	(26-27)		(28-29)
(24-25)		(30-31)			


*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

ATTN: T.A. SULLIVAN, PLANT MANAGER

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	1.3	2.0	(19) MG/L	001/BA	GR
	PERMIT REQUIREMENT	*****	*****	****	*****	30 MO AVG	100 DAILY MX	MG/L	ONCE/	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	0.00040	0.00047	(03) MGD	*****	*****	*****		OWN/DS	ES
	PERMIT REQUIREMENT	0.015 MO AVG	0.06 DAILY MX	MGD	*****	*****	*****	****	WHEN	ESTIMA
									DISCHR	
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
T.A. SULLIVAN
PLANT MANAGER
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)


SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE
508 747-8100
DATE
95 8 10
AREA CODE NUMBER YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SEE PAGE 5 OF PERMIT PARAGRAPH N FOR SODIUM NITRATE REPORTING REQUIERMENTS. ATTACH ALL RELATED REPORTS TO THIS FORM