



Consumers
Power
Company

Dean L. Quamme
Site Manager
Midland Project

Midland Project PO Box 1963, Midland, MI 48640 • (517) 631-8650

April 2, 1984

Mr J J Harrison
Chief, Midland Section
U S Nuclear Regulatory Commission
Region III
799 Roosevelt Road
Glen Ellyn, IL 60137

MIDLAND ENERGY CENTER
MIDLAND DOCKET NOS 50-329, 50-330
TURBINE ROLL Q RELIEF VALVE REMOVAL
File: 0655, Bl.7.3, 0460.2 UFI: 51*09, 53*50*04 Serial: CSC-7572
99*08, 03200(S)

The purpose of this letter is to request your concurrence for the removal of six Q relief valves upstream of the main steam isolation valves. This removal is required to support the non-Q hydrostatic test program required prior to system turnover related to Turbine Roll. The removal of these valves is required to insure that steam or water does not enter the steam generators during testing activities while performing Turbine Roll.

The relief valves (2PSV 3207 A&B, 3208 A&B, 3209 A&B) have had the Quality Verification Program (QVP) activities performed on them and will be removed in accordance with a Construction Work Plan (CWP) once we obtain your concurrence. The CWP will include the Quality Work Package (QWP) which covers the destatusing of the present PQ CIR's and issuance of new PQ CIR's for the reinstallation. The storage of the relief valves will be performed in accordance with FPG-5.000, (Storage, Handling, and Maintenance of Permanent Plant Equipment and Materials). The initial installation and removal of temporary plugs will be part of the hydrostatic test package. The plugs will be removed once the hydrostatic test is performed. A Contractor Work Request (CWR) will be written to cover the installation and removal of the plugs on subsequent Testing activities as well as being added to the master punchlist as a tracked item.

A prompt reply to this letter would be appreciated in order to support the hydrostatic activities scheduled to start on April 4, 1984.

DLQ/TAS/kp

cc: DSHood, U S Nuclear Regulatory Commission
RJCook, Midland Resident Inspector
JGKeppler, Regional Administrator Region III
RNGardner, U S Nuclear Regulatory Commission

8404090126 840403
PDR ADOCK 05000329
A PDR

BCC JWCook, P26-336B
SHHowell, M-1180
TABuczynski, Midland
LGrabar, LIS
JNLeach, P24-507
DFLewis, Bechtel
GALow, P12-237A
MIMiller, IL&B
DASommers, P14-106
DJVandeWalle, P24-614B
BJWalraven, P24-517
RAWells, Midland
RCWilliams, IL&B
DTPerry, Midland
KEMarbaugh, Midland
NRC Correspondence File, P24-517
UFI, P24-511
CMS-Midland
REMcCue, Midland

RC DMBudzik, P24-517A
RJEhardt, P14-113A
LSGibson, P24-618A
P24-505 (Last)