

RELATED CORRESPONDENCE

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4000

EDWARD G. BAUER, JR.

VICE PRESIDENT  
AND GENERAL COUNSEL

EUGENE J. BRADLEY

ASSOCIATE GENERAL COUNSEL

DONALD BLANKEN

RUDOLPH A. CHILLEMI

E. C. KIRK HALL

T. H. MAHER CORNELL

PAUL AUERBACH

ASSISTANT GENERAL COUNSEL

EDWARD J. CULLEN, JR.

THOMAS H. MILLER, JR.

IRENE A. MCKENNA

ASSISTANT COUNSEL

DOCKETED  
USNRC

'84 MAY 29 A11:40

OFFICE OF SECRETARY  
DOCKETING & SERVICE  
BRANCH

May 25, 1984


Ms. Maureen Mulligan  
Limerick Ecology Action  
762 Queen Street  
Pottstown, PA 19464

Re: Limerick Generating Station, Units 1 and 2  
Docket Nos. 50-352 & 50-353

Dear Ms. Mulligan:

In accordance with the Board's Order of June 1, 1982, I am forwarding to you copies of correspondence and documents regarding emergency planning among Applicant, NRC Staff, the Commonwealth of Pennsylvania and other responsible governmental agencies. These documents supplement the material which was forwarded by our letter dated May 18, 1984, and provide additional correspondence covering the period April 23, 1984 through May 16, 1984.

Very truly yours,



Edward J. Cullen, Jr.

EJC, Jr./pkc  
encs.

cc: See Attached Service List  
0000q/0006q

8405300212 840525  
PDR ADOCK 05000352  
G PDR

D503

cc: Judge Lawrence Brenner	(w/o enclosure)
Judge Peter A. Morris	(w/o enclosure)
Judge Richard F. Cole	(w/o enclosure)
Troy B. Conner, Jr., Esq.	(w/enclosure)
Ann P. Hodgdon, Esq.	(w/enclosure)
Mr. Frank R. Romano	(w/o enclosure)
Mr. Robert L. Anthony	(w/o enclosure)
Zori G. Ferkin, Esq.	(w/enclosure)
Mr. Thomas Gerusky	(w/o enclosure)
Director, Pennsylvania Emergency Management Agency	(w/o enclosure)
Charles W. Elliott, Esq.	(w/o enclosure)
Angus Love, Esq.	(w/o enclosure)
David Wersan, Esq.	(w/o enclosure)
Robert J. Sugarman, Esq.	(w/o enclosure)
Martha W. Bush, Esq.	(w/o enclosure)
Spence W. Perry, Esq.	(w/o enclosure)
Jay M. Gutierrez, Esq.	(w/o enclosure)
Atomic Safety & Licensing Appeal Board	(w/o enclosure)
Atomic Safety & Licensing Board Panel	(w/o enclosure)
Docket & Service Section	(w/enclosure)
James Wiggins	(w/o enclosure)
Timothy R. S. Campbell	(w/o enclosure)





# ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031  
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

May 15, 1984

A. Lindley Bigelow  
Coordinator  
Montgomery County Office of  
Emergency Preparedness  
100 Wilson Boulevard  
Eagleville, PA 19403

Dear Lin:

Enclosed are fifteen (15) copies of changed pages to Draft #6, Montgomery County Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station. Please distribute these changed pages as appropriate. Also enclosed are changed pages for the review copy in the County Law Library.

Should you have any immediate questions following receipt of this correspondence, please do not hesitate to call me.

Thank you for your continued cooperation.

Sincerely,

John H. Cunningham  
Associate Senior Planner

JHC:jr  
Enclosures

Tab. 3 Bus Companies

TRANSPORTATION PROVIDERS

NAME	GARAGE LOCATION	MUNICIPALITY	CONTACT/ TELEPHONE	DRIVERS	FUEL (1000 gal)				VEHICLES OPERATED				UNITS AVAILABLE FOR MOBILIZATION					RADIO FREQUENCY	LIMERICK ASSIGNMENT/UNITS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					REGULAR	UNLEADED	DIESEL	SCHOOL BUS	COACHES	MINI-BUSES	VANS	HAND. VEH.	DAYTIME (HOURS)	EVENING (HOURS)	WEEKEND (HOURS)	SCHOOL BUS	MINI-BUSES		VANS	HAND. VEH.	COACHES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Abington Twp. School District	1230 Huntington Road Abington	Abington Twp.	[REDACTED]	41	12				PECO		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

PECO

I-2-5

Draft 6A

TRANSPORTATION PROVIDERS

NAME	GARAGE LOCATION	MUNICIPALITY	CONTACT / TELEPHONE	DRIVERS	FUEL (1000 gal)			VEHICLES OPERATED					UNITS AVAILABLE FOR MOBILIZATION					RADIO FREQUENCY	LIMERICK ASSIGNMENT/UNITS				
					REGULAR	UNLEADED	DIESEL	SCHOOL BUS	COACHES	MINI-BUSES	VANS	HAND. VEH.	DAYTIME (HOURS)	EVENING (HOURS)	WEEKEND (HOURS)				SCHOOL BUS	MINI-BUSES	VANS	HAND. VEH.	COACHES
Carol Lines, Inc.	4450 Rising Sun Avenue Philadelphia	Philadelphia	[REDACTED]	85	16	--	--	43	--	--	12	2	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

I-2-5A

Draft 6A

# TRANSPORTATION PROVIDERS

NAME	GARAGE LOCATION	MUNICIPALITY	CONTACT/ TELEPHONE	DRIVERS	FUEL (1000 gal)			VEHICLES OPERATED					UNITS AVAILABLE FOR MOBILIZATION					RADIO FREQUENCY	LIMERICK ASSIGNMENT/UNITS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
					REGULAR	UNLEADED	DIESEL	SCHOOL BUS	COACHES	MINI-BUSES	VANS	HAND. VEH.	DAYTIME (HOURS)	EVENING (HOURS)	WEEKEND (HOURS)	SCHOOL BUS	MINI-BUSES		VANS	HAND. VEH.	COACHES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Lower Merion School District	301 Montgomery Avenue Ardmore	Lower Merion Township	[REDACTED]	85	8	2	15	58	--	8	--	3	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

APPENDIX I-3

TRANSPORTATION REQUIREMENTS BY MUNICIPALITY,  
HEALTH CARE FACILITY, SPECIAL FACILITY AND SCHOOL DISTRICT

Tab 1. MUNICIPALITIES

A. Collegeville Borough

<u>Buses</u>	<u>Ambulances</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
2		OEP	[REDACTED]
	2	OEP	[REDACTED]
	2	PEMA	[REDACTED]

B. Douglass Township

<u>Buses</u>	<u>Ambulances</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
1		OEP	[REDACTED]
1		OEP	[REDACTED]
	2	EOC-Comm.	[REDACTED]

C. Green Lane Borough

<u>Buses</u>	<u>Ambulances</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
1		OEP	[REDACTED]
	0	EOC-Comm.	[REDACTED]

D. Limerick Township

<u>Buses</u>	<u>Ambulances</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
3		OEP	[REDACTED]
	1	OEP	[REDACTED]
	1	PEMA	[REDACTED]

E. Lower Frederick Township

<u>Buses</u>	<u>Ambulances</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
1		OEP	[REDACTED]
	1	EOC-Comm.	[REDACTED]

F. Lower Pottsgrove Township

<u>Buses</u>	<u>Ambulances</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
3	1	OEP OEP	[REDACTED]

G. Lower Providence Township

<u>Buses</u>	<u>Ambulances</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
8	2 2 1	OEP EOC-Comm. OEP PEMA	[REDACTED]

H. Lower Salford Township

<u>Buses</u>	<u>Ambulances</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
1	1	OEP EOC-Comm.	[REDACTED]

I. Marlborough Township

<u>Buses</u>	<u>Ambulances</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
1	1 1	OEP EOC-Comm. PEMA	[REDACTED]

J. New Hanover Township

<u>Buses</u>	<u>Ambulances</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
1 1	1	OEP OEP EOC-Comm.	[REDACTED]

K. Perkiomen Township

<u>Buses</u>	<u>Ambulances</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
2	1 1	OEP EOC-Comm. PEMA	[REDACTED]



B. Perkiomen Valley School District

1. Perkimen Valley Senior High School (Skippack Township)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
1		P.V.S.D.	
	1	P.V.S.D.	
12		P.V.S.D.	
	1	P.V.S.D.	

2. Perkiomen Valley Middle School (Trappe Borough)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
8		P.V.S.D.	
1		P.V.S.D.	
	1	P.V.S.D.	

3. Perkiomen Valley Elementary School North (Schwenksville Borough)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
2		P.V.S.D.	
	10	P.V.S.D.	
1		P.V.S.D.	
1		OEP	

4. Perkiomen Valley Elementary School South (Collegeville Borough)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
	3	P.V.S.D.	
7		P.V.S.D.	

5. St. Eleanore's School (Collegeville Borough)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
4		OEP	

6. St. Mary's School (Lower Frederick Township)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
3		OEP	



9. Wyndcroft School

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
3		OEP	[REDACTED]

10. St. Aloysius School

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
3		OEP	[REDACTED]
5		OEP	[REDACTED]

11. St. Peter's School

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
2		OEP	[REDACTED]

E. Souderton Area School District

1. Salford Hills Elementary School (Upper Salford Township)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
7		S.A.S.D.	[REDACTED]
1		S.A.S.D.	[REDACTED]

F. Spring Ford Area School District

1. Spring Ford Area Senior High Sch. (Limerick/Upper Providence Twps.)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
10	5	S.F.A.S.D. OEP	[REDACTED]


2. Spring Ford Area Middle School (Limerick Twp./Royersford Borough)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
13		S.F.A.S.D.	[REDACTED]


3. Limerick Elementary School (Limerick Township)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
8		S.F.A.S.D.	[REDACTED]

4. Oaks Elementary School (Upper Providence Township)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
1	5	S.F.A.S.D.	
		S.F.A.S.D.	
3	3	S.F.A.S.D. OEP	


5. Royersford Elementary School - Both Buildings (Royersford Borough)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
5		S.F.A.S.D.	


6. Spring City Elementary School (Spring City Borough/Chester County)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
4		S.F.A.S.D.	


7. Collegeville Montessori Academy (Royersford Borough)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
1		OEP	


8. West-Mont Vocational-Technical School (Limerick Township)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
5		OEP	

9. Chapel Christian Academy (Limerick Township)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
3		C.C.A.	

10. St. Joseph's Kindergarten (Spring City Borough/Chester County)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
1		OEP	

11. Sacred Heart School (Royersford Borough)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
4		OEP	[REDACTED]

G. Upper Perkiomen School District (does not routinely evacuate)

1. Green Lane Elementary School (Marlborough Township)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
5		U.P.S.D.	[REDACTED]

H. Ursinus College (Collegeville Borough)

<u>Buses</u>	<u>Minis/Vans</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
16		OEP	[REDACTED]

Tab 5. RESERVE

A. School Buses

1. Ashbourne Transportation

<u>Buses</u>	<u>Handicapped Vehicles</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
98	2	OEP	[REDACTED]

2. Carol Lines, Inc.

<u>Buses</u>	<u>Handicapped Vehicles</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
11	2	OEP	[REDACTED]


3. Huntington Valley Transportation

<u>Buses</u>	<u>Handicapped Vehicles</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
1	--	OEP	[REDACTED]


4. Lower Merion School District

<u>Buses</u>	<u>Handicapped Vehicles</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
17	--	OEP	[REDACTED]


5. Perkiomen Valley Bus Company

<u>Coaches</u>	<u>Other Vehicles</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
Call	--	OEP	


6. Pottstown Transit

<u>Coaches</u>	<u>Other Vehicles</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
2	--	Potts. Bor.	


7. SEPTA

<u>Coaches</u>	<u>Other Vehicles</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
37(TBD)	--	OEP	

8. Upper Merion School District

<u>Buses</u>	<u>Handicapped Vehicles</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
--	2	OEP	

9. Van Trans, Inc.

<u>Buses</u>	<u>Handicapped Vehicles</u>	<u>Coordinating Agency</u>	<u>Assignment</u>
--	3	OEP	

## ANNEX T

### AGREEMENTS AND STATEMENTS OF UNDERSTANDING

- I. The Montgomery County Office of Emergency Preparedness has entered into and maintains (or is developing) Agreements, Letters of Intent or Statements of Understanding with the following:
  - A. Southeastern Pennsylvania Chapter American Red Cross (under development)
  - B. Alert and warning (EBS) Station(s) - KYW 1060 (under development)
  - C. Transportation Providers for Evacuation Support, (under development)
    1. Abington School District (under development)
    2. Alderfer Transportation, Inc.
    3. Ashbourne Transportation, Inc. (under development)
    4. Carol Lines, Inc. (under development)
    5. CMD Services
    6. Custer's Garage (under development)
    7. Hagey's Bus Service
    8. Haigler Coach System (under development)
    9. Hatboro-Horsham School District
    10. Huntington Valley Transportation (under development)
    11. Levy School Bus Company, Inc. (under development)
    12. Lower Merion School District (no agreement)
    13. Methacton School District (under development)
    14. Wilson Metz Bus Service
    15. Norristown Area School District (under development)
    16. North Penn School District (under development)
    17. Perkiomen Valley Bus Company (under development)

NOTE: County government departments or agencies and OEP staff or organizations providing support do not require agreements.



# ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031  
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

May 15, 1984

Jean Alfgren, Administrator  
Phoenixville Manor, Inc.  
833 South Main Street  
Phoenixville, PA 19460

Dear Ms. Alfgren:

Enclosed for review are two (2) copies of Draft 3 of the Phoenixville Manor Radiological Emergency Response Plan for incidents at the Limerick Generating Station.

This draft incorporates review comments from the Pennsylvania Emergency Management Agency and the revisions desired by you and your staff following your reviews of Draft 2.

Please review this new draft at your earliest convenience and make note of any questions or concerns. I will be in touch with you to discuss the results of your review.

Thank you for your continued assistance. Please call me with any questions.

Sincerely,

*David L. Dunn*

David Dunn  
Associate Planner/Trainer

DD:jr  
Enclosures  
cc. Chester County DES  
Mr. Donald Sees, Phoenixville EMA

RADIOLOGICAL EMERGENCY RESPONSE PLAN  
FOR INCIDENTS AT THE  
LIMERICK GENERATING STATION

Phoenixville Manor, Inc.  
833 South Main Street  
Phoenixville, PA 19460  
(215) 933-5867

May 1984

Copy Number: \_\_\_\_\_

Draft 3



## RECORD OF CHANGES

[illegible]

# RADIOLOGICAL EMERGENCY RESPONSE PLAN

PHOENIXVILLE MANOR, INC.

## Table of Contents

	<u>Page</u>
I. Introduction	
A. Purpose.....	1
B. Authority.....	1
C. References.....	1
D. Definitions.....	2
E. Responsibilities.....	4
F. Situation.....	9
II. Notification/Initial Response	
A. Initial Notification.....	9
B. Plan Implementation.....	9
C. Emergency Management Team Notification.....	9
D. On-Duty Personnel.....	9
E. Off-Duty Personnel.....	10
III. Concept of Operations	
A. Unusual Event.....	10
B. Alert.....	10
C. Site Emergency.....	12
D. General Emergency.....	12
IV. Sheltering.....	13
V. Evacuation Procedures.....	13
VI. De-escalation of Incident.....	14
VII. Reentry.....	14
VIII. Plan Maintenance and Distribution.....	15

Attachment A: Notification Roster  
Attachment B: Evacuation Support  
Attachment C: Records/Forms  
Attachment D: Plan Activation and Operation Schematic Diagrams  
Attachment E: Evacuation Vehicle Estimates

# RADIOLOGICAL EMERGENCY RESPONSE PLAN

PHOENIXVILLE MANOR, INC.

## I. INTRODUCTION

### A. Purpose

The following Radiological Emergency Response Plan (RERP) is designed to prepare Phoenixville Manor personnel to respond appropriately to emergencies or potential emergency situations in the event of an incident at the Limerick Generating Station.

The objective of this plan is to identify each necessary function, determine who will be responsible for it, assign authority within that function, and illustrate how that function will relate to others.

This Radiological Emergency Response Plan is a working document, action-oriented and designed as a guide for the time of stress. It is intended to be flexible and quickly adaptable to produce a safe environment for both residents and staff.

This document is intended to conform to all appropriate federal, state, county, and municipal statutes and accrediting/licensing agency regulations for the safety and care of residents and employees during a radiological emergency.

Orientation of new personnel should include issuance of appropriate sections of this plan and instruction in the duties assigned therein.

### B. Authority

The authority for the preparation of this plan is provided by P. L. 1332, the Pennsylvania Emergency Management Services Act of 1978.

### C. References

- Public Law 1332, "The Pennsylvania Emergency Management Services Act of 1978."
- Commonwealth of Pennsylvania Disaster Operations Plan, Annex E - Fixed Nuclear Facility Incidents.
- Pennsylvania Department of Health Disaster Preparedness and Recovery Plan.
- Joint Commission on Accreditation of Hospitals, "Accreditation Manual for Long Term Care Facilities," 1980.
- United States Nuclear Regulatory Commission and Federal Emergency Management Agency, "Criteria for Preparation and

- Chester County Radiological Emergency Response Plan, Annex G; Health and Medical Services.

#### D. Definitions

The following definitions refer to terms mentioned within the text of this plan or commonly used in reference to long-term care/nursing facilities.

1. Emergency Broadcast System (EBS) Announcements - Official announcements made at the county level for the specific purpose of providing instructions or directions from the County Commissioners, or their designated official representative, to the residents of the county. Announcements are made over the legally designated CBS network.
2. Emergency Management - The judicious planning, assignment and coordination of all available resources in an integrated program of prevention, mitigation, preparedness, response and recovery for emergencies of any kind, whether from enemy attack, man-made or natural sources.
3. Emergency Operations Center (EOC) - A specific location within the nursing home complex designated for use by the Emergency Management Team to direct operations in the event of an emergency condition.
4. Emergency Planning Zone (EPZ) - A generic area defined about a nuclear facility to facilitate offsite emergency planning and develop a significant response base. It is defined for the plume and ingestion exposure pathways.
5. Fixed Nuclear Facility Incident (hereinafter called an "incident") - An incident is an event or condition at a fixed nuclear facility which could result in a negative impact on public health and safety. Four incident classifications have been identified; from the least serious to the most serious they are: Unusual Event, Alert, Site Emergency and General Emergency. (Note: Site or General Emergency classifications are not to be confused with a "Declaration of Disaster Emergency" made by the Governor.) Descriptions of the four incident classifications are as follows:
  - a. Unusual Event - Events are in process or have occurred which indicate a potential degradation of the level of safety of the plant. No releases of radioactive material requiring offsite response or monitoring are expected unless further degradation of safety systems occurs.



- b. Alert - Events are in process or have occurred which involve an actual or potential substantial degradation of the level of safety of the plant. Any releases are expected to be limited to small fractions of the EPA Protective Action Guideline exposure levels.
  - c. Site Emergency - Events are in process or have occurred which involve actual or likely major failures of plant functions needed for protection of the public. Any releases are not expected to exceed EPA Protective Action Guideline exposure levels except near the site boundary.
  - d. General Emergency - Events are in process or have occurred which involve actual or imminent substantial core degradation or melting with potential for loss of containment integrity. Releases can be reasonably expected to exceed EPA Protective Action Guideline exposure levels offsite for more than the immediate site area.
- 6. Host Facility - A nursing home or other facility located outside the Plume Exposure Pathway EPZ with which a formal written agreement has been made for the hosting of evacuated residents.
  - 7. Plume Exposure Pathway EPZ - The area surrounding a fixed nuclear facility which potentially is subject to radiation exposure as a result of an incident involving radioactive material emanating from the facility. Such potential exposure could involve: (a) whole body external exposure to gamma radiation from the plume and from deposited materials, and (b) inhalation exposure from the passing radioactive plume. The EPZ for this pathway consists of an area of approximately ten miles in radius around the fixed nuclear facility. (The exact size and configuration of the plume exposure pathway EPZ for the Limerick Generating Station was determined in relation to local emergency response needs and capabilities as they are affected by conditions such as demography, topography, access routes, and jurisdictional boundaries.
  - 8. Protective Action Guide (PAG) - Projected dose to individuals in the general population which warrants protective action.
  - 9. Protective Actions - An action taken to avoid or reduce a projected dose of radiation. (Sometimes referred to as protective measures.)
  - 10. Public Information Statements - Public announcements made by Pennsylvania Emergency Management Agency or county official spokespersons via newspaper, radio or television to explain government actions being taken to protect the public in event of any public emergency. The purpose of the announcement is to provide accurate information, prevent panic and counteract misinformation and rumors. Reference to the emergency situation itself will be made only in the context of the reasons for governmental actions, and not to provide detailed information about it.

11. Radiological Emergency Response Plans (RERP) - Detailed incident response plans developed by the State and its agencies, county and municipal emergency management agencies and special facilities in coordination with the Pennsylvania Emergency Management Agency and the fixed nuclear facility.
12. Sheltering - Action by the public to take advantage of the protection against radiation exposure afforded by remaining indoors, away from doors and windows, during and following the passage of the radioactive plume.
13. State of Disaster Emergency - A state of disaster emergency exists whenever the Governor issues a declaration of disaster emergency. A disaster emergency shall be declared by executive order or proclamation of the Governor at any time upon finding that a disaster has occurred or that the occurrence or the threat of a disaster is imminent. The state of disaster emergency continues until the Governor finds that the threat or danger has passed and terminates it by executive order or proclamation, but no state of disaster emergency may continue for longer than 90 days unless renewed by the Governor. The term, state of disaster emergency, is not to be confused with the incident classification terms called Site Emergency and General Emergency.
14. Transportation Resources - Modes of transportation for evacuation of nursing home residents; generally includes ambulances, buses and trucks.
15. Unmet Needs - Capabilities and/or resources required to support emergency operations but neither available nor provided for at the respective levels of emergency response.

#### E. Responsibilities

##### 1. Facility Emergency Management Team

The implementation of this radiological emergency response plan is the responsibility of the facility Emergency Management Team. This team is comprised of the following individuals, with their stated responsibilities:

- a. Phoenixville Manor Administrator - The overall authority for the implementation and direction of this Radiological Emergency Response Plan rests with the administrator or her designated alternate. Specific responsibilities include:
  - (1) Coordinate the emergency management response to all radiological emergency conditions.
  - (2) Set up the Emergency Operations Center (EOC) in the Administrator's Office.



- (3) Establish and maintain communications with the Chester County Department of Emergency Services and provide for internal facility communications via telephone intercom, paging or messenger.
  - (4) Coordinate staff scheduling with the Emergency Management Team to ensure adequate 24-hour staffing for emergency conditions.
  - (5) Coordinate the facility's emergency management response with the Medical and Health Group Chief of the Chester County Department of Emergency Services, designated host facilities and outside agencies.
  - (6) Respond to all internal requests for personnel and equipment support.
  - (7) Receive and maintain current resident census/transportation requirements and staffing needs, reporting unmet needs to the Chester County Department of Emergency Services.
  - (8) Terminate the emergency condition and deactivate the emergency response plan when conditions stabilize, allowing a return to normal operations.
  - (9) Document the emergency management effort when normal operations are restored (it is advisable to maintain a date-time log of events during the emergency conditions).
- b. Phoenixville Manor Director of Nursing - The Director of Nursing is responsible for the assignment of all nursing service personnel and any volunteers needed to supplement staffing requirements. In the absence of the administrator or her designate, the Director of Nursing shall assume control of the emergency response. In addition, the Director of Nursing is responsible for overseeing the preparation of resident census reports, the classification of residents for transport, and the coordination of the efforts of the resident care, clinical care and support departments.
  - c. Charge Nurse on Duty - The Charge Nurse on duty is responsible for carrying out responsibilities assigned by the Director of Nursing. In the absence of the Director of Nursing, the Charge Nurse shall be responsible for the assignment of all nursing service personnel. In the absence of the Administrator and the Director of Nursing, the Charge Nurse shall assume control of the initial emergency response.
  - d. Medical Director - The primary responsibility of the Medical Director is ensuring adequate medical care for facility

residents. The Medical Director shall prescribe appropriate precautionary measures so as to alleviate suffering and loss of life. The Medical Director shall also review and identify residents eligible for discharge during census reduction efforts.

- e. Maintenance Supervisor - The Maintenance Supervisor is responsible for maintaining all electrical and mechanical functions necessary to ensure a safe facility environment. The Maintenance Supervisor shall assign appropriate personnel to answer emergency calls for service from all areas of the facility.

## 2. Other Agencies

There are a number of external agencies with specific responsibilities in the event of an incident at the Limerick Generating Station. These include:

### a. Chester County Department of Emergency Services

Those responsibilities of the Chester County Department of Emergency Services which are specifically related to this Radiological Emergency Response Plan include:

- (1) Implementation of protective action recommendations.
- (2) Coordination of emergency medical services to include maintenance of routine coverage. In the event of an evacuation, provision of assistance to homebound invalids, hospitals and nursing homes.
- (3) Personnel decontamination monitoring for the general population and decontamination of individuals as necessary.
- (4) Provision for medical support to mass care centers.
- (5) Provision for the health protection of emergency workers by implementing plans for protective actions including protective clothing, dosimetry, radioprotective drugs, personnel decontamination monitoring, and related training.
- (6) Utilization of the Department of Health's hospital list (those capable of treating contaminated and irradiated individuals) to designate the local and backup hospitals that will support fixed nuclear facility incidents.
- (7) Identification of hospitals, nursing homes, prisons, and other institutions located within the plume exposure pathway EPZ.

b. Pennsylvania Department of Health (DOH)

The Department of Health, under the direction of the Secretary of Health, has the following related responsibilities:

- (1) Development and maintenance of a comprehensive State emergency medical plan for response to radiological incidents.
- (2) Coordination with Federal health authorities, the Pennsylvania Emergency Management Agency (PEMA), the Bureau of Radiation Protection (BRP), and the Department of Agriculture to assess any radiation hazard to the public and develop corresponding health related guidance for incident response.
- (3) Support of counties and municipalities with technical advice, identification and coordination of medical resources in the event of an incident.
- (4) Maintenance of a current inventory, with a copy to PEMA, of Statewide medical facilities with the capability of treating radiation exposure victims.
- (5) Maintenance of current site-specific lists of local and backup medical facilities having the capability of evaluating, handling and treating contaminated and irradiated individuals.
- (6) Compilation and maintenance of a current listing of Statewide ambulance resources that could be made available for use in evacuating hospitals, nursing homes and invalids living at home.
- (7) Provision of technical advice and assistance to hospitals and nursing homes within the plume exposure pathway EPZ as well as hospitals in general support and advice to them regarding their respective emergency response plans, with information to the respective county EMA's, through PEMA, regarding all emergency related messages, information, and assistance between the Department and individual institutions.
- (8) Cooperation with State Hospital Associations and other medical organizations in developing plans for preventing adverse effects that may result from radiation exposure.
- (9) Development and implementation of a uniform Statewide system for recording the contamination data and treatment of radiologically exposed individuals to include:

- (a) Location at time of incident
  - (b) Radiation exposure date
  - (c) Contamination status
  - (d) Treatment status
  - (e) Release status
- (10) In coordination with PEMA and BRP:
- (a) Issuance of guidelines for radiation detection and measurement systems used by ambulance services and hospital emergency departments.
  - (b) Issuance of guidance concerning the levels of radiation exposure related to the health and safety of ambulance services, hospitals and other health care personnel.
  - (c) Development of emergency medical support and response training programs.
  - (d) Development of public education material to explain to the populace the health hazards of radiation exposure and what can be done medically to eliminate or lessen the hazards and treat individuals exposed to them.
- (11) Coordination of the medical response to incidents with any affected contiguous states.

c. Pennsylvania Emergency Management Agency (PEMA)

The Pennsylvania Emergency Management Agency (PEMA) has the following related responsibilities in the event of an incident at the Limerick Generating Station:

- (1) Responsibility as the lead State agency for emergency management and coordination of response activities.
- (2) In cooperation with applicable State agencies and the American Red Cross, coordination of the resource management (including delivery to central resource receiving points) of available State equipment and supplies to satisfy unmet needs of risk and support counties.
- (3) Establishment and maintenance of agreements with supporting Federal agencies, adjacent States, volunteer organizations and fixed nuclear facilities to provide for coordination and integration of emergency response planning and operations.



- (4) Operation of an annual exercise to evaluate radiological emergency response plans and capabilities.

F. Situation

An incident at the Limerick Generating Station having the potential for release of radioactive materials may require that the residents and staff of Phoenixville Manor take some type of protective action. These actions may include:

1. Sheltering
2. Evacuation

Appropriate responses may include some combination of these protective actions. Technical assistance concerning responses to a particular incident will be made available by the Department of Health, the Bureau of Radiation Protection, and Pennsylvania Emergency Management Agency through the Chester County Department of Emergency Services.

II. NOTIFICATION

A. Initial Notification

Upon receiving information from the Chester County Department of Emergency Services that a radiological emergency at the Limerick Generating Station has been classified as an Alert, Site Emergency or General Emergency, the Phoenixville Manor telephone/ paging operator shall immediately notify the highest ranking staff person available within the facility.

A confirmatory telephone call, verifying the initial notification, should be anticipated from Phoenixville Borough.

B. Implementation

The individual so notified shall implement this Radiological Emergency Response Plan, as appropriate (reference Section III - Concept of Operations)

C. Emergency Management Team Notification

Upon implementation of the Radiological Emergency Response Plan, the telephone/paging operator shall immediately notify all members of the emergency management team (reference Attachment A). The ranking staff person on duty shall assume the role of directing the radiological emergency response until such time as a higher ranking staff person arrives on scene.

D. On-Duty Personnel

On-duty personnel will be notified of the situation by the facility's public address system or telephone.

On-duty personnel will remain at their assigned stations unless directed elsewhere by a member of the Emergency Management Team. Members of the Emergency Management Team should report to the Emergency Operations Center in the Administrator's Office.

#### E. Off-Duty Personnel

Off-duty personnel will be contacted by the appropriate member of the Emergency Management Team or their department supervisor. Immediately upon notification, off-duty personnel should proceed to the nursing home and report to the appropriate department head or, in the case of those assigned to the Emergency Management Team, to the nursing home's Emergency Operations Center in the Administrator's Office.

Off-duty personnel, upon learning of a Site Emergency or General Emergency through the mass media or Emergency Broadcast System, should not wait for notification but should proceed directly to the nursing home and report to their appropriate department head, or in the case of Emergency Management Team members, to the nursing home's Emergency Operations Center in the Administrator's Office.

### III. CONCEPT OF OPERATIONS

Specific emergency management responses are dependent upon the "Incident Classification" declared at the Limerick Generating Station. Notification of the incident classification, and of any changes in that classification, will be received from the Chester County Department of Emergency Services.

Please note that procedures for all classifications are cumulative; that is, procedures for each incident classification include those procedures established for all lower classifications.

#### A. UNUSUAL EVENT

No formal notification will be received from the Chester County Department of Emergency Services at this classification. No action is required.

#### B. ALERT

1. Assemble Emergency Management Team
2. Establish Emergency Operations Center (EOC) in the Administrator's Office.
3. Terminate visiting hours for the duration of the incident.
4. Perform immediate update of resident census (reference Attachment C, Tab 1), classifying residents according to the following transport status:
  - a. Ambulance (litter patients)

- b. Bus (ambulatory and most wheelchair patients)
  - c. Truck\*
5. Code resident chart in accordance with transport status, coding as follows:
    - a. A - ambulance
    - b. B - bus
    - c. T - truck\*
  6. Notify designated host facilities (reference Attachment B, Tab 1) of incident, requesting bed availability and reservation of available beds for resident evacuees.
  7. Determine on-duty staff census.
  8. Identify and list key off-duty staff for potential recall.
  9. Determine emergency staff needs for (a) sheltering, and (b) evacuation.
  10. Inventory supply needs for a 5-day period.
  11. Provide immediate reporting of the following (reference Attachment C, Tab I) to the Chester County Medical and Health Group Chief at \_\_\_\_\_:
    - a. Patient census and transport requirements.
    - b. Host bed availability.
    - c. On-duty staff census.
    - a. All unmet needs.
  12. Test emergency power and support systems.
  13. Stock kitchen with a 5-day supply of canned foods, fruits and juices, containers of potable water, disposable plates, cups and utensils.
  14. Inventory and replenish medications, IV fluids and oxygen supplies for a minimum five (5) day period.
  15. Identify residents whose medical status would permit temporary discharge to family custody (excluding those requiring ambulance transportation).

\* Limited to patients unable to be made litter-ready, and/or requiring bulky support equipment, or when other transportation is not feasible.



C. SITE EMERGENCY

1. Prerequisite - Perform all appropriate actions outlined under ALERT.
2. Recall key off-duty personnel.
3. Prepare abbreviated resident transfer forms providing personal data, diagnosis, medications, etc.
4. Place identification bracelets, or identification/disaster tags on all residents.
5. Consolidate nursing units to reduce staffing requirements, as necessary.
6. Place minimum five-day requirement of residents' medication in individual bags stapled to resident transfer forms.
7. Assemble all required special care resident transportation needs (e.g., portable oxygen apparatus, patient restraints, etc.) at the appropriate nursing stations.
8. Contact host facilities (reference Attachment B, Tab 1), confirming bed availability and reservation of available beds for resident evacuees. Request additional beds through the Chester County Medical and Health Group at \_\_\_\_\_, if required.
9. Confirm transportation resources through Chester County Medical and Health Group Chief at \_\_\_\_\_ and assure that transportation providers have been readied for dispatch.
10. Notify families of possible resident evacuation and name/location of host facility as time permits.
11. Time permitting, contact families of patients identified as being appropriate for discharge, and discharge patients where possible.

D. GENERAL EMERGENCY

1. Prerequisite - Perform all appropriate actions outlined under ALERT and SITE EMERGENCY.
2. Await Protective Action Guidelines from the Chester County Department of Emergency Services. Such guidelines should consist of either:
  - a. Sheltering (reference Section IV), or
  - b. Evacuation, if evacuation can be safely completed prior to the release of significant radiation to the Plume Exposure Pathway EPZ (reference Section V.)

#### IV. SHELTERING PROCEDURES

- A. Remain indoors with all doors and windows closed.
- B. Shut down all forced air heating, ventilation and air conditioning systems.
- C. If possible, evacuate exterior rooms in favor of interior rooms.

#### V. EVACUATION PROCEDURES

##### A. Authority

The Governor has the sole authority and responsibility for directing and compelling an evacuation. The Governor or the highest ranking elected county or municipal official in authority may recommend an evacuation for their respective jurisdictions. Evacuation of the nursing home may be ordered by the Administrator.

##### B. Required Coordination

Any evacuation outside the nursing facility complex must be coordinated with the Chester County Department of Emergency Services and the Emergency Response Team of the Pennsylvania Department of Health, through the Chester County Medical and Health Group Chief at \_\_\_\_\_.

##### C. General Procedures

1. Notify host facility (reference Attachment B, Tab 1) of incident, requesting bed availability, commissioning available beds for resident evacuees and determining requirements for accommodating transfer of staff, reporting any unmet needs to the Chester County Medical and Health Group Chief at \_\_\_\_\_.
2. Confirm dispatch/positioning of required transport vehicles from the Chester County Medical and Health Group Chief at \_\_\_\_\_.
3. Assemble residents, together with resident charts, transfer forms, medication and other necessary medical support equipment at departure areas according to assigned transport status.
  - a. Ambulance cases will be assembled in the first floor hall by the north side door.
  - b. Bus/van/truck cases will be assembled in the first floor rear recreation room.
4. Assign staff to provide external traffic direction for departure areas.
5. Assign medical/nursing support staff to multiple-resident transport vehicles as deemed appropriate.

6. Distribute evacuation route maps (reference Attachment B, Tab II) to drivers unfamiliar with the route of travel/final destination.
7. Assist residents into appropriate transportation vehicles.
8. Dispatch selected staff to establish a temporary administrative headquarters at the primary host facility.
9. Secure the facility via the shutdown of all mechanical, electrical and physical plant systems, with the exception of sprinkler and alarm systems.
10. Secure records by locking all file cabinets and/or fire files, locking important records in fire files.
11. Secure resident's personal valuables and lock the safe depositing an inventory list in a separate locked file.
12. Secure drugs/medications not being transported by triple locking all medication cabinets.
13. Notify the Chester County Medical and Health Group Chief at \_\_\_\_\_, of the relocation site selected as the temporary administrative headquarters, indicating that evacuation is complete and depart with the facility locked and secured.

#### VI. DE-ESCALATION OF INCIDENT

Upon notification from the Chester County Department of Emergency Services that the Incident Classification for the Limerick Generating Station has been de-escalated, the Phoenixville Manor Administrator should oversee the orderly return of the facility to the level of preparation indicated by the new incident classification. The specific steps to be taken and the sequence in which they are taken shall be determined by the Administrator.

#### VII. REENTRY

Safety inspection of the physical plant and surrounding areas shall be performed by the Administrator. Upon the determination that reoccupation of the nursing home is considered safe, department managers and the emergency management team shall ensure that the facility is fully prepared to resume normal operations prior to reoccupation. When the facility is fully prepared, the emergency operations center will be re-established in the Administrator's Office and the Administrator will coordinate transportation and reoccupation through the Chester County Department of Emergency Services.

# VIII. PLAN MAINTENANCE AND DISTRIBUTION

## A. Maintenance

1. The Administrator is responsible for ensuring the currency of the Nursing Home RERP, including the development and distribution of all changes, as well as accomplishing an annual review.
2. All changes to the Phoenixville Manor RERP shall be coordinated through the Chester County Department of Emergency Services.
3. The current date shall be placed on any page that is changed.

## B. Distribution

1. Chester County (copies to accommodate distribution to PEMA and Philadelphia Electric Company)

Copy Numbers 1-4

4 copies

2. Phoenixville Borough Emergency Management Coordinator

Copy Number 5

1 copy

3. Phoenixville Manor Staff

ATTACHMENT A  
NOTIFICATION ROSTER

	<u>NAME</u>	<u>HOME ADDRESS</u>	<u>HOME TELEPHONE #</u>
ADMINISTRATOR:	Jean Alfgyren	[REDACTED]	[REDACTED]
DIR. OF NURSES:	Jean Stephenson	[REDACTED]	[REDACTED]
BOOKKEEPER:	Isabelle Thomas	[REDACTED]	[REDACTED]
MAINTENANCE SUPERVISOR:	David Brown	[REDACTED]	[REDACTED]
ACTIVITIES DIRECTOR:	Linda Burston	[REDACTED]	[REDACTED]
DIETARY SUPERVISOR:	Margaret Hummel	[REDACTED]	[REDACTED]
PHYSICAL THERAPIST:	Mary Ann Hoffman	[REDACTED]	[REDACTED]

ATTACHMENT B

TAB I

HOST FACILITIES

\*Facility: Rosemont Manor

Address: 35 Rosemont Avenue  
Rosemont, PA 19010

Telephone: (215) 525-1500

Contact Person: Susan Ulmer

\*Facility: Stenton Hall

Address: 7310 Stenton Avenue  
Philadelphia, PA

Telephone: (215) 242-2727

Contact Person: Michael Shapiro

\*Facility: Doylestown Manor

Address: Maple Avenue and East Street  
Doylestown, PA 18901

Telephone: (215) 345-1452

Contact Person: Harry Hobbs

\* Should pre-arranged host facility be unable to provide full evacuation support, the Chester County Medical and Health Group Chief will assist in the identification of alternate host facilities.





THIS Agreement is made effective as of April 1, 1984, between  
Phoenixville Manor located at 833 South Main Street.  
Phoenixville, Pa. 19460 and Rosemont Manor  
located at 35 Rosemont Ave., Rosemont, Pennsylvania.

WHEREAS both parties to this Agreement wish to insure continuation of care and treatment appropriate to the needs of the patients in the respective institutions; and

WHEREAS both parties wish to assure adequate facilities to care for patients in every stage of illness;

NOW THEREFORE, to their mutual advantage, hereby agree to accept the transfer from one of the above institutions to another, patients, and or staff, who are required to evacuate and relocate from either premises due to the occurrence of a radiological emergency, or any other incident which would require the relocation of patients, and or staff, to insure their well-being.

*James E. Aegerter*  
Administrator  
Phoenixville Manor

*Susan D. Umiltz*  
Administrator  
Rosemont Avenue



THIS Agreement is made effective as of April 1, 1984, between  
Phoenixville Manor located at 833 South Main Street.  
Phoenixville, Pa. 19460 and Stenton Hall  
located at 7310 Stenton Ave., Philadelphia, Pa.


WHEREAS both parties to this Agreement wish to insure continuation of care and treatment appropriate to the needs of the patients in the respective institutions; and

WHEREAS both parties wish to assure adequate facilities to care for patients in every stage of illness;

NOW THEREFORE, to their mutual advantage, hereby agree to accept the transfer from one of the above institutions to another, patients, and or staff, who are required to evacuate and relocate from either premises due to the occurrence of a radiological emergency, or any other incident which would require the relocation of patients, and or staff, to insure their well-being.

*John E. George*  
Administrator  
Phoenixville Manor

*Michael J. T. Lyons*  
Administrator  
Stenton Hall



THIS Agreement is made effective as of April 1, 1984, between  
Phoenixville Manor located at 833 South Main Street.  
Phoenixville, Pa. 19460 and Doylestown Manor  
located at Maple Ave. at East Street, Doylestown, PA.

WHEREAS both parties to this Agreement wish to insure continuation of care and treatment appropriate to the needs of the patients in the respective institutions; and

WHEREAS both parties wish to assure adequate facilities to care for patients in every stage of illness;

NOW THEREFORE, to their mutual advantage, hereby agree to accept the transfer from one of the above institutions to another, patients, and or staff, who are required to evacuate and relocate from either premises due to the occurrence of a radiological emergency, or any other incident which would require the relocation of patients, and or staff, to insure their well-being.

*James E. Gelfin*  
Administrator  
Phoenixville Manor

*Harry L. Hobbs*  
Administrator

ATTACHMENT B

TAB II

EVACUATION ROUTE MAPS

Evacuation route maps are currently under development. The designated evacuation routes will be as follows:

Rosemont Manor:

Route 23 East to Route 252 South to  
Route 30 East to Route 320 North to  
Montgomery Avenue South to Rosemont  
Avenue West

Stenton Hall:

Route 23 East to Route 252 South to  
Route 202 North to PA Turnpike East to  
Exit 26 to Route 309 South to Paper Mill  
Road. Right on Paper Mill Road to  
Stenton Avenue. Left on Stenton Avenue  
to Stenton Hall Nursing Home.

Doylestown Manor:





Route 23 East to Route 252 South to  
Route 202 North to the PA Turnpike East  
to Exit 27 to Route 611 North to Route  
202 North (State Street, Doylestown) to  
East Street North to Maple Avenue

# ATTACHMENT C

Date: \_\_\_\_\_  
Time: \_\_\_\_\_

## County Reporting Information

### Part I: Census and Transportation Requirements\*

Census		Transportation Classification		
	Total	Ambulance	Bus/Van	Truck
Residents				
On-Duty Staff				

### Part II: Host Arrangements

Host Facility	Available Beds
Rosemont Manor	
Stenton Hall	
Doylestown Manor	
Total:	

### Part III: Unmet Needs



\* Provide updated transportation and census data to the county every 24 hours.

ATTACHMENT D

TAB I

RADIOLOGICAL EMERGENCY RESPONSE PLAN


ACTIVATION SEQUENCE





# ATTACHMENT D, TAB II

## RADIOLOGICAL EMERGENCY RESPONSE PLAN OPERATIONS SEQUENCE




ATTACHMENT E  
EVACUATION VEHICLE ESTIMATES

It is estimated that, on average, the following number and type of vehicles will be necessary to totally evacuate the Phoenixville Manor. The actual number and type of vehicles will be determined at the time of an actual incident.

10 Ambulances\*  
3 Reclining Seat Buses\*\*

\*Assuming 2 persons/ambulance  
\*\*Assuming 40 persons/bus



# ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031  
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

May 15, 1984

Millard E. Pullin, Director  
Berks County Communications Center  
Agricultural Center  
R. D. 1  
Leesport, PA 19533

Dear Gene:

Enclosed for your information is a copy of the communications center SOP we developed for a project in Louisiana. Please review this with an eye toward how you would like to set up your own.

Jim Byers or I will be in touch with you shortly in order to develop this further.

Thanks for your time and input.

Sincerely,

*Jack Long Jr.*  
John F. Long, Jr.

JFL:jr  
Enclosure

## ATTACHMENT 2

### COMMUNICATIONS PROCEDURE

#### I. PURPOSE

To provide for the smooth and accurate flow of information into and out of the Emergency Operations Center. The Communications Center equipment and personnel provide the means of communication among the EOC staff, various emergency response agencies, special population groups and the general public.

#### II. OPERATIONAL

##### A. Non-Emergency Status

The hotline telephone is monitored in the St. John Parish Sheriff's Dispatch Room 24 hours a day. The dispatcher also has the capability of communications with St. John Parish Civil Defense Mobile Units and Industrial Mutual Aid units on a high band radio remote from the Sheriff's Office through the EOC Communications Center. The St. John Parish Civil Defense Executive Assistant monitors the hotline telephone, the Civil Defense common low band frequency, the St. John Parish Civil Defense tactical frequency, the industrial mutual aid frequency and the TWX Monday through Friday.

##### B. Unusual Event

1. LP&L will notify the St. John Parish EOC (or Sheriff's Dispatcher) of an Unusual Event via hotline telephone or backup radio. (Attachment 8, Operational Hotline)
2. St. John Parish Civil Defense Executive Assistant (or Sheriff's Dispatcher) will log the message and notify the Civil Defense Director or his designee per the notification list. (Attachment 1, Enclosure 1.)

##### C. Alert

1. LP&L will notify the St. John Parish EOC (or Sheriff's Dispatcher) of an Alert via hotline telephone or backup radio. (Attachment 8, Operational Hotline.)
2. St. John Parish Civil Defense Executive Assistant (or Sheriff's Dispatcher) will log the message and notify the Civil Defense Director or his designee per the notification list. (Attachment 1, Enclosure 1.)
3. St. John Parish Civil Defense Director (or staff officer) will call in one radio operator and two operational assistants. (Enclosure 1)

4. Radio operator will activate radios and announce operational Alert status of EOC on the following units/channels: (see Radio Announcements, Paragraph III)

<u>Radio/Channel</u>	<u>Description</u>
a. CD-Hi-2/1	St. John Parish Civil Defense Tactical - Repeater (activate all pagers - all call # 11 on encoder).
b. CD-Low/1	Civil Defense Common
c. CD-High-1/1	Industrial Mutual Aid

5. Telephone assistants will assist staff members in answering telephones, manning Public Information/Rumor Response telephones, making notification calls, and monitoring TWX for incoming messages. Activate and test telephones in EOC Operations Center.

6. Establish telephone and radio communications with:

- a. Waterford 3
- b. St. Charles Parish EOC
- c. Public Schools
- d. Private Schools
- e. Radio Station WCKW
- f. Louisiana Office of Emergency Preparedness (LOEP)
- g. Louisiana Nuclear Energy Division

7. All messages will be logged per Message Center Procedure, Attachment 5.

8. St. John Parish Civil Defense Officer in charge will call in additional operational assistants as necessary.

9. Communications Center will remain at Alert status until emergency classification escalation or reduction or closeout.

D. Site Area Emergency

1. LP&L will notify the St. John Parish EOC (or Sheriff's Dispatcher) of a Site Area Emergency via hotline telephone or backup radio.
2. St. John Parish Civil Defense Executive Assistant (or Sheriff's Dispatcher) will log the message and notify the Civil Defense Director or his designee per the notification list. (Attachment 1, Enclosure 1.)

3. St. John Parish Civil Defense Director (or Staff Officer) will call in two radio operators and four operational assistants. (Enclosure 1)

4. Radio operators will activate radios and announce operational Site Area Emergency status on the following units/channels: (see Radio Announcements, Paragraph III)

<u>Radio/Channel</u>	<u>Description</u>
a. CD-High-2/1	St. John Parish Civil Defense Tactical - Repeater (activate all pagers - all call # 11 on encoder).
b. CD-Low/1	Civil Defense Common
c. Fire/1	Fire Mutual Aid
d. CD-High-1/1	Industrial Mutual Aid
/4	Law - Common
e. Law Enf./1	Law - Common

5. Telephone assistants will be assigned as follows:

- One to assist St. John Parish Civil Defense staff member with notification messages and answering telephones.
- One to monitor TWX and confirm receipt of messages.
- Two to monitor public information/rumor response telephone.

6. Establish telephone and radio communications with:

- Waterford 3
- St. Charles Parish EOC
- Public Schools
- Private Schools
- Radio Station WCKW
- Louisiana Office of Emergency Preparedness (LOEP)
- Louisiana Nuclear Energy Division (LNED)
- Mobile Communications Van

7. All messages will be logged per Message Center Procedure, Attachment 5.



8. St. John Parish Civil Defense Officer in charge will call in additional operational assistants as necessary.
9. Arrange for relief operators for extended operations.
10. Communications Center will remain at Site Area Emergency status until emergency classification escalation or reduction or closeout.

#### E. General Emergency

1. LP&L will notify the St. John Parish EOC (or Sheriff's Dispatcher) of a General Emergency via hotline telephone or backup radio.
2. St. John Parish Civil Defense Executive Assistant (or Sheriff's Dispatcher) will log the message and notify the Civil Defense Director or his designee per the notification list. (Attachment 1, Enclosure 1.)
3. St. John Parish Civil Defense Director (or Staff Officer) will call in two radio operators and four operational assistants. (Enclosure 1)
4. Radio operators will activate radios and announce operational Site Area Emergency status on the following units/channels: (see Radio Announcements, Paragraph III)

<u>Radio/Channel</u>	<u>Description</u>
a. CD-High-2/1	St. John Parish Civil Defense Tactical - Repeater (activate all pagers - all call # 11 on encoder).
b. CD-Low/1	Civil Defense Common
c. Fire/1	Fire Mutual Aid
d. CD-High-1/1	Industrial Mutual Aid
/4	Law - Common
e. Law Enf./1	Law - Common

5. Telephone assistants will be assigned as follows:

- a. One to assist St. John Parish Civil Defense Secretary with notification messages and answering telephones.
- b. One to monitor TWX and confirm receipt of messages.
- c. Two to monitor public information/rumor response telephone.

6. Establish telephone and radio communications with:
  - a. Waterford 3
  - b. St. Charles Parish EOC
  - c. Public Schools
  - d. Private Schools
  - e. Radio Station WCKW
  - f. Louisiana Office of Emergency Preparedness (LOEP)
  - g. Louisiana Nuclear Energy Division (LNED)
  - h. Mobile Communications Van
7. All messages will be logged per Message Center Procedures, Attachment 5.
8. St. John Parish Civil Defense officer in charge will call in additional operational assistants as necessary.
9. Arrange for relief operators for extended operations.
10. Communications Center will remain at General Emergency status until emergency classification reduction or closeout.

### III. RADIO ANNOUNCEMENTS - EOC ACTIVATION

- A. On-the-air announcement of EOC activation will be made to inform emergency response agencies that the EOC is manned and ready for radio traffic. (Not for general broadcast 'EBS'.)
- B. Announcement Format:
 

"All units will be advised that the St. John Parish Civil Defense EOC is activated for a(n) (Alert, Site Area Emergency, General Emergency) at LP&L Waterford III. This is (call sign) standing by."

### IV. ENCLOSURES

- |              |   |
|--------------|---|
| Enclosure 1: | Radio Operators & Telephone Assistants                    |
| Enclosure 2: | EOC Communications Network                                |
| Enclosure 3: | HI-Band VHF Radio Communications                          |
| Enclosure 4: | Radio Frequencies   |
| Enclosure 5: | St. John Parish Civil Defense Mutual Aid Base Frequencies |

Enclosure 6: TWX Ready List  
Enclosure 7: St. John Parish EOC Communications Station Log  
Enclosure 8: Message Center Directory

## ATTACHMENT 2, ENCLOSURE 1

ST. JOHN PARISH

RADIO OPERATORS/OPERATIONAL ASSISTANTS


## RADIO OPERATORS

Staff Position	Name	Phone #	Notified	Available	On-Duty
OPERATIONS PERSONNEL	John Snyder	Pager 15 Delta 10 FD-506 (H) 652-5966 (O) 652-2222			
	Mike Duhe	Delta 12 FD-560 (H) 652-7737 (O) 536-1141			
	Ry Detillier	FD-581 (H) 652-5830 (O) 466-7982			
	Stephen Maurin	FD-631 (H) 536-3446 (O) 652-6334			
	Anna Wille	(H) 652-6770 (O) 652-9513			
	Lena Gennaro	(O) 652-9513 (H) 652-2436			
	Daniel Waguespack	(H) 652-2812 (O) 652-8610			
	Dianne Waguespack	(H) 652-2812			
	Ronnie Duhe	(H) 652-5243			
	Robert Brennan	(H) 652-5875			

## ST. JOHN PARISH CIVIL DEFENSE

## COMMUNICATIONS NETWORK


EOC



\* Primary communications with SJP CD mobiles, also page and tone activate warning sirens. See Additional Diagram.

# ATTACHMENT 2 - ENCLOSURE 3

## ST. JOHN PARISH CIVIL DEFENSE HI-BAND VHF RADIO COMMUNICATIONS




### FREQUENCIES:

1. Industrial Mutual Aid (Normal Monitoring)
2. St. Charles CD - Tactical
3. La. Hospital Association
4. Law Enforcement - Common

### CD-Hi-2

ST. JOHN CIVIL DEFENSE  
PRIMARY FREQ. - 155.595



EOC

A2-E3-1

1/14/83  
(Rev. 1)



# ATTACHMENT 2, ENCLOSURE 4

## Radio Frequencies

### St. John Parish

Sheriff's Office	39.18 155.685
Fire Department	154.07
Civil Defense	45.60 155.595
Police Jury	45.24
Public Schools	45.64
Fire Department West Bank	154.31

### Mutual Frequencies

Law Enforcement, Emergency, etc.	39.50 155.475
Fire Departments	154.28
Industrial Plants	155.16

### St. Charles Parish

Civil Defense	45.60 153.905
---------------	------------------

### LA State Police Troop B

39.5

### State

Civil Defense	45.28
---------------	-------

### Hospitals

LA Hospital Association	155.340
-------------------------	---------

### Coast Guard

157.10

## ATTACHMENT 2, ENCLOSURE 5

## ST. JOHN PARISH CIVIL DEFENSE

## MUTUAL AID BASE FREQUENCIES

<u>CH</u>	<u>SERVICE</u>	<u>CALL SIGN</u>
1	INDUSTRIAL MUTUAL AID	K N F N 269
2	ST. CHARLES CD	"ST JOHN E O C"
3	LA HOSPITAL ASSOCIATION	K N F N 269
4	LAW ENFORCEMENT-COMMON	"E O C"

## LOUISIANA EMERGENCY MEDICAL SERVICE RADIO UNITS

CHANNEL 3 K N F N 269

<u>NAME/LOCATION</u>	<u>ALERT CODE</u>
ALL CALL -----	13333
RIVER PARISHES MEDICAL CENTER, LAPLACE	
CHARITY HOSPITAL, N. O.-----	12424
CHARITY HOSPITAL AMBULANCES -----	12545
EAST JEFFERSON GENERAL, METAIRIE -----	12445
HOTEL DIEU, N.O. -----	12426
MERCY HOSPITAL, N.O. -----	12527
METHODIST HOSPITAL, N.O. -----	12528
OCHSNER FOUNDATION HOSPITAL, N.O. -----	12428
SOUTHERN BAPTIST HOSPITAL, N.O. -----	12525
TOURO INFIRMARY, N.O. -----	12626
WEST JEFFERSON GENERAL HOSPITAL, HARRERO -----	12427
ST. TAMMANY PARISH HOSPITAL, COVINGTON -----	12465
SEVENTH WARD HOSPITAL, HAMMOND -----	14599
EAST ASCENSION GENERAL HOSPITAL, GONZALES -----	14424
ST. CHARLES HOSPITAL, LULING -----	19584
ST. JAMES PARISH HOSPITAL, LUTCHER -----	19585
ST. JOSEPH HOSPITAL, THIBODEAUX -----	19422

SEE COMPLETE LIST FOR OTHERS

ATTACHMENT 2 ENCLOSURE 6

TWX READY LIST

St. Charles Parish Department of Emergency Preparedness  
TWX #810 950 5856  
STCHAS EP HAHN

St. John the Baptist Parish Office of Civil Defense  
TWX #810 950 6642  
ST JOHNCD LALC

Louisiana Nuclear Energy Division, Baton Rouge  
TWX #510 993 3430  
LNED BTR

Louisiana Office of Emergency Preparedness, Baton Rouge  
TWX #510 993 3429  
LOEP BTR

Waterford 3 Nuclear Plant  
TWX #810 950 5854  
WATERFORD3 LUL

Louisiana Power & Light, New Orleans  
TWX #810 951 5414  
LPL NLN

ATTACHMENT 2 ENCLOSURE 7  
ST. JOHN PARISH CIVIL DEFENSE  
RADIO LOG

YEAR \_\_\_\_\_

[illegible]

ATTACHMENT 2, ENCLOSURE 8

MESSAGE CENTER DIRECTORY

RADIO OPERATOR #1	Sheriff's Office Fire Departments Industrial Mutual Aid Hospitals St. Charles Parish Government	Intercom D - 6 B - 29 Direct Ringdown C. D.
RADIO OPERATOR #2	Civil Defense--Parish, State Parish Public Schools Marine, Coast Guard Pagers and CB Communications	Intercom D - 8 B - 28 C. D.
OPERATIONS OFFICER	Hotline and Siren Activation	A - 30 D - 7 Direct Ringdown C. D.
COMMUNICATIONS OFFICER	Supervise EOC and Communi- cations	A - 32 D - 4 Direct Ringdown C. D.
MESSAGE CENTER COORDI- NATOR	Maps, Charts, TWX, Outgoing Messages	A - 31 D - 5 Direct Ringdown C. D.
OPERATIONAL ASSISTANTS AND ADMINISTRATIVE ASSISTANTS		A - 33 D - 1

ALL THE ABOVE MEMBERS OF THE CIVIL DEFENSE STAFF CAN BE REACHED AT ANY ST. JOHN  
CIVIL DEFENSE TELEPHONE NUMBER BY LANDLINE:

652-2222  
652-3000

# COUNTY OF CHESTER

## COMMISSIONERS

Earl M. Baker, Chairman

Robert J. Thompson

Patricia Moran Baldwin

## DEPARTMENT OF EMERGENCY SERVICES

14 East Biddle Street, West Chester, PA 19380 (215) 431-6160

Timothy R. S. Campbell  
Director

May 16, 1984

RECEIVED

MAY 18 1984

R. A. KANKUS

Ms. Roberta Kankus  
Director of Emergency Preparedness  
Philadelphia Electric Company  
2301 Market Street  
Philadelphia, PA 19101


Dear Robbi:

After a review by the staff of the Chester County Department of Emergency Services, in which we evaluated the various automated telephone dialing systems presented by the Philadelphia Electric Company for use as a supplementary alerting system, we have reached a conclusion. It is our opinion that the Recall system produced by I.H. Associates of Georgia would appear to be best. Our reasoning for this is that the unit in question avoids the problems noted with synthesized voice transmission and still retains the ability for high volume of telephone calls and also verification back from the person being contacted that the calls have gone through.

The system is very versatile in that it allows for rapid programming of messages depending on changing events during any emergency. This also is combined with an ability to expand the number of telephone lines being used for outgoing calls to a degree that allows us greater capacity. We feel that this unit will allow us to contact the many specific groups of emergency personnel who will have a response obligation in the event of disasters in Chester County.

The final reason for recommending the recall system is that its flexibility is such that it has uses not only for incidents involving the Limerick Generating Station but also for any other emergency. I hope this meets your needs for which system we feel is most appropriate.

Sincerely,



Timothy R.S. Campbell  
Director

TRSC/esb



Founded 1682





PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. David A. Cornish  
Mayor, Collegeville Borough  
85 Sixth Avenue  
Collegeville, PA 19426

Dear Mr. Cornish:

Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,

*V.S. Boyer*

cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

MUNICIPAL EOC EQUIPMENT

STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Joseph R. Hastings, Jr.  
President, Borough Council  
790 Clahor Avenue  
Collegeville, PA 19426

Dear Mr. Hastings:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Hugh F. Kelly, Jr.  
Chairman, Board of Supervisors  
1348 Grosser Road  
Gilbertsville, PA 19525

Dear Mr. Kelly:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150



PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. John M. Balmer  
Mayor, Green Lane Borough  
Box 455  
Green Lane, PA 18054

Dear Mr. Balmer:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

MUNICIPAL ECC EQUIPMENT

STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Richard Tyler  
President, Borough Council  
Box 514  
Green Lane, PA 18054

Dear Mr. Tyler:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	Approx. Retail <u>Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Scanner	300
Rolling Table	80
Cushioned Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Harold A. Herr  
Chairman, Board of Supervisors  
603 R. Ridge Pike  
Limerick, PA 19468

Dear Mr. Herr:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	Approx. Retail <u>Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150



PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Harold R. Caswell, Sr.  
Chairman, Board of Supervisors  
7 Hendricks Road  
Perkiomenville, PA 18074

Dear Mr. Caswell:

Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,

*V. S. Boyer*

cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Gerald G. Richards  
President, Board of Commissioners  
2324 Brown Street  
Sanatoga, PA 19464

Dear Mr. Richards:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Richard T. Brown  
Chairman, Board of Supervisors  
97 Grange Avenue  
Collegeville, PA 19426

Dear Mr. Brown:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	Approx. Retail <u>Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150



PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Dan Roth  
Chairman, Board of Supervisors  
189 Morris Road  
Harleysville, PA 19438

Dear Mr. Roth:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Harold V. Lohmiller  
Chairman, Board of Supervisors  
2963 Middle Creek Road  
Gilbertsville, PA 19525

Dear Mr. Lohmiller:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Richard Kratz  
Chairman, Board of Supervisors  
290 Centennial Street  
Rahns, PA 19426

Dear Mr. Kratz:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150



PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Edward W. Jameson  
Mayor, Pottstown Borough  
Boro Hall  
241 King Street  
Pottstown, PA 19464

Dear Mr. Jameson:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Edmund Skarbek  
President, Borough Council  
1500 Maple Street  
Pottstown, PA 19464

Dear Mr. Skarbek:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	Approx. Retail <u>Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. John M. Salamone  
Mayor, Royersford Borough  
721 Washington Street  
Royersford, PA 19468

Dear Mr. Salamone:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	Approx. Retail <u>Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150



PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. David Hunsberger  
President, Borough Council  
519 Green Street  
Royersford, PA 19468

Dear Mr. Hunsberger:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Richard B. Schlick  
Mayor, Schwenksville Borough  
130 Third Street  
Schwenksville, PA 19473

Dear Mr. Schlick:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	Approx. Retail <u>Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Ms. Elizabeth M. Shellenberger  
President, Borough Council  
729 Main Street  
Schwenksville, PA 19473

Dear Ms. Shellenberger:

Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Familiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Caesar J. Gorski  
Chairman, Board of Supervisors  
864 Mt. Airy Road  
Collegeville, PA 19426

Dear Mr. Gorski:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to th's matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator



PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	Approx. Retail <u>Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Raymond B. Ziegler  
Mayor, Trappe Borough  
244 W. 5th Avenue  
Trappe, PA 19426

Dear Mr. Ziegler:

Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,

*V. S. Boyer*

cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150



PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Arturo N. Lopez  
President, Borough Council  
14 Main Street  
Trappe, PA 19426

Dear Mr. Lopez:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Richard S. Buckman  
Chairman, Board of Supervisors  
RD  
Perkiomenville, PA 18074

Dear Mr. Buckman:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.



# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Charles B. Wunder, Jr.  
President, Board of Commissioners  
61 Mangers Mill Road  
Pottstown, PA 19464

Dear Mr. Wunder:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Virgil P. Templeton  
Chairman, Board of Supervisors  
1301 Black Rock Road  
Box G  
Oaks, PA 19456

Dear Mr. Templeton:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Kenneth S. Hagey  
Chairman, Board of Supervisors  
736 Old Skippack Road  
Salfordville, PA 18958

Dear Mr. Hagey:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Richard Bacchi  
President, Board of Commissioners  
951 Grosstown Road  
Stowe, PA 19464

Dear Mr. Bacchi:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator



PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. John B. Garvin  
Chairman, Board of Supervisors  
Box 119, R.D. #1  
Malvern, PA 19355

Dear Mr. Garvin:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150



# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Ronald F. Elliott  
Chairman, Board of Supervisors  
R.D. #1  
Pottstown, PA 19464

Dear Mr. Elliott:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

**PHILADELPHIA ELECTRIC COMPANY**

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Nicholas Tkaczuk  
Chairman, Board of Supervisors  
R.D. #2  
Elverson, PA 19520

Dear Mr. Tkaczuk:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.



# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Everett H. Wilson  
Chairman, Board of Supervisors  
Wilson Road  
R.D. #2  
Phoenixville, PA 19460

Dear Mr. Wilson:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Robert W. Saylor  
Chairman, Board of Supervisors  
1223 S. Hanover Street  
Pottstown, PA 19464

Dear Mr. Saylor:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. John F. Yeager  
Chairman, Board of Supervisors  
Western Road  
Phoenixville, PA 19460

Dear Mr. Yeager:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. R. Kimbel Colket  
Chairman, Board of Supervisors  
McAvoy Lane  
Phoenixville, PA 19460

Dear Mr. Colket:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator



PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. W. Richard Whitlock  
Chairman, Board of Supervisors  
R.D. #2  
Pottstown, PA 19464

Dear Mr. Whitlock:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.



# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150



# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Walter J. Styer  
Chairman, Board of Supervisors  
Uwchland, PA 19480

Dear Mr. Styer:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Harry W. Rauch, Sr.  
Chairman, Board of Supervisors  
P.O. Box 255  
Lionville, PA 19353

Dear Mr. Rauch:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.



# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Ronald M. Ewing  
Chairman, Board of Supervisors  
P.O. Box 236  
Elverson, PA 19520

Dear Mr. Ewing:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Andrew N. McCreight  
Chairman, Board of Supervisors  
David Road  
R.D. #1  
Chester Springs, PA 19425

Dear Mr. McCreight:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator



PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

**PHILADELPHIA ELECTRIC COMPANY**

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. George M. Burnley, Jr.  
Chairman, Board of Supervisors  
R.D. #2  
Chester Springs, PA 19425

Dear Mr. Burnley:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Robert M. Gray  
Mayor, Phoenixville Borough  
425 City Line Avenue  
Phoenixville, PA 19460

Dear Mr. Gray:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator



PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

## MUNICIPAL EOC EQUIPMENT

### STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mrs. Bonnie K. August  
President, Borough Council  
345 High Street  
Phoenixville, PA 19460

Dear Mrs. August:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.



# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150



PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. C. Neal McClellan  
Mayor, Spring City Borough  
130 Bridge Street  
Spring City, PA 19475

Dear Mr. McClellan:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. George E. Graefe, Jr.  
43 Old Swede Road  
Douglassville, PA 19518

Dear Mr. Graefe:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.



# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Ms. Mary Lou Haddad  
President, Borough Council  
209 Monroe Street  
Boyertown, PA 16101

Dear Ms. Haddad:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Robert L. Fleming  
Mayor, Boyertown Borough  
336 E. Sixth Street  
Boyertown, PA 16101

Dear Mr. Fleming:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Russell Miller  
720 Oak Street  
Boyertown, PA 19512

Dear Mr. Miller:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Eugene W. Rinehimer  
Chairman, Board of Supervisors  
R.D. #2, Box 494  
Boyertown, PA 16101

Dear Mr. Rinehimer:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator



PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
12-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. John McCloskey  
Chairman, Board of Supervisors  
R.D. #3, Box 735  
Sunset Hill Road  
Boyertown, PA 19512

Dear Mr. McCloskey:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

••

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.



# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150



# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Donald J. Gutekunst  
Chairman, Board of Supervisors  
R.D. #1, Box 29A  
Douglassville, PA 19518

Dear Mr. Gutekunst:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the

municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.

# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150

# PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

V. S. BOYER  
SR. VICE PRESIDENT  
NUCLEAR POWER

April 23, 1984

Mr. Leonard A. Gehringer  
Chairman, Board of Supervisors  
R.D. #2  
Barto, PA 19504

Dear Mr. Gehringer:


Philadelphia Electric Company personnel, with the assistance of Energy Consultants, Inc., have been working with you in the development of the emergency plans required by regulatory agencies in connection with our Limerick Generating Station. We recognize that some specialized equipment may be required in connection with the implementation of your plans, and we are pleased to provide you support to obtain such equipment. Similiar support is being provided at the county level.

The attached statement describes the support we will provide to you. Shortly after you receive this letter, you will be contacted by Larry Eckman, Greg Whitman or Jeff Suzenski to arrange a work session with you and your emergency coordinator to discuss your emergency planning needs and to define the arrangements for making these available to you. Energy Consultants personnel will join Larry, Greg or Jeff in this discussion.

This letter is being hand delivered to your residence so that the chief elected official of each municipality will be notified at the same time. The Company is issuing a press release relating to its support program and a copy is attached for your information.

Should you have any questions relating to this matter, please contact our division manager, B. R. Stowell at 270-3700.

Sincerely,



cc: Emergency Coordinator

PHILADELPHIA ELECTRIC COMPANY'S  
RADIOLOGICAL EMERGENCY RESPONSE RESOURCES PROGRAM  
FOR  
MUNICIPAL EMERGENCY MANAGEMENT AGENCIES

Philadelphia Electric Company and its consultants, Energy Consultants, Inc., have been working with the municipalities in the 10-mile area around the Limerick Generating Station for over a year in the development of emergency response plans.

Continuing discussions with the municipal emergency management officials have revealed a general need for certain items of equipment for effective operation of the local emergency response organizations. A list of such equipment is attached. In addition, there may be other needs which are specific to each municipality. The Company has received requests from local emergency management officials for assistance in meeting their needs.

The Company is prepared to provide \$5,000 worth of equipment from the attached list to each municipality on an as needed basis. We therefore ask that each municipality identify its needed equipment and the Company will arrange to have it delivered. If the municipality desires, the Company will be pleased to discuss alternate arrangements for obtaining equipment.

As previously indicated, there may be additional equipment needs which are specific to each municipality for the efficient operation of its emergency management services. To assist the



municipality in its acquisition of such equipment, the Company will contribute \$1,000.

After the emergency exercise is held on July 25, 1984, the Company will be prepared to discuss with the municipalities supplementary needs that have become evident during the exercise.



# MUNICIPAL EOC EQUIPMENT

## STANDARD PACKAGE

	<u>Approx. Retail Value</u>
Generator	\$2,000
Scanner	200
Scanner Antenna	35
2 Telephones (installed)	348
AM/FM Radio	50
RACES Antenna	100
2 Maps (includes plastic lamination)	70
24-Hour Clock	46
Status Board	46
Marking Pens	5
2-Way Radio	\$1,000
Pager	300
Folding Table	80
Padded Folding Chair	40
File Cabinet	150
Flashlight	10
Flares (6)	12
Bull Horn	150