

064

RELATED CORRESPONDENCE

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4000

EDWARD G. BAUER, JR.

VICE PRESIDENT
AND GENERAL COUNSEL

EUGENE J. BRADLEY

ASSOCIATE GENERAL COUNSEL

DONALD BLANKEN

RUDOLPH A. CHILLEMI

E. C. KIRK HALL

T. H. MAHER CORNELL

PAUL AUERBACH

ASSISTANT GENERAL COUNSEL

EDWARD J. CULLEN, JR.

THOMAS H. MILLER, JR.

IRENE A. McKENNA

ASSISTANT COUNSEL

DOCKETED
USNRC

'84 AGO 15 A11:08

OFFICE OF SECRETARY
DOCKETING & SERVICE
BRANCH

August 10, 1984


Ms. Maureen Mulligan
Limerick Ecology Action
762 Queen Street
Pottstown, PA 19464

Re: Limerick Generating Station, Units 1 and 2
Docket Nos. 50-352 & 50-353 OL

Dear Ms. Mulligan:

In accordance with the Board's Order of June 1, 1982, I am forwarding to you copies of correspondence and documents regarding emergency planning among Applicant, NRC Staff, the Commonwealth of Pennsylvania and other responsible governmental agencies. These documents supplement the material which was forwarded by our letter dated July 27, 1984, and provide additional correspondence covering the period July 18, 1984 through August 3, 1984.

Very truly yours,



Edward J. Cullen, Jr.

EJC, JR./pkc

encs.

cc: See Attached Service List


0000q/0006q

B408150404 B40810
PDR ADOCK 05000352
PDR

DSO3

cc: Judge Lawrence Brenner	(w/o enclosure)
Judge Peter A. Morris	(w/o enclosure)
Judge Richard F. Cole	(w/o enclosure)
Tracy B. Conner, Jr., Esq.	(w/enclosure)
Ann P. Hodgdon, Esq.	(w/enclosure)
Mr. Frank R. Romano	(w/o enclosure)
Mr. Robert L. Anthony	(w/o enclosure)
Zori G. Ferkin, Esq.	(w/enclosure)
Mr. Thomas Gerusky	(w/o enclosure)
Director, Pennsylvania Emergency Management Agency	(w/o enclosure)
Charles W. Elliott, Esq.	(w/o enclosure)
Angus Love, Esq.	(w/o enclosure)
David Wersan, Esq.	(w/o enclosure)
Robert J. Sugarman, Esq.	(w/o enclosure)
Martha W. Bush, Esq.	(w/o enclosure)
Spence W. Perry, Esq.	(w/o enclosure)
Jay M. Gutierrez, Esq.	(w/o enclosure)
Atomic Safety & Licensing Appeal Board	(w/o enclosure)
Atomic Safety & Licensing Board Panel	(w/o enclosure)
Docket & Service Section	(w/enclosure - 3 copies)
James Wiggins	(w/o enclosure)
Timothy R. S. Campbell	(w/o enclosure)

Service

**ENERGY CONSULTANTS**

RIVERSIDE OFFICE CENTER 3/2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH.(717)236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH PA 15222-3487 / PH.(412)434-5200

DOCKETED
USNRC

August 1, 1984

84 AUG 15 11:09

Dr. Robert B. Murray
Superintendent
Phoenixville Area School District
1120 Gay Street
Phoenixville, PA 19460

Dear Dr. Murray:

Recognizing that some time has passed since our last meeting regarding the planning process for the Phoenixville Area School District, and with the knowledge gained through the July 25, 1984 exercise, I would like to arrange a meeting to review the draft material and develop a schedule to further complete the draft.

I understand that your school board will be meeting in the month of August and that the subject of radiological emergency response plans for incidents at the Limerick Generating Station may produce some discussion and or action at this upcoming board meeting. If you would like to discuss this prior to the board meeting or arrange for a meeting with your board chairman, please contact me.


In the event that you would like to meet later in the month, I am available during the week of August 20, 1984.

Thank you for your time and consideration.

Sincerely,

Henry C. Tamanini
Henry C. Tamanini

HCT:jr
cc. Chester County DES
Phoenixville Emergency Management



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

RELATED CORRESPONDENCE

DOCKETED
USNRC

August 2, 1984

'84 AGO 15 AM 1:09

Mr. James Brown, Principal
Arrowhead Elementary School
Methacton School District
Level Road, RD #1
Collegeville, PA 19426

Dear Mr. Brown:

As we have discussed, the information attached to your School District Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station should be reviewed and updated each school year to ensure the information is current.

In order to complete a review and update, I would request that you review Attachments 1, 2 and 3 of your current Draft RERP, update the information for school year 1984-85, and hold the revised copies for my pick-up later this month. This revised information will then be included in subsequent drafts of the RERP.

As you review the Attachments, please include work and home addresses and telephone numbers for staff indicated. The Montgomery County Office of Emergency Preparedness will need this information as they complete their County RERP. This information will be maintained as confidential.

I will call you in about a week to schedule a review meeting later this month. At this meeting, we can review any additional revisions that you desire to the RERP procedures. At this meeting, I will arrange for a representative of the Montgomery County OEP to be present to discuss school district transportation during emergencies.


I appreciate your cooperation and prompt attention. If you have any questions, do not hesitate to call.

Sincerely,

John H. Cunnington
Associate Senior Planner

JHC/jms

cc A. Lindley Bigelow, Coordinator, Mont. Co. OEP
Dr. Laird P. Warner, Superintendent



RELATED CORRESPONDENCE

ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

DOCKETED
USNRC

August 2, 1984

'84 AGO 15 A11:09

Mr. William D. Wescott, Ed. D.
Superintendent
Perkiomen Valley School District
Box 338
Schwenksville, PA 19473

Dear Mr. Wescott:

As we have discussed, the information attached to your School District Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station should be reviewed and updated each school year to ensure the information is current.

In order to complete a review and update, I would request that you review Attachments 1, 2 and 3 of your current Draft RERP, update the information for school year 1984-85, and hold the revised copies for my pick-up later this month. This revised information will then be included in subsequent drafts of the RERP.

As you review the Attachments, please include work and home addresses and telephone numbers for staff indicated. The Montgomery County Office of Emergency Preparedness will need this information as they complete their County RERP. This information will be maintained as confidential.

I will call you in about a week to schedule a review meeting later this month. At this meeting, we can review any additional revisions that you desire to the RERP procedures. At this meeting, I will arrange for a representative of the Montgomery County OEP to be present to discuss school district transportation during emergencies.

I appreciate your cooperation and prompt attention. If you have any questions, do not hesitate to call.

Sincerely,

John H. Cunningham
Associate Senior Planner

JHC/jms

cc A. Lindley Bigelow, Coordinator, Mont. Co. OEP



RELATED CORRESPONDENCE

ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH: (717) 236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH: (412) 431-1520

USNRC

August 2, 1984

84 AUG 15 11:09

Mr. Robert Northrup
Business Manager
Souderton Area School District
139 Harleysville Pike
Souderton, PA 18964

Dear Mr. Northrup:

As we have discussed, the information attached to your School District Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station should be reviewed and updated each school year to ensure the information is current.

In order to complete a review and update, I would request that you review Attachments 1, 2 and 3 of your current Draft RERP, update the information for school year 1984-85, and hold the revised copies for my pick-up later this month. This revised information will then be included in subsequent drafts of the RERP. Please utilize Draft 1 or Draft 2, so that we can incorporate evacuation procedures for Salford Hills Elementary School in future drafts.

As you review the Attachments, please include work and home addresses and telephone numbers for staff indicated. The Montgomery County Office of Emergency Preparedness will need this information as they complete their County RERP. This information will be maintained as confidential.

I will call you in about a week to schedule a review meeting later this month. At this meeting, we can review any additional revisions that you desire to the RERP procedures. At this meeting, I will arrange for a representative of the Montgomery County OEP to be present to discuss school district transportation during emergencies.


I appreciate your cooperation and prompt attention. If you have any questions, do not hesitate to call.

Sincerely,

John H. Cunningham
Associate Senior Planner

JHC/jms

cc A. Lindley Bigelow, Coordinator, Mont. Co. OEP
Dr. Royden S. Price, Superintendent



RELATED CORRESPONDENCE

ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 461-5200

DOCKETED
USNRC

August 2, 1984

84 AUG 15 11:09

William A. Welliver, Ed. D.
Superintendent
Spring-Ford Area High School
199 Bechtel Road
Collegeville, PA 19426

Dear Dr. Welliver:

As we have discussed, the information attached to your School District Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station should be reviewed and updated each school year to ensure the information is current.

In order to complete a review and update, I would request that you review Attachments 1, 2 and 3 of your current Draft RERP, update the information for school year 1984-85, and hold the revised copies for my pick-up later this month. This revised information will then be included in subsequent drafts of the RERP.

As you review the Attachments, please include work and home addresses and telephone numbers for staff indicated. The Montgomery County Office of Emergency Preparedness will need this information as they complete their County RERP. This information will be maintained as confidential.

I will call you in about a week to schedule a review meeting later this month. At this meeting, we can review any additional revisions that you desire to the RERP procedures. At this meeting, I will arrange for a representative of the Montgomery County OEP to be present to discuss school district transportation during emergencies.


I appreciate your cooperation and prompt attention. If you have any questions, do not hesitate to call.

Sincerely,

John H. Cunningham
Associate Senior Planner

JHC/jms

cc A. Lindley Bigelow, Coordinator, Mont. Co. OEP



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
 CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

DOCKETED
 USNRC

August 2, 1984

'84 AGO 15 A11:09

Thomas E. Persing, Ed. D.
 Superintendent
 Upper Perkiomen School District
 201 West Fifth Street
 East Greenville, PA 18041

Dear Dr. Persing:

As we have discussed, the information attached to your School District Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station should be reviewed and updated each school year to ensure the information is current.

In order to complete a review and update, I would request that you review Attachments 1, 2 and 3 of your current Draft RERP, update the information for school year 1984-85, and hold the revised copies for my pick-up later this month. This revised information will then be included in subsequent drafts of the RERP.

As you review the Attachments, please include work and home addresses and telephone numbers for staff indicated. The Montgomery County Office of Emergency Preparedness will need this information as they complete their County RERP. This information will be maintained as confidential.

I will call you in about a week to schedule a review meeting later this month. At this meeting, we can review any additional revisions that you desire to the RERP procedures. At this meeting, I will arrange for a representative of the Montgomery County OEP to be present to discuss school district transportation during emergencies.

I would also like to thank Mr. Romeike and Mr. Kuhns for their help during the July 25 exercise.


I appreciate your cooperation and prompt attention. If you have any questions, do not hesitate to call.

Sincerely,

John H. Cunnington
 Associate Senior Planner

JHC/jms

cc A. Lindley Bigelow, Coordinator, Mont. Co. OEP
 H. George Bonekemper, Supervisor of Curriculum
 Harold Romeike



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
 CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

DOCKETED
 USNRC

August 2, 1984 ⁸⁴ AGO 15 11:09

Mr. Joseph Clark, Principal
 French Creek Valley Elementary School District
 RD #1
 Pottstown, PA 19464

Dear Mr. ^{Joe} Clark:

As we have discussed, the information attached to your School District Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station should be reviewed and updated each school year to ensure the information is current.

In order to complete a review and update, I would request that you review appropriate Attachments of your current Draft RERP, update the information for school year 1984-85, and hold the revised copies for my pick-up later this month. This revised information will then be included in subsequent drafts of the RERP.

As you review the Attachments, please verify work and home addresses and telephone numbers for staff indicated. The Chester County Department of Emergency Services will need this information as they complete their County RERP. This information will be maintained as confidential.

I will call you in about a week to schedule a review meeting later this month. At this meeting, we can review your tentative task force schedule for fall, 1984.


I appreciate your cooperation and prompt attention. If you have any questions, do not hesitate to call.

Sincerely,

John H. Cunningham
 Associate Senior Planner

JHC/jms

cc Timothy R. S. Campbell, Director, Chester County DES
 John McNamara, Chester County DES



RELATED CORRESPONDENCE

ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

DOCKETED
USNRC

'84 AGO 15 A11:09
August 2, 1984

OFFICE OF SECRETARY
GENERAL INVESTIGATIVE
DIVISION

Dr. Joseph M. Mainello, Superintendent
Daniel Boone Area School District
Administrative Office
Birdsboro, PA 19508

Dear Dr. Mainello:

As we have discussed, the information attached to your School District Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station should be reviewed and updated each school year to ensure the information is current.

In order to complete a review and update, I would request that you review Attachments 1, 2 and 3 of your current Draft RERP, update the information for school year 1984-85, and hold the revised copies for my pick-up later this month. This revised information will then be included in subsequent drafts of the RERP.

As you review the Attachments, please include work and home addresses and telephone numbers for staff indicated. The Berks County EMA will need this information as they complete their County RERP. This information will be maintained as confidential.

I will call you in about a week to schedule a review meeting later this month. At this meeting, we can review any additional revisions that you desire to the RERP procedures.

I appreciate your cooperation and prompt attention. If you have any questions, do not hesitate to call.

Sincerely,

John H. Cunningham
Associate Senior Planner

JHC/jms

cc Robert L. Reber, Director, Berks County EMA



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3/2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH.(717)236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH.(412)434-5200

DOCKETED
USNRC

August 2, 1984

'84 AUG 15 11:09

Mrs. Ruth G. Webster, Principal
Colebrookdale Elementary School
New Berlinville, PA 19545

Dear Mrs. ^{Ruth} Webster:

As we have discussed, the information attached to your School District Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station should be reviewed and updated each school year to ensure the information is current.

In order to complete a review and update, I would request that you review Attachments 1, 2 and 3 of your current Draft RERP, update the information for school year 1984-85, and hold the revised copies for my pick-up later this month. This revised information will then be included in subsequent drafts of the RERP.

As you review the Attachments, please include work and home addresses and telephone numbers for staff indicated. The Berks County EMA will need this information as they complete their County RERP. This information will be maintained as confidential.

I will call you in about a week to schedule a review meeting later this month. At this meeting, we can review any additional revisions that you desire to the RERP procedures.


I appreciate your cooperation and prompt attention. If you have any questions, do not hesitate to call.

Sincerely,

John H. Cunnington
Associate Senior Planner

JHC/jms

cc A. Lindley Bigelow, Coordinator, Mont. Co. OEP
Robert L. Reber, Director, Berks County EMA



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

August 2, 1984

DOCKETED
USNRC

'84 AUG 15 11:09

Mr. Kenneth Saylor
Pottsgrove School District
Kauffman Road
Pottstown, PA 19464

Dear Mr. Saylor: *Ken*

As we have discussed, the information attached to your School District Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station should be reviewed and updated each school year to ensure the information is current. A copy of draft #4 is attached for reference.

In order to complete a review and update, I would request that you review Attachments 1, 2 and 3 of your current Draft RERP, update the information for school year 1984-85, and hold the revised copies for my pick-up later this month. This revised information will then be included in subsequent drafts of the RERP.

As you review the Attachments, please include work and home addresses and telephone numbers for staff indicated. The Montgomery County Office of Emergency Preparedness will need this information as they complete their County RERP. This information will be maintained as confidential.

I will call you in about a week to schedule a review meeting later this month. At this meeting, we can review any additional revisions that you desire to the RERP procedures. At this meeting, I will arrange for a representative of the Montgomery County OEP to be present to discuss school district transportation during emergencies.

I appreciate your cooperation and prompt attention. If you have any questions, do not hesitate to call.


Sincerely,

John H. Cunningham
Associate Senior Planner

JHC/jms

Attachment

cc A. Lindley Bigelow, Coordinator, Mont. Co. OEP
Dr. Alvin F. Coleman, Superintendent



RELATED CORRESPONDENCE

ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 264-0081
CORPORATE OFFICE: 121 SEVENTH STREET PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

August 2, 1984 '84 AGO 15 11:09

Mr. James R. Bush
Business Administrator
Pottstown School District
Beech & Penn Streets
Pottstown, PA 19464

Dear Mr. ^{Jim} Bush:

As we have discussed, the information attached to your School District Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station should be reviewed and updated each school year to ensure the information is current. A copy of draft #4 is attached for reference.

In order to complete a review and update, I would request that you review Attachments 1, 2 and 3 of your current Draft RERP, update the information for school year 1984-85, and hold the revised copies for my pick-up later this month. This revised information will then be included in subsequent drafts of the RERP.

As you review the Attachments, please include work and home addresses and telephone numbers for staff indicated. The Montgomery County Office of Emergency Preparedness will need this information as they complete their County RERP. This information will be maintained as confidential.

I will call you in about a week to schedule a review meeting later this month. At this meeting, we can review any additional revisions that you desire to the RERP procedures. At this meeting, I will arrange for a representative of the Montgomery County OEP to be present to discuss school district transportation during emergencies.

I appreciate your cooperation and prompt attention. If you have any questions, do not hesitate to call.


Sincerely,

John H. Cunningham
Associate Senior Planner

JHC/jms

Attachment

cc A. Lindley Bigelow, Coordinator, Mont. Co. OEP
Dr. Ray E. Feick, Superintendent



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
 CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

DOCKETED
 USNRC

'84 AGO JUL 15 11:08 PM 1984

OFFICE OF SECRETARY
 DOCKETING & SURVEILLANCE
 BRANCH

Robert L. Reber, Director
 Berks County Emergency Management Agency
 Berks County Agriculture Center
 Leesport, PA 19533

Dear Mr. Reber:

Please find attached the listing of Energy Consultants observer assignments for the July 25 exercise.


I would personally like to visit each county EOC, plus Douglas Township, Berks County; North Coventry Township, Chester County; and Pottstown Borough, Montgomery County; during the course of the exercise and have access to the Energy Consultants observers at these locations.

Should you require any additional information, please contact me.

Sincerely,

Bob Bradshaw
 Limerick Project Manager

BB:tt



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
 CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

DOCKETED
 USNRC

'84 AGO 15 ~~NOV 09~~ 16, 1984

OFFICE OF SECRETARY
 DOCKETING & SERVICE
 BRANCH

Mr. Timothy R. S. Campbell
 Director
 Chester County Department of
 Emergency Services
 14 East Biddle Street
 West Chester, PA 19380

Dear Mr. Campbell:

Please find attached the listing of Energy Consultants observer assignments for the July 25 exercise.


I would personally like to visit each county EOC, plus Douglas Township, Berks County; North Coventry Township, Chester County; and Pottstown Borough, Montgomery County; during the course of the exercise and have access to the Energy Consultants observers at these locations.

Should you require any additional information, please contact me.

Sincerely,

Bob Bradshaw
 Limerick Project Manager

BB:tt



DEFERRED CORRESPONDENCE

ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

DOCKETED
USNRC

'84 AGO 15 A11:09

July 18, 1984

OFFICE OF SECRETARY
DOCKETING & SERVICE
BRANCH

A. Lindley Bigelow
Montgomery County OEP/EMS
100 Wilson Boulevard
Eagleville, PA 19403

Dear Mr. Bigelow:

Please find attached the listing of Energy Consultants observer assignments for the July 25 exercise.

I would personally like to visit each county EOC, plus Douglas Township, Berks County; North Coventry Township, Chester County; and Pottstown Borough, Montgomery County; during the course of the exercise and have access to the Energy Consultants observers at these locations.

Should you require any additional information, please contact me.

Sincerely,

Bob Bradshaw
Limerick Project Manager

BB:tt

ENERGY CONSULTANTS
EVALUATOR ASSIGNMENTS
LIMERICK GENERATING STATION EXERCISE
JULY 25, 1984

<u>NAME</u>	<u>SS#</u>	
Robert Adams	169-44-3603	Montgomery County Mass Care
John Baer	220-40-0802	Lower Fredrick, Upper Fredrick, Schwenksville
Robert Bradshaw	209-42-6769	Floater
James Byers	159-42-9543	Skippack, Green Lane, Upper Salford, Lower Salford
Tom Carr	232-68-2091	Chester County Mass Care, Kennett High School
James Cassidy	179-44-9278	Chester County
Craig Conklin	198-38-1752	Montgomery County
John Cunningham	189-38-1752	Montgomery County
Thomas Deaner	226-64-1182	Videotape
Ronald Deck	186-34-0952	Pottstown, West Pottsgrove, Pottstown School District Administration Building (Risk School)
Laurence Draus	287-40-1123	Limerick Generating Station - TSC
William Dunlap	177-46-2415	Owen J. Roberts School, East Coventry, East Vincent, West Vincent
David Dunn	191-44-6718	Montgomery County Geriatrics, Phoenixville Hospital, Phoenixville EOC
Joseph Enoch	233-92-9130	Boyertown, Colebrookdale, Earl, Washington, Boyertown School District (Risk School)
James Fisher	181-38-1168	Montgomery County EOC, River Crest Center
Stephen Frey	198-42-4664	Pottstown Medical Center, Manatawny Manor
Joel Grottenthaler	172-36-2091	Chester County EOC
William Haught	236-68-9776	Berks County Mass Care/Emergency Worker Decontamination
Rebecca Heizer	235-74-7917	West Pikeland, Uwchlan, Upper Uwchlan, Chester County, Reception Center (Downingtown High School)

John Long	164-46-1196	Berks County EOC
William Mahan	183-42-8260	Trappe, Collegeville, Perkiomen Township
Kevin Molloy	030-36-6105	Amity Township, Douglas (Berks), Union Township
Drummond Murray	075-44-0866	Lehigh County - all support activity
Robert Patterson	195-32-1217	East Nantmeal, Warwick, North Coventry, Elverson, Chester County Decontamination
Laura Pollock	194-48-0872	Schuylkill Township, Charlestown, East Pikeland
Thoman Steile	163-52-1781	Upper Pottsgrove, Lower Pottsgrove, New Hanover
Henry Tamanini	186-46-2473	Recall/Siren Activation
Madeleine Welsh	177-46-3261	Montgomery County Emergency Worker Decontamination
Robin Wenger	179-44-9239	Spring City, Royersford
Gary Winters	180-38-0989	Montgomery County Reception Center

Energy Consultants, Inc.

MEMORANDUM

DOCKETED
USNRC

To: Administrators
Private Schools Located in the EPZ of the Limerick Generating Station
From: John H. Cunningham *JHC*
Associate Senior Planner
Date: August 2, 1984
Subject: Radiological Emergency Response Plan (RERP) Review

84 AUG 15 11:09
OFFICE OF SECRETARY
DOCKETING & SERVICE
BRANCH

The information attached to your draft School Radiological Emergency Response Plan (RERP) for Incidents at the Limerick Generating Station should be reviewed and updated each school year to ensure the information is current.

In order to complete a review and update, I would request that you review the attachments of your current Draft RERP, update the information for school year 1984-85, and hold the revised copies for my pick-up in September. This revised information will then be included in subsequent drafts of the RERP.

As you review the Attachments, please include work and home addresses and telephone numbers for staff indicated. The County Emergency Management Agency will need this information as they complete their County RERP. This information will be maintained as confidential.

I will call you early in September after the school year begins, to schedule a review meeting. At this meeting, we can review any additional revisions that you desire to the RERP procedures. During August and early September, County EMA and Energy Consultants are meeting with school districts to review district RERP's. By the middle of September, we should have the district information necessary to complete your draft RERP.

I appreciate your cooperation. If you have any questions, do not hesitate to call.

JHC/dlt



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
 CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

DOCKETED
 USNRC

August 2, 1984 AGO 15 A11:09

OFFICE OF SECRETARY
 DOCKETING & SERVICE
 BRANCH

Mr. Walter A. Hessinger
 Superintendent
 Downingtown Area School District
 122 Wallace Avenue
 Downingtown, PA 19335

Dear Mr. Hessinger:

Recognizing that some time has passed since our last meeting regarding the radiological emergency response plan for incidents at the Limerick Generating Station, and with the knowledge gained from the July 25, 1984 exercise, I would appreciate an opportunity to meet and discuss recent planning developments.

If possible, I would like to schedule the meeting late in August; that is after August 17, 1984. Please contact me when you have a suggestion for a meeting date. You may contact me collect at the above (Harrisburg) telephone number.

If you have any questions, please contact me.


Thank you for your assistance.

Sincerely,

Henry C. Tamanini
 Henry C. Tamanini

HCT/dlt

cc: Chester County DES



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH.(717)236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH.(412)434-5200

'84 AGO 15 A11:09

OFFICE OF SECRETARY
DOCKETING SERVICE
August 2, 1984

Dr. Richard I. Bauer
Assistant Superintendent
Great Valley School District
Charlestown Road
Devault, PA 19432

Dear Dr. Bauer:

Thank you for the opportunity to speak with you regarding a meeting to review the draft Great Valley School District radiological emergency response plan for incidents at the Limerick Generating Station.

Per our discussion, I will contact the Chester County Department of Emergency Services and inform them of the meeting. Looking forward to seeing you September 14, 1984 at 10 a.m.

Again, thank you for your time and consideration.


Sincerely,

Henry C. Tamanini

Henry C. Tamanini

HCT/dlt

cc: Chester County DES



ENERGY CONSULTANTS

RIVERSIDE OFFICE CENTER 3 / 2101 N. FRONT ST. / HARRISBURG / PA 17110 / PH. (717) 236-0031
CORPORATE OFFICE: 121 SEVENTH STREET / PITTSBURGH / PA 15222-3487 / PH. (412) 434-5200

August 3, 1984

DOCKETED
USNRC
84 AGO 15 11:09
OFFICE OF SECRETARY
DOCKETING & SERVICE
BRANCH

Mr. Jerry Duckett, Director
Lehigh County Civil Defense
455 Hamilton Street
Allentown, PA 18102

Dear Mr. Duckett:

As you know, during the July 25 emergency exercise for the Limerick Generating Station, Energy Consultants conducted an independent evaluation of the various emergency response locations. While the detailed results of that evaluation are still being compiled, preliminary indications quite clearly show Lehigh County performed in an outstanding manner. The county emergency operations center, reception center, and mass care center staff were well versed, took the drill seriously, and performed admirably.

I would like to personally thank you for coordinating the demonstration of these activities. It is a tribute to the working relationship you obviously have with your county volunteers and emergency service organizations.

It is unfortunate that FEMA did not provide an evaluator so that you would have the benefit of their comments.

Lehigh County's expertise comes as no surprise to me. Following the drill conducted by Energy Consultants for your agency in June, my staff informed me that Lehigh County was one of the best county operations they had had the pleasure of working with.

Once again, congratulations on a job well done, Jerry. Please extend our gratitude to your county staff, volunteers, and emergency services. I will be providing you a copy of our detailed comments when they are completed, and look forward to continuing our work on plan development.

Sincerely,

Robert T. Bradshaw
Limerick Project Manager

RTB/dlt

cc: Roberta A. Kankus
Philadelphia Electric

PHILADELPHIA ELECTRIC COMPANY

2301 MARKET STREET

P.O. BOX 8699

PHILADELPHIA, PA. 19101

(215) 841-4500

DOCKETED
USNRC

'84 AGO 15 A11:09

V. S. BOYER
VICE PRESIDENT
NUCLEAR POWER

OFFICE OF SECRETARY
JULY 20, 1984
DOCK & SERVICE
BRANCH

Roy C. Claypool, Ed. D.
District Superintendent
Owen J. Roberts School District
Administration Building
P. D. 1
Pottstown, PA 19101

Dear Dr. Claypool:

We have reviewed your June 27, 1984 letter to Mr. E. G. Bauer, Jr. regarding radiological emergency response planning considerations for the Owen J. Roberts School District and are pleased to respond.

Philadelphia Electric is aware of the effort the District and its Task Force have exerted to develop a comprehensive school district plan and appreciate your cooperation with our planning consultant, Energy Consultants Inc., and the Chester County Department of Emergency Services. We share your concern and want you to know that we are also committed to assisting your school district in developing an effective radiological emergency response plan.


Energy Consultants met June 4, 1984 with the administration of the Twin Valley School District regarding completion of a hosting agreement for the Owen J. Roberts School District. Delays in completion of this agreement have been attributed to past changes in key administrative staff of the Twin Valley District, especially the superintendent and business manager who were principal contacts for host agreement development. Energy Consultants requested expediting the agreement and consideration by the Twin Valley District of providing host school teachers to supervise evacuated students, thus relieving the Owen J. Roberts' staff of this responsibility. This provision should aid in resolving your unmet needs with regard to teachers or teacher assistants.

It is our understanding that the Chester County Department of Emergency Services has tentatively identified over 200 buses and drivers that would be available for an evacuation of Chester County schools and residents in a radiological emergency at Limerick. These should satisfy your identified bus and driver shortfall.

We believe progress is being made to resolve your concerns. A meeting to discuss additional district planning matters and unmet needs might be beneficial. Philadelphia Electric and Energy Consultants are available to discuss these matters in detail with representatives of the Owen J. Roberts School District and the appropriate emergency management agencies involved in plan development. Energy Consultants has attempted to contact Mr. Joseph Clark, the emergency planning contact with the District several times in the course of the past two weeks to discuss these very important emergency planning matters. Apparently Mr. Clark has not been available.

We look forward to your continued cooperation in resolving any outstanding planning issues.

Sincerely,

A handwritten signature in cursive script, appearing to read "V. S. Boye". The signature is written in dark ink and is positioned below the word "Sincerely,".