

062

City of Lebanon

DOCKETED
USNRC

'84 SEP 26 P2:05

(717)273-6711

LEBANON, PENNSYLVANIA

MUNICIPAL BUILDING
400 SOUTH EIGHTH STREET

17042

OFFICE OF THE CLERK
DOCKETING & SERVICE

September 20, 1984 NCH

Nunzio Palladino, Chairman
Nuclear Regulatory Commission
1717 "H" Street, N.W.
Washington, D.C. 20555

SERVED SEP 26 1984

DOCKET NUMBER
FILED IN

SD-289-JP

Dear Mr. Chairman:

I recently learned that as a result of the September 7, 1984, meeting of the Nuclear Regulatory Commission, a decision will not be made by the N.R.C. until 1985 on whether or not further hearings are required for the re-start of TMI Unit I.

I feel that in the five years since Shutdown Orders were issued for Unit I, Met-Ed/GPU has proven it can and will operate the power plant in a manner which will assure the health and safety of those of us living in its service area.

As Mayor of the City of Lebanon and former Councilmember of the Department of Accounts and Finance, I am fully aware of the necessity to reduce street lighting and energy costs in municipal government, particularly in view of the fact that our tax base and annual receipts are shrinking. It is imperative that all avenues for reducing expenses be explored, and I am convinced that the re-start of Unit I could save the City of Lebanon several thousand dollars in utility costs. There are also many industrial customers of Met-Ed/GPU in the Lebanon County area that would benefit from a reduction in utility rates, which would be helpful in boosting our local economy.

Met-Ed/GPU has my full support in their efforts to achieve a timely decision from the N.R.C. on the re-start of TMI Unit I, and I would urge you to address this matter as expeditiously as possible.

Sincerely,

8409270399 840920
PDR ADOCK 05000289
G PDR

Martin Schneider
Martin Schneider
Mayor

cjm

cc: Jon Shanfelder, Lebanon Office Met-Ed
F. J. Smith, President, Reading Office Met-Ed
Congressman Robert S. Walker
Senator John Heinz
Representative George Jackson
Representative Nick Moehlmann
Representative David Brightbill

DS05