



ENTERGY

Entergy Operations, Inc.
P.O. Box 756
Port Gibson, MS 39150
Tel 601 437 2800

C. R. Hutchinson
Vice President
Operations
Grand Gulf Nuclear Station

December 20, 1995

U.S. Nuclear Regulatory Commission
Document Control Desk
Mail Stop P1-37
Washington, D.C. 20555-0001

Subject: Grand Gulf Nuclear Station
Docket No. 50-416
License No. NPF-29
Response to Request for Additional
Information, Generic Letter 92-08: "Thermo-Lag
330-1 Fire Barriers"

GNRO-95/00136

Gentlemen:

The subject Request for Additional Information (RAI), dated November 6, 1995 requested that Grand Gulf Nuclear Station (GGNS) submit ampacity derating information to complete the response to reporting requirements Item 2(c) of GL 92-08. Specifically, the RAI requests ampacity derating evaluations, including any applicable test reports.

In addition, the anticipated test procedures and/or a description of the analytical methodology including typical calculations that will be used to determine the ampacity derating parameters for GGNS installed Thermo-Lag barriers were also requested.

Licensees were requested to inform the NRC of the earliest date by which the requested information could be provided, if the submittal schedule constraints of the RAI could not be met.

Based on our current plans, the information requested by this RAI to complete the response to Generic Letter 92-08, reporting requirements Item 2(c) (ampacity derating) will be provided by June 30, 1996.

9601020302 751220
PDR ADOCK 05000416
P PDR

020096

A029
1/0

December 20, 1995

GNRO-95/00136

Page 2 of 3

As committed in our December 21, 1994 submittal, fire endurance related corrective actions for GGNS Thermo-Lag barriers are anticipated to be completed by the end of refueling outage eight, currently scheduled for November 1996.

Should you have any questions or require additional information, please contact Charles E. Brooks at 601-437-6555.

Your truly,



CRH/CEB

cc:

Mr. R. B. McGehee (w/a)
Mr. R. S. Reynolds (w/a)
Mr. J. E. Tedrow (w/a)
Mr. H. L. Thomas (w/a)

Mr. L. J. Callan (w/a)
Regional Administrator
U. S. Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011

Mr. Paul W. O'Connor, Project Manager (w/2)
Office of Nuclear Reactor Regulation
U. S. Nuclear Regulatory Commission
Mail Stop 13H3
Washington, D. C. 20555

December 20, 1995

GNRO-95/00136

Page 3 of 3

bcc: Mr. C. A. Bottemiller
Mr. D. G. Bost
Mr. C. E. Brooks
Mr. T. E. Barnett
Mr. R. W. Byrd
Mr. M. R. Cumbest
Mr. L. F. Dale
Mr. L. F. Daughtery
Mr. J. G. Dewease
Mr. M. A. Dietrich
Mr. J. J. Fisicaro (RBSES)
Mr. C. C. Hayes
Mr. M. J. Meisner
Mr. D. C. Mims (ANO)
Mr. D. L. Pace
Mr. R. L. Patterson
Mr. J. C. Roberts
Mr. S. A. Saunders
Mr. F. W. Titus
Mr. D. W. Vinci (W3)
File (LCTS)
File (Hard Copy)
File (RPTS)
File (NS&RA)
File (Central (5)