

50-352/353 OL

I-City-1

City Ex 1

5/30/84

AUG 9 1984

DOCKETING &  
SERVICE BRANCH  
SECY\*\*\* FREQUENCY DISTRIBUTIONS \*\*\*  
II-T/WW, WB, DS, VS, DISTANCE

W BODY DOSE

MAGNITUDE	INTERVAL15 X 1.00E+00	INTERVAL16 X 1.00E+00	INTERVAL17 X 1.00E+00	INTERVAL18 X 1.00E+00	INTERVAL19 X 1.00E+00	INTERVAL20 X 1.00E+00	INTERVAL21 X 1.00E+00
1.00E+00	1.00E+00	1.00E+00	1.00E+00	9.78E-01	9.78E-01	9.01E-01	8.57E-01
2.00E+00	1.00E+00	1.00E+00	9.67E-01	9.45E-01	9.12E-01	8.24E-01	6.92E-01
3.00E+00	1.00E+00	9.89E-01	9.56E-01	9.23E-01	8.57E-01	7.36E-01	6.37E-01
5.00E+00	9.78E-01	9.34E-01	8.79E-01	8.13E-01	6.81E-01	6.04E-01	5.38E-01
7.00E+00	9.34E-01	8.68E-01	7.80E-01	7.03E-01	6.15E-01	5.05E-01	4.84E-01
1.00E+01	8.46E-01	7.91E-01	7.36E-01	6.59E-01	5.27E-01	4.73E-01	4.07E-01
2.00E+01	7.58E-01	7.25E-01	6.15E-01	5.49E-01	4.62E-01	2.97E-01	2.31E-01
3.00E+01	7.14E-01	6.48E-01	5.60E-01	4.73E-01	3.52E-01	1.87E-01	1.10E-01
5.00E+01	6.81E-01	5.93E-01	4.62E-01	3.30E-01	1.87E-01	5.49E-02	5.49E-02
7.00E+01	6.26E-01	4.95E-01	3.74E-01	2.09E-01	8.79E-02	3.30E-02	2.20E-02
1.00E+02	5.49E-01	3.96E-01	2.53E-01	1.21E-01	2.20E-02	0.	0.
2.00E+02	3.63E-01	2.09E-01	7.69E-02	1.10E-02	0.	0.	0.
3.00E+02	2.75E-01	8.79E-02	2.20E-02	0.	0.	0.	0.
5.00E+02	7.69E-02	1.10E-02	0.	0.	0.	0.	0.
7.00E+02	2.20E-02	0.	0.	0.	0.	0.	0.
1.00E+03	0.	0.	0.	0.	0.	0.	0.
2.00E+03	0.	0.	0.	0.	0.	0.	0.
3.00E+03	0.	0.	0.	0.	0.	0.	0.
5.00E+03	0.	0.	0.	0.	0.	0.	0.
7.00E+03	0.	0.	0.	0.	0.	0.	0.
1.00E+04	0.	0.	0.	0.	0.	0.	0.
2.00E+04	0.	0.	0.	0.	0.	0.	0.
3.00E+04	0.	0.	0.	0.	0.	0.	0.
5.00E+04	0.	0.	0.	0.	0.	0.	0.
7.00E+04	0.	0.	0.	0.	0.	0.	0.
1.00E+05	0.	0.	0.	0.	0.	0.	0.
2.00E+05	0.	0.	0.	0.	0.	0.	0.
3.00E+05	0.	0.	0.	0.	0.	0.	0.
5.00E+05	0.	0.	0.	0.	0.	0.	0.
7.00E+05	0.	0.	0.	0.	0.	0.	0.
1.00E+06	0.	0.	0.	0.	0.	0.	0.
2.00E+06	0.	0.	0.	0.	0.	0.	0.
3.00E+06	0.	0.	0.	0.	0.	0.	0.
5.00E+06	0.	0.	0.	0.	0.	0.	0.
7.00E+06	0.	0.	0.	0.	0.	0.	0.
1.00E+07	0.	0.	0.	0.	0.	0.	0.
2.00E+07	0.	0.	0.	0.	0.	0.	0.
3.00E+07	0.	0.	0.	0.	0.	0.	0.
5.00E+07	0.	0.	0.	0.	0.	0.	0.

8408170173 840530  
PDR ADOCK 05000352  
PDR

S



NUCLEAR REGULATORY COMMISSION

Docket No. 50-352/83 Official Exh. No. City #1  
In the matter of PECO, Limerick 1a 2

Staff \_\_\_\_\_ IDENTIFIED ✓

Applicant \_\_\_\_\_ RECEIVED ✓

Intervenor ✓ \_\_\_\_\_ REJECTED \_\_\_\_\_

Cont'n Off'r \_\_\_\_\_

Cmt: 101 \_\_\_\_\_ DATE 5/30/84

QTR \_\_\_\_\_ Witness \_\_\_\_\_

M. Metzger