

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

Before the Atomic Safety and Licensing Board

In the Matter of)
)
CAROLINA POWER & LIGHT COMPANY) Docket No. 50-400 OL
and NORTH CAROLINA EASTERN)
MUNICIPAL POWER AGENCY)
)
(Shearon Harris Nuclear Power)
Plant))

AFFIDAVIT OF ROLAND M. PARSONS

County of Wake)
 : ss:
State of North Carolina)


Roland M. Parsons, being duly sworn, deposes and says as follows:

1. I, Roland M. Parsons, am Project General Manager, Harris Plant Completion Assurance Section, Harris Nuclear Project Department, Carolina Power & Light Company. My business address is Route 1, Box 101, New Hill, North Carolina 27562. A complete statement of my professional qualifications and experience is Attachment 2 to Applicants' Testimony of George A. Kanakaris, Roland M. Parsons and Larry F. Garner in Response to Eddleman Contention 65 (Concrete Containment Structure), ff. Tr. 5764. See also Tr. 5754-55. I have personal knowledge of the matters set forth herein and believe them to be true and correct.


2. The Atomic Safety and Licensing Board's Memorandum and Order (Ruling on Certain Safety Contentions and Other Matters), dated January 14, 1985 (served January 15, 1985), directed Applicants to post a notice at the Harris site inviting workers to communicate to the Board, on a confidential basis, any information on harassment due to efforts to raise safety concerns. The notice, which was attached to the Board's order, was to be posted in places where notices to employees customarily are placed at the site.

3. In response to the Board's order, I instructed posting of the required notice at each of the 41 locations listed in Attachment 1 to this affidavit. These locations include locations where notices to employees are customarily placed, as well as additional locations selected to assure maximum coverage. (Posting of the notice on the Part 21 notice display stations required modification and extension of the boards.) Examples of locations where the notice is posted are provided as copies of photographs in Attachments 2 through 5. Attachment 5, for instance, shows posting of the notice on the large bulletin board in front of the main gate where construction workers enter the site.

4. All notices were posted by January 28, 1985. In addition, spot checks are being performed on a weekly basis to verify that the notices are in place and have not been damaged.


Roland M. Parsons

Subscribed and sworn to before me
this 18TH day of February, 1985


NOTARY PUBLIC

My Commission Expires:

My Commission Expires 4-20-88

POSTING LOCATIONS

Main Construction Building

First floor at entrance
First floor at CI Department on mechanical room door
First floor at QA Department on wall between vault and document review room
Second floor at hallway, far west end
Second floor at interior hallway between the two buildings
Second floor at Office Engineering Department on mechanical room door

Administration Building

First floor at lobby
First floor at west entrance hall
First floor at north entrance hall
Second floor at south hall
Second floor at north hall
Second floor at east hall
First floor at Personnel Relations Office

Service Building

First floor at hallway outside lunchroom, south wall
First floor at machine shop
Second floor at north wall, hallway

Quality Check Program (QCP) Stations

Main construction building, first floor
Main tool room
RAB 236', north entrance
FHB 236', next to tool room #5
FHB 261', south side next to WPB
Turb. 261', north end
Turb. 261', south end
Service building, first floor, north entrance
Administration building, first floor, north entrance

Part 21 Notice Display Stations

Approximately 50' south of brass alley
Walkway leading to north end of turbine 261'
West side of Administration Building
North side of power block, across from main tool room

Other Areas

Large bulletin board at main craft gate
Main construction warehouse
Project Administration trailer
FHB, HPES office

Construction Discipline Managers (Posted in Respective Work Areas)

Richard Maurer (Hangers)
Jesse Freeman (Electrical)
Eugene Stover (Mechanical Equipment)
Eugene Armstrong (Civil)
Ed Willett (Pipe & Instrumentation)
Ray Hanford (Welding)
John Wills (Document Assembly)

QUALITY CHECK STATION

One Stop
Check

DEPOSIT TO
PORTION OF
QUALITY CHECK
REPORT

\$1,000 REWARD

Warning: Cash reward will be paid by Carter-Vesco & Co. Company for information leading to the identification and indictment of any person(s) guilty of having committed sale of fraudulent securities or of espionage which could compromise a source or other harmful system.

There have been no reports of any deaths or injuries from the storm. The storm is expected to be over by the end of the day.

1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
2653
2654
2655
2656
2657
2658
2659
2660
2661
2662
2663
2664
2665
2666
2667
2668
2669
2670
2671
2672
2673
2674
2675
2676
2677
26

BLANK
QUALITY CHECK
REPORTS

QUALITY CHECK STATION



BLANK
QUALITY CHECK
REPORTS

MAXIMUM ALLOWABLE

• FLOOR LOAD
500 PSF
IN THIS AREA

Caroline Paper & Light Company has an affirmative action program that sets forth the policy of non-discrimination and outlines the steps we are taking to implement the policy. If you have not previously received this policy, a handicapped individual, a woman, or a minority person, please contact the Personnel Representative. The information you receive will be kept confidential, except as necessary to assure reasonable accommodations in your job assignments and required compliance reporting.

The Affirmative Action Plan is available for information through the Company's Personnel Representative.

The Affirmative Action Plan is available for information through the Company's Personnel Representative.

NOTICE

CP&L

**Paying for Only Part
of a Car
Will
Save
You
Plenty.**



Approved by the Office of the Attorney General, Department of Transportation, Federal Highway Administration.

Approved by the Office of the Attorney General, Department of Transportation, Federal Highway Administration.

TRY A RIDE
POOLING ARRANGEMENT
FOR \$100 PER
MONTH

Carpool Partnerships Pay Off!

North Carolina State Safety and Health Division

Approved by the Office of the Attorney General, Department of Transportation, Federal Highway Administration.

NOTICE

The North Carolina State Safety and Health Division is pleased to announce the results of the recent survey of the state's safety and health conditions. The survey was conducted by the Division's Research and Statistics Section, and the results are as follows:

The survey found that the state's safety and health conditions are generally good, but there are some areas that need improvement. The most significant areas of concern are the following:

- The state's occupational safety and health conditions are generally good, but there are some areas that need improvement. The most significant areas of concern are the following:
- The state's occupational safety and health conditions are generally good, but there are some areas that need improvement. The most significant areas of concern are the following:

The Division is committed to improving the state's safety and health conditions, and we will continue to work with the state's employers and employees to achieve this goal.

John H. Hargett
Director

NOTICE

CP&L

NOTICE

The North Carolina State Safety and Health Division is pleased to announce the results of the recent survey of the state's safety and health conditions. The survey was conducted by the Division's Research and Statistics Section, and the results are as follows:

The survey found that the state's safety and health conditions are generally good, but there are some areas that need improvement. The most significant areas of concern are the following:

- The state's occupational safety and health conditions are generally good, but there are some areas that need improvement. The most significant areas of concern are the following:
- The state's occupational safety and health conditions are generally good, but there are some areas that need improvement. The most significant areas of concern are the following:

The Division is committed to improving the state's safety and health conditions, and we will continue to work with the state's employers and employees to achieve this goal.

John H. Hargett
Director

NOTICE

The North Carolina State Safety and Health Division is pleased to announce the results of the recent survey of the state's safety and health conditions. The survey was conducted by the Division's Research and Statistics Section, and the results are as follows:


The survey found that the state's safety and health conditions are generally good, but there are some areas that need improvement. The most significant areas of concern are the following:

- The state's occupational safety and health conditions are generally good, but there are some areas that need improvement. The most significant areas of concern are the following:
- The state's occupational safety and health conditions are generally good, but there are some areas that need improvement. The most significant areas of concern are the following:

The Division is committed to improving the state's safety and health conditions, and we will continue to work with the state's employers and employees to achieve this goal.

John H. Hargett
Director

NOTICE



February 19, 1985

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

Before the Atomic Safety and Licensing Board

In the Matter of)	
)	
CAROLINA POWER & LIGHT COMPANY)	Docket No. 50-400 OL
and NORTH CAROLINA EASTERN)	
MUNICIPAL POWER AGENCY)	
)	
(Shearon Harris Nuclear Power)	
Plant))	

CERTIFICATE OF SERVICE

This is to certify that copies of the foregoing "Applicants' Answer to Wells Eddleman's 'Motion for Reconsideration of Order Served 1-15-85' Concerning Eddleman Contentions 41-G and 41-C" were served this 19th day of February, 1985, by deposit in the United States Mail, First Class, postage prepaid, to all those on the attached Service List.

Michael A. Swiger
Michael A. Swiger

DATED: February 19, 1985

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

In the Matter of)	
)	
CAROLINA POWER & LIGHT COMPANY)	Docket No. 50-400 OL
and NORTH CAROLINA EASTERN)	
MUNICIPAL POWER AGENCY)	
)	
Shearon Harris Nuclear Power)	
Plant))	

SERVICE LIST

James L. Kelley, Esquire
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

John D. Runkle, Esquire
Conservation Council of
North Carolina
307 Granville Road
Chapel Hill, North Carolina 27514

Mr. Glenn O. Bright
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

M. Travis Payne, Esquire
Edelstein and Payne
P.O. Box 12607
Raleigh, North Carolina 27605

Mr. James H. Carpenter
Atomic Safety and Licensing Board
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Dr. Richard D. Wilson
729 Hunter Street
Apex, North Carolina 27502

Charles A. Barth, Esquire
Janice E. Moore, Esquire
Office of Executive Legal Director
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Mr. Wells Eddleman
718-A Iredell Street
Durham, North Carolina 27705

Docketing and Service Section
Office of the Secretary
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Richard E. Jones, Esquire
Vice President and Senior Counsel
Carolina Power & Light Company
P.O. Box 1551
Raleigh, North Carolina 27602

Mr. Daniel F. Reed, President
CHANGE
P.O. Box 2151
Raleigh, North Carolina 27602

Dr. Linda W. Little
Governor's Waste Management Board
513 Albemarle Building
325 North Salisbury Street
Raleigh, North Carolina 27611

Bradley W. Jones, Esquire
U.S. Nuclear Regulatory Commission
Region II
101 Marrietta Street
Atlanta, Georgia 30303

Mr. Robert P. Gruber
Executive Director
Public Staff - NCUC
P.O. Box 991
Raleigh, North Carolina 27602

Administrative Judge Harry Foreman
Box 395 Mayo
University of Minnesota
Minneapolis, Minnesota 55455