

DCS

- 02 expnd

FORM NRC-313 (16-78) 10 CFR 33		U.S. NUCLEAR REGULATORY COMMISSION		1. APPLICATION FOR: (Check and/or complete as appropriate)	
APPLICATION FOR BYPRODUCT MATERIAL LICENSE INDUSTRIAL				X a. NEW LICENSE 48-15851-03	
See attached instructions for details.  Completed applications are filed in duplicate with the Division of Fuel Cycle and Material Safety, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555 or applications may be filed in person at the Commission's office at 1717 H Street, NW, Washington, D. C. or 7915 Eastern Avenue, Silver Spring, Maryland				b. AMENDMENT TO: LICENSE NUMBER 030-14184	
				c. RENEWAL OF: LICENSE NUMBER	
2. APPLICANT'S NAME (Institution, firm, person, etc.)  Krause Milling Company		3. NAME OF PERSON TO BE CONTACTED REGARDING THIS APPLICATION Richard A. Gumpert			
TELEPHONE NUMBER: AREA CODE - NUMBER EXTENSION 414-272-6200		TELEPHONE NUMBER: AREA CODE - NUMBER EXTENSION 414-272-6200 X 27			
4. APPLICANT'S MAILING ADDRESS (Include Zip Code)  4200 W. Burnham West Milwaukee, WI 53215		5. STREET ADDRESS WHERE LICENSED MATERIAL WILL BE USED (Include Zip Code) 4200 W. Burnham West Milwaukee, WI 53215			
(IF MORE SPACE IS NEEDED FOR ANY ITEM, USE ADDITIONAL PROPERLY KEYED PAGES.)					
6. INDIVIDUAL(S) WHO WILL USE OR DIRECTLY SUPERVISE THE USE OF LICENSED MATERIAL (See Items 16 and 17 for required training and experience of each individual named below)					
FULL NAME		TITLE			
a. Richard A. Gumpert		Production Engineer			
b. James M. McEneaney		Plant Engineer			
c.					
7. RADIATION PROTECTION OFFICER  James McEneaney		Attach a resume of person's training and experience as outlined in Items 16 and 17 and describe his responsibilities under Item 15.			
8. LICENSED MATERIAL					
L I N E	ELEMENT AND MASS NUMBER	CHEMICAL AND/OR PHYSICAL FORM	NAME OF MANUFACTURER AND MODEL NUMBER (If Sealed Source)	MAXIMUM NUMBER OF MILLICURIES AND/OR SEALED SOURCES AND MAXIMUM ACTI- VITY PER SOURCE WHICH WILL BE POSSESSED AT ANY ONE TIME	
NO.	A	B	C	D	
(1)	CESIUM 137	Sealed Source	See Attached	1 each source not to exceed 25 mCi	
(2)					
(3)					
(4)					
DESCRIBE USE OF LICENSED MATERIAL F					
(1)	Level Measurement				
(2)					
(3)					
(4)					

Applicant...  
Check No... 0704636  
Amount/Fee Category... 4110(3L)  
Type of Fee... APPLICATION  
Date Check Rec'd... SEP 18 1979  
Received By... Brown

RECEIVED BY LFMB  
SEP 18 1979  
Date... SEPT. PG. 12 III  
Log...  
By... Brown  
Orig. To...  
Action Compl... 9/19/79

Rec'd  
9/12/79

Control No. 02227

791 024 573 LPP.

9. STORAGE OF SEALED SOURCES			
LINE NO.	CONTAINER AND/OR DEVICE IN WHICH EACH SEALED SOURCE WILL BE STORED OR USED. A.	NAME OF MANUFACTURER B.	MODEL NUMBER C.
(1)	Source Housing	Kay-Ray, Inc.	7062
(2)			
(3)			
(4)			

10. RADIATION DETECTION INSTRUMENTS						
LINE NO.	TYPE OF INSTRUMENT A.	MANUFACTURER'S NAME B.	MODEL NUMBER C.	NUMBER AVAILABLE D.	RADIATION DETECTED (alpha, beta, gamma, neutron) E.	SENSITIVITY RANGE (milliroentgens/hour or counts/minute) F.
(1)						
(2)						
(3)						
(4)						

11. CALIBRATION OF INSTRUMENTS LISTED IN ITEM 10	
<input type="checkbox"/> a. CALIBRATED BY SERVICE COMPANY NAME, ADDRESS, AND FREQUENCY	<input type="checkbox"/> b. CALIBRATED BY APPLICANT <i>Attach a separate sheet describing method, frequency and standards used for calibrating instruments.</i>

12. PERSONNEL MONITORING DEVICES		
TYPE (Check and/or complete as appropriate.) A.	SUPPLIER (Service Company) B.	EXCHANGE FREQUENCY C.
<input type="checkbox"/> (1) FILM BADGE  <input type="checkbox"/> (2) THERMOLUMINESCENCE DOSIMETER (TLD)  <input type="checkbox"/> (3) OTHER (Specify): _____  	Personnel monitoring devices not necessary for supporting documentation. See attached response to item 15.	<input type="checkbox"/> MONTHLY  <input type="checkbox"/> QUARTERLY  <input type="checkbox"/> OTHER (Specify): _____  

13. FACILITIES AND EQUIPMENT (Check where appropriate and attach annotated sketch(es) and description(s).)
<input type="checkbox"/> a. LABORATORY FACILITIES, PLANT FACILITIES, FUME HOODS (Include filtration, if any), ETC. <input type="checkbox"/> b. STORAGE FACILITIES, CONTAINERS, SPECIAL SHIELDING (fixed and/or temporary), ETC. <input type="checkbox"/> c. REMOTE HANDLING TOOLS OR EQUIPMENT, ETC. <input type="checkbox"/> d. RESPIRATORY PROTECTIVE EQUIPMENT, ETC.

14. WASTE DISPOSAL
a. NAME OF COMMERCIAL WASTE DISPOSAL SERVICE EMPLOYED
b. IF COMMERCIAL WASTE DISPOSAL SERVICE IS NOT EMPLOYED, SUBMIT A DETAILED DESCRIPTION OF METHODS WHICH WILL BE USED FOR DISPOSING OF RADIOACTIVE WASTES AND ESTIMATES OF THE TYPE AND AMOUNT OF ACTIVITY INVOLVED. IF THE APPLICATION IS FOR SEALED SOURCES AND DEVICES AND THEY WILL BE RETURNED TO THE MANUFACTURER, SO STATE.
<p>Sealed sources and devices will be returned to manufacturer for disposal.</p>

8C. New England Nuclear Model NER 570 or,  
General Radioisotope Products Model 850233 or,  
Amersham Searle Model X.8, or X.19 or,  
other NRC authorized equivalent

# INFORMATION REQUIRED FOR ITEMS 15, 16 AND 17

Describe in detail the information required for Items 15, 16 and 17. Begin each item on a separate page and key to the application as follows:


15. RADIATION PROTECTION PROGRAM. Describe the radiation protection program as appropriate for the material to be used including the duties and responsibilities of the Radiation Protection Officer, control measures, bioassay procedures (if needed), day-to-day general safety instruction to be followed, etc. If the application is for sealed source's also submit leak testing procedures, or if leak testing will be performed using a leak test kit, specify manufacturer and model number of the leak test kit.
16. FORMAL TRAINING IN RADIATION SAFETY. Attach a resume for each individual named in Items 6 and 7. Describe individual's formal training in the following areas where applicable. Include the name of person or institution providing the training, duration of training, when training was received, etc.
  - a. Principles and practices of radiation protection.
  - b. Radioactivity measurement standardization and monitoring techniques and instruments.
  - c. Mathematics and calculations basic to the use and measurement of radioactivity.
  - d. Biological effects of radiation.
17. EXPERIENCE. Attach a resume for each individual named in Items 6 and 7. Describe individual's work experience with radiation, including where experience was obtained. Work experience or on-the-job training should be commensurate with the proposed use. Include list of radioisotopes and maximum activity of each used.

## 18. CERTIFICATE

(This item must be completed by applicant)

The applicant and any official executing this certificate on behalf of the applicant named in Item 2, certify that this application is prepared in conformity with Title 10, Code of Federal Regulations, Part 30, and that all information contained herein, including any supplements attached hereto, is true and correct to the best of our knowledge and belief.

WARNING.—18 U.S.C., Section 1001; Act of June 25, 1948; 62 Stat. 749; makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

a. LICENSE FEE REQUIRED (See Section 170.31, 10 CFR 170)	b. CERTIFYING OFFICIAL (Signature) 
\$110.00	c. NAME (Type or Print) Harold J. Ziemendorf
(1) LICENSE FEE CATEGORY: 3.L	d. TITLE V.P. - Production
(2) LICENSE FEE ENCLOSED \$ 110.00	e. DATE Sept 5, 1979

15. This addendum describes the procedures to be followed as part of our Radiation Safety Program. Radiation exposure calculations are based on distances as presented in Section I of this addendum. This addendum is sectioned as follows:

- I. Location of source in relation to other plant areas
- II. Radiation Survey - Source housing maintenance
- III. Control Measures
- IV. Leak Testing
- V. Procedure to be followed if source housing is damaged
- VI. Worst case personnel radiation exposure calculation

15. I. "The enclosed sketch gives the specifics of the installation. All equipment will be located and mounted in accordance with the recommendations of the manufacturer."

15. II. Initial radiation survey, servicing, maintenance, relocation and repair of the source holder will be performed by Kay-Ray. The initial radiation survey will be used to confirm the calculations shown in Section VI of this item.

15. III. If maintenance is required inside the vessels, a lockout procedure will be employed to prevent personnel access with the source in the "measure" position.

All vessel entrance doors will be locked. The Radiation Protection Officer will maintain possession of the access door keys and will insure that source housings are locked in the closed position before granting access to the vessel. As the Radiation Protection Officer also maintains the keys to the source housing they can not be inadvertently opened while maintenance personnel are inside the vessel.

15. IV. Kay-Ray will perform the leak testing on the source holder. The leak test kit used by Kay-Ray is either the General Radioisotope Products WT-4 kit, or Kay-Ray, Inc. Model A kit, which have been approved by the NRC for use in the source wiping of Kay-Ray source holders.

We wish to have our license worded to allow a 3 year source wipe interval on the devices listed. An extension has been granted to Kay-Ray allowing a three-year interval for source wiping, and we wish to have our license reflect this extended test period.



15. V.

EMERGENCY PROCEDURE TO BE FOLLOWED AFTER  
DAMAGE TO KAY-RAY SOURCE HOLDERS

1. This procedure applies to all instances where damage is incurred by the source holder due to such action as fire, etc.
2. Immediately rope off the area around the source holder to a minimum of 30 feet in diameter.
3. Inform plant Radiation Protection Officer or person responsible for the use of the source as to the situation.
4. Inform by phone or telegram the regional NRC office of the accident.
5. Notify Kay-Ray at (312) 259-5600 if their assistance is desired.
6. Limit access to source head until a radiation survey and source wipe can be performed by qualified personnel or a representative of Kay-Ray.

15. VI.

The attached calculation indicates a worst case operator exposure of 7.38 mR/yr. This exposure is based on the nearest operator location to the source housing and is less than 500 mR/year which is well below the limits set in 10CFR20 for personnel monitoring equipment. The calculated radiation exposure rate one will receive at the detector is approximately .5 mR/hr or less. These low levels drop off according to the square law and result in negligible operator exposure a few feet from the detector. These radiation exposures will be verified at the time of start-up. This will include the effects of radiation scattering along the vessel walls if applicable. These provisions will be taken to verify that no one will receive a worst case exposure of 500 mR/year at the detector side of the vessel.

The procedure for performing the above calculation, as supplied by Kay-Ray, Inc. has been included for reference.

15. VI.

CALCULATION OF WORST CASE RADIATION  
EXPOSURE TO OPERATING PERSONNEL

Example calculation:

Application requires a 7062 source housing with 25 MC source. An operator stands within feet of gauge for a worse case average of 2 hr per day to do routine adjustments on equipment.

Worst case exposure for this operator in mR/year

is:  $D = 5 \text{ ft.}$  ,  $T = 2 \text{ hr.}$

$K = .59$  ,  $S = 25 \text{ MG}$

$$X = K \times S \times T \times .25 = .59 \times 25 \times 2 \times .25$$

$$X = 7.375 \text{ mR/year}$$

## VALUES OF D AND K FOR KAY-RAY SOURCE HOLDER

## GAMMA SOURCE HEADS

Model No.	7056	7050B	7051B	7062	7063	7063P
	7057	7060B	7061B	7062P		
D (ft.)	K (mr/hr)	K (mr/hr)	K (mr/hr)	K (mr/hr)	K (mr/hr)	K (mr/hr)
0	0.63	12.5	3.0	500	50	15.0
1	0.05	0.59	0.17	11.22	2.3	0.82
2	0.02	0.18	0.06	3.31	0.74	0.26
3	0.009	0.09	0.03	1.56	0.34	0.12
4	0.006	0.05	0.02	0.90	0.20	0.07
5	0.004	0.03	0.01	0.59	0.14	0.05
6	0.003	0.02	0.006	0.41	0.09	0.03
7	0.002	0.02	0.006	0.31	0.08	0.03
8	0.002	0.01	0.005	0.24	0.06	0.02
9	0.001	0.01	0.004	0.19	0.06	0.02
10	0.001	0.009	0.003	0.15	0.03	0.01
11	0.0008	0.008	0.002	0.13	0.03	0.01
12	0.0007	0.006	0.002	0.11	0.02	0.009
13	0.0006	0.005	0.002	0.09	0.02	0.008
14	0.0005	0.005	0.002	0.08	0.02	0.007
15	0.0005	0.004	0.001	0.07	0.01	0.006
16	0.0004	0.004	0.001	0.06	0.01	0.005
17	0.0004	0.003	0.001	0.05	0.01	0.004
18	0.0003	0.003	0.001	0.05	0.01	0.004
19	0.0003	0.003	0.0009	0.04	0.01	0.004
20	0.0003	0.002	0.0008	0.04	0.008	0.003

KP Model No.

	7064	7064P	7065	7067	7068
D (ft.)	K (mr/hr)	K (mr/hr)	K (mr/hr)	7067P K (mr/hr)	7069 K (mr/hr)
0	15		120	5	7.5
1	1.02		5.62	0.48	0.38
2	0.36		1.77	0.17	0.12
3	0.18	0.04	0.85	0.08	0.06
4	0.12	0.03	0.50	0.05	0.03
5	0.06	0.01	0.33	0.03	0.02
6	0.05	0.01	0.23	0.02	0.01
7	0.04	0.007	0.17	0.02	0.01
8	0.03	0.006	0.13	0.01	0.009
9	0.02	0.005	0.11	0.01	0.007
10	0.02	0.004	0.09	0.009	0.006
11	0.01	0.003	0.07	0.007	0.005
12	0.01	0.003	0.06	0.006	0.004
13	0.01	0.003	0.05	0.006	0.003
14	0.01	0.002	0.04	0.005	0.003
15	0.006	0.002	0.04	0.004	0.003
16	0.006	0.002	0.03	0.004	0.002
17	0.006	0.001	0.03	0.003	0.002
18	0.006	0.001	0.03	0.003	0.002
19	0.005	0.001	0.02	0.002	0.002
20	0.005	0.001	0.02	0.002	0.001



Item 16.

Neither of the individuals named in items 6 & 7 have had formal training in the use of radioactive material. At the time of start-up a representative of the manufacturer will provide any specific training necessary for safe operation of the system. Radiation protection procedures have previously been devised and submitted in support of item 15. As the scope of this license application does not include handling of the device containing radioactive material further formal training is not indicated.

Item 17. Neither of the individuals named in items 6 & 7  
have had prior experience with radioactive material.

# DOCUMENT/ PAGE PULLED

ANO. 7910240573

NO. OF PAGES 1

## REASON:

☐ PAGE ILLEGIBLE:

☐ HARD COPY FILED AT: PDR CF

OTHER \_\_\_\_\_

☐ BETTER COPY REQUESTED ON 1/1/1

☐ PAGE TOO LARGE TO FILM:

☒ HARD COPY FILED AT: PDR CF

☒ OTHER Region III

☒ FILMED ON APERTURE CARD NO 7910240573-01