


NOTES: UNLESS OTHERWISE SPECIFIED.

1. FOR SYMBOLS AND USAGE SEE BECTEL LEGEND SHEETS M-A-11093, 11094, 11095, 11096, 11098 & 11099.
2. FOR INDEX IDENTIFICATION ALL VALVE NUMBERS ARE PRECEDED BY 07 AND ARE LISTED UNDER SYSTEM 41. THE NR-VN-XXX SHOWN ON THE VALVES HAS BEEN REPLACED BY SYSTEM 41 VALVE NO. 07XXX.
3. CONNECTION FOR EX-CONTAINMENT SPENT CORE COMPONENTS SODIUM REMOVAL STATION.
4. EQUIPMENT NUMBERS PER WADCO/FFTF 713378, FFTF PROCESS, N. T. ELEMENT AND EQUIPMENT NUMERICALS.
5. EQUIPMENT NUMBERS 1-79 ARE MAIN COOLING (D-P).
6. EQUIPMENT NUMBERS 100-149 ARE WATER RINSE SYSTEM.
7. EQUIPMENT NUMBERS 150-191 ARE INERT GAS SUPPLY.
8. XCS DENOTES A KEY LOCK CONTROL SWITCH.
9. CONNECTION FOR INDICATOR LIGHTS OF REACTOR CONTROL CONSOLE.
10. FOR CODE CLASSIFICATIONS AND BOUNDARIES, SEE MYS 2036, DESIGN SPECIFICATION FOR THE SODIUM REMOVAL EQUIPMENT CORE COMPONENTS AND GRAPPLERS.
11. ALL PANEL MOUNTED EQUIPMENT IS LOCATED ON C-1167.
12. THIS DRAWING IS NOT TO BE USED FOR FABRICATION OR INSPECTION.
13. DENOTES GAS DRYER.
14. DENOTES DIFFERENTIAL.
15. OPERATING PROCEDURE PER AMCO 02-P-15.
16. DENOTES AGC-BECTEL INTERFACE NO.
17. EQUIPMENT NOS. M-139, T-100, T-101, T-102, P-150 & P-156 ARE FFTF EQUIP NOS., ALL OTHER EQUIP NOS. ARE AMCO NOS.

LEGEND

- PRIMARY GAS
- PRIMARY LIQUID
- PRIMARY COMMON GAS AND LIQUID
- SECONDARY GAS
- SECONDARY LIQUID
- ELECTRICAL
- TRACE HEATED
- PNEUMATIC SUPPLY
- PNEUMATIC SIGNAL



800110619

