



May 9, 1985

U. S. Nuclear Regulatory Commission  
Uranium Process Licensing Section  
Uranium Fuel Licensing Branch  
Division of Fuel Cycle and Material Safety  
Washington, D. C. 20555

Attn. An-Liang Soong, PhD.  
Docket No. 70-1703

85 MAY 14 P3:15

Dear Dr. Soong:

Enclosed are eight copies of revisions to our application for amendment to license #SNM-1513, which we have discussed by telephone. The revised pages are the title page and page numbers 12, 27, 28, and 29.

The newest revisions are marked in the margin with " |R<sub>2</sub> ". Explanations of these revisions follow.

Page 12 1. To eliminate the need for future revisions we are eliminating specific dates from our references to film badge summaries. We also corrected a typographical error.

5.2.9 We have inserted a statement which restricts the calibration work to licensed individuals.

Page 27 We deleted a line which was inaccurate and inconsistent with Table II.

Page 28 Table II has been completely revised. The previous version of the table contained errors, described dose rate measurements made without the paraffin cart blocking the radiographic port (not a normal condition), and emphasized dose rates at locations which employees do not frequent. Data on thermal neutron dose rates have been inserted. We will be installing a more durable guard in front of the CFX. Also, we have added information on the frequency of occupancy.

Page 29 Previously explained for page 12.

(Continued)

8506130377 850509  
PDR ADOCK 07001703  
C PDR

FREE EXEMPT

25239

DOCKET NO. 70-1703  
CONTROL NO. 25239  
DATE OF DOC. 5/9/85  
DATE RCVD. 5/14/85  
FCUF ☒ PER ☒  
FCAP ☒ LPR ☒  
WM ☒ IGE REF. ☒  
WMT ☒ SAFEGUARDS ☒  
FETC ☒ OTHER ☒  
DESCRIPTION


revisions to  
appl. for amend

5/15/85  
INITIAL MP

We will arrange payment of the application fee as soon as we are advised of the fee.

If you require additional information you may contact me at the address or phone number listed below.

Sincerely,



E. Scott Harter  
Radiation Safety Officer

Copies:

T. Ely, MD  
B. Friedlander, MD  
J. Heyer *JS*  
F. Lovecchio, PhD  
W. Mularz

Please direct correspondence to:

E. Scott Harter  
Eastman Kodak Company  
Industrial Hygiene  
Building 320, Kodak Park  
Rochester, New York 14650  
(716) 722-6927