



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

December 10, 1992

Docket Nos. 50-277/50-278
50-352/50-353

LICENSEE: Philadelphia Electric Company

FACILITY: Peach Bottom Atomic Power Station, Units 2 and 3, and Limerick
Generating Station, Units 1 and 2

SUBJECT: PERIODIC DISCUSSION OF LICENSING ACTIVITIES

On December 1, 1992, the NRC staff met with Philadelphia Electric Company (PECo) representatives at the NRC offices in Rockville, Maryland, to discuss various licensing activities related to the Peach Bottom Atomic Power Station (PBAPS) and the Limerick Generating Station (LGS). Enclosed is a list of meeting participants. Meeting highlights are described in the following summary.

After introductory remarks by the licensee concerning the recent Electrical Distribution Safety Functional Inspection at LGS and PECO activities concerning generic Boiling Water Reactor water level instrument issues, the licensee and NRC staff discussed the status of pending licensing actions. Of particular note were applications for both LGS and PBAPS to extend Technical Specification (TS) surveillance intervals to accommodate a 24-month fuel cycle. It was noted by the licensee that LGS, Unit 2 is expected to operate until the planned January 1993 refueling outage without exceeding the grace period for any current surveillances. The staff informed PECO that it would not be able to meet the licensee requested March 1993 issue date for the PBAPS 24-month surveillance interval amendment application. PECO committed to verifying their belief that all 18-month surveillances necessary for operation until the planned September 1993 PBAPS Unit 3 refueling outage had been completed during a recent forced outage. The staff indicated that continued discussion and review was necessary to ensure that PBAPS Unit 3 did not operate with surveillances that had passed the due date grace period.

Additional discussions were held on pending LGS relief requests, a pending LGS TS change concerning allowed out of service time for the Residual Heat Removal (RHR) system, a pending PBAPS request to extend the operating license expiration date by reconsidering the years the plant was under construction and a pending PBAPS TS change request concerning installation of Generic Letter 89-16, Hardened Torus Vent (HWV) system. The staff requested that the licensee take action to modify or withdraw the HWV TS application in the light of PECO's recent decision to modify the planned design of the HWV. The staff also requested that PECO take action to modify its PBAPS TS change request that would capture ANSI/ANS 3.1-1981 training standards for its personnel. It was recognized by the staff that the ANSI/ANS 3.1 1981 TS change was part of a 1989 commitment to the State of Pennsylvania, however, the staff requested that the licensee take more decisive action to resolve conflicts concerning the specific wording of the TS pages.


210003

9212300116 921210
PDR ADOCK 05000277
P PDR

NRC FILE CENTER COPY

201

The licensee then presented a discussion of planned future licensing actions for both stations. PECO indicated that both stations will be applying for license amendments to increase the rated thermal power of the facilities. PBAPS is expected to submit such an application in July 1994 and LGS is expected to follow in the fall of 1994. Both facilities will be submitting other supporting licensing actions prior to those dates. The licensee requested that the staff take steps to plan staff resources for the timely review of power uprate submittals. Other future actions discussed included the adoption of the Improved Standard Technical Specifications by PBAPS, significant service water system upgrades at LGS and an application to rerack the spent fuel pool at LGS.



Joseph W. Shea, Acting Project Manager
Project Directorate I-2
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Enclosure:
List of Meeting Participants

cc w/enclosure:
See next page


DISTRIBUTION

Docket File	JShea	CAnderson, RGN-I
NRC & Local PDRs	FRinaldi	RClark
PDI-2 Reading	MO'Brien	
TMurley/FMiraglia	OGC	
JPartlow	EJordan, 3701	
SVarga	ACRS(10)	
JCalvo	VMcCree, 17G-21	
CMiller	EWenzinger, RGN-I	

OFFICE	PDI-2/LA	PDI-2/PM	PDI-2/PM	PDI-2/D	
NAME	MO'Brien	JShea:rb	FRinaldi	CMiller	
DATE	12/7/92	12/7/92	12/8/92	12/10/92	

OFFICIAL RECORD COPY
DOCUMENT NAME: PB12-1.SUM

The licensee then presented a discussion of planned future licensing actions for both stations. PECO indicated that both stations will be applying for license amendments to increase the rated thermal power of the facilities. PBAPS is expected to submit such an application in July 1994 and LGS is expected to follow in the fall of 1994. Both facilities will be submitting other supporting licensing actions prior to those dates. The licensee requested that the staff take steps to plan staff resources for the timely review of power uprate submittals. Other future actions discussed included the adoption of the Improved Standard Technical Specifications by PBAPS, significant service water system upgrades at LGS and an application to rerack the spent fuel pool at LGS.



Joseph W. Shea, Acting Project Manager
Project Directorate I-2
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Enclosure:
List of Meeting Participants

cc w/enclosure:
See next page

Philadelphia Electric Company

Peach Bottom Atomic Power Station,
Units 2 and 3
Limerick Generating Station,
Units 1 and 2

cc:

J. W. Durham, Sr., Esquire
Sr. V.P. & General Counsel
Philadelphia Electric Company
2301 Market Street, S26-1
Philadelphia, Pennsylvania 19101

Mr. William P. Dornsife, Director
Bureau of Radiation Protection
Pennsylvania Department of
Environmental Resources
P.O. Box 2063
Harrisburg, Pennsylvania 17120

Philadelphia Electric Company
ATTN: Mr. D. B. Miller, Vice President
Peach Bottom Atomic Power Station
Route 1, Box 208
Delta, Pennsylvania 17314

Board of Supervisors
Peach Bottom Township
R. D. #1
Delta, Pennsylvania 17314

Philadelphia Electric Company
ATTN: Regulatory Engineer, A1-2S
Peach Bottom Atomic Power Station
Route 1, Box 208
Delta, Pennsylvania 17314

Public Service Commission of Maryland
Engineering Division
ATTN: Chief Engineer
231 E. Baltimore Street
Baltimore, MD 21202-3486

Resident Inspector
U.S. Nuclear Regulatory Commission
Peach Bottom Atomic Power Station
P.O. Box 399
Delta, Pennsylvania 17314

Mr. Richard McLean
Power Plant and Environmental
Review Division
Department of Natural Resources
B-3, Tawes State Office Building
Annapolis, Maryland 21401

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, Pennsylvania 19406

Mr. Rod Krich, 52A-5
Philadelphia Electric Company
955 Chesterbrook Boulevard
Wayne, Pennsylvania 19087-5691

Mr. Roland Fletcher
Department of Environment
201 West Preston Street
Baltimore, Maryland 21201

Mr. Graham W. Leitch, Vice President
Limerick Generating Station
P.O. Box A
Sanatoga, Pennsylvania 19464

Carl D. Schaefer
External Operations - Nuclear
Delmarva Power & Light Company
P.O. Box 231
Wilmington, DE 19899

Mr. John Doering
Plant Manager
Limerick Generating Station
P.O. Box A
Sanatoga, Pennsylvania 19464

Philadelphia Electric Company

Peach Bottom Atomic Power Station,
Units 2 and 3
Limerick Generating Station,
Units 1 and 2

Mr. Richard W. Dubiel
Superintendent - Services
Limerick Generating Station
P. O. Box A
Sanatoga, Pennsylvania 19464

Mr. Thomas Kenny
Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 596
Pottstown, PA 19464

Mr. Gil J. Madsen
Regulatory Engineer
Limerick Generating Station
P. O. Box A
Sanatoga, Pennsylvania 19464

Library
U.S. Nuclear Regulatory Commission
Region I
475 Allendale Road
King of Prussia, PA 19406

Mr. George A. Hunger
Project Manager
Limerick Generating Station
P. O. Box A
Sanatoga, Pennsylvania 19464

Mr. Larry Hopkins
Superintendent-Operations
Limerick Generating Station
P. O. Box A
Sanatoga, Pennsylvania 19464

Mr. James A. Muntz
Superintendent - Technical
Limerick Generating Station
P.O. Box A
Sanatoga, Pennsylvania 19464

Mr. George J. Beck
Manager-Licensing, 52A-5
Philadelphia Electric Company
Nuclear Group Headquarters
Correspondence Control Desk
P.O. Box No. 195
Wayne, Pennsylvania 19087-0195

ENCLOSURE

NRC/PHILADELPHIA ELECTRIC COMPANY
MEETING ON LICENSING ACTIVITIES
December 1, 1992

<u>NAME</u>	<u>ORGANIZATION</u>
G. Beck	PECo
J. Basilio	PECo
R. Krich	PECo
C. Miller	NRC
R. Clark	NRC
F. Rinaldi	NRC
J. Shea	NRC