




**Nuclear Fuel Services, Inc.** P.O. Box 124 • West Valley, New York 14171


A Subsidiary of Getty Oil Company

(716) 942-323



November 6, 1980  
9-80-55

Chief, Waste Source Monitoring Section  
New York State Department of  
Environmental Conservation  
Room 300  
50 Wolf Road  
Albany, New York 12233



NOV 17 PM 12 13

RECEIVED


Dear Sir:

In accordance with the provisions of NFS' SPDES Permit #NY0000973, the results and flow measurements for the reporting period 10/1/80 through 10/31/80 are enclosed for your information.

If you have any questions, please contact NFS at your convenience.


Very truly yours,

NUCLEAR FUEL SERVICES, INC.

  
J. P. Duckworth  
General Manager

JPD/SRG/aa  
Enc.

Dist.: Copy 2 - NYSDEC/Buffalo, NY  
Copy 3 - USEPA Region II, NY, NY  
Copy 4 - Accountability/SPDES File  
cc: Cattaraugus Co. Health Dept.  
USNRC, Washington, DC ✓



R 8103800004



## SPDES - DISCHARGE MONITORING REPORT

SEE REVERSE SIDE OF PART 4 FOR INSTRUCTIONS

COUNTY	DATE PRODUCED	PAGE
IT	10-11-80	1 of 1
SUBJECT	REPORT PERIOD	THRU
2000000000	10-11-80	10-11-80

PARAMETER/UNITS	OUT FALL	MONITORING LOCATION	REPORT SECTION				SAMPLE CHARACTERISTICS	
			LIMIT	MINIMUM	AVERAGE	MAXIMUM	EX.	TYPE
OW RATE XXXXXX	001	EFFLUENT VALUE 01000000020101	REPORTED VALUE	NO DISCHARGES THIS PERIOD				INSTANT
OW XXXXXX	002	EFFLUENT VALUE 02000000020201	REPORTED VALUE	NO TRANSFERS THIS PERIOD				INSTANT
ROSS ALPHA XXXXXX	001	EFFLUENT VALUE 0201210000101	REPORTED VALUE	NO DISCHARGES THIS PERIOD				INSTANT
ROSS ALPHA XXXXXX	002	EFFLUENT VALUE 0201210000101	REPORTED VALUE	NO TRANSFERS THIS PERIOD				INSTANT
ROSS ALPHA XXXXXX	002	EFFLUENT VALUE 0201210000101	REPORTED VALUE	2ND HALF 1980 DATA REPORTED ON AUG. 1980 REPORT				SEMI-ANNUAL
ROSS BETA XXXXXX	001	EFFLUENT VALUE 0202210000101	REPORTED VALUE	NO DISCHARGES THIS PERIOD				INSTANT
ROSS BETA XXXXXX	002	EFFLUENT VALUE 0202210000101	REPORTED VALUE	NO TRANSFERS THIS PERIOD				INSTANT
ROSS BETA XXXXXX	002	EFFLUENT VALUE 0202210000101	REPORTED VALUE	2ND HALF 1980 DATA REPORTED ON AUG. 1980 REPORT				SEMI-ANNUAL
OTOPIC GAMMA XXXXXX	001	EFFLUENT VALUE 0202201000101	REPORTED VALUE	NO DISCHARGES THIS PERIOD				INSTANT
OTOPIC GAMMA XXXXXX	002	EFFLUENT VALUE 0202201000101	REPORTED VALUE	NO TRANSFERS THIS PERIOD				INSTANT

I hereby affirm under penalty of perjury that information provided on this form is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.

NAME, TITLE AND TITLE

J. P. Duckworth, General Manager

☒ 1 PERMITTEE  
☐ 2 AGENT

SIGNATURE

DATE

11/7/80

NUCLEAR FUEL SERVICES

PO BOX 124

WEST VALLEY

NY 14171

NY00000772

02 P

05 02 300 01

PART 1-ENCON COPY



## SPDES - DISCHARGE MONITORING REPORT

SEE REVERSE SIDE OF PART 4 FOR INSTRUCTIONS

REGION	COUNTY	DATE PRODUCED	PAGE
1	1	10-01-81	2 of 2
FACILITY LOC.		REPORT PERIOD	THRU
100-11-17		10-01-81	10-31-81

PARAMETER/UNITS	OUT FALL	MONITORING LOCATION	REPORT SECTION				SAMPLE CHARACTERISTICS	
			LIMIT	MINIMUM	AVERAGE	MAXIMUM	EX.	TYPE
SOTOPIC GAMMA XXXXXXX	001	EFFLUENT VALUE 1102015-00501	REPORTED VALUE	NO IDENTIFIABLE PEAKS				24 HR COMP
TRITIUM XXXXXXX	001	EFFLUENT VALUE 1207000-00101	REPORTED VALUE	NO DISCHARGES THIS PERIOD				24 HR COMP
TRITIUM XXXXXXX	002	EFFLUENT VALUE 1207000-00501	REPORTED VALUE	NO TRANSFERS THIS PERIOD				INSTANT
TRITIUM XXXXXXX	003	EFFLUENT VALUE 1207000-00501	REPORTED VALUE	NO TRANSFERS THIS PERIOD				INSTANT
TRITIUM XXXXXXX	004	EFFLUENT VALUE 1207000-00501	REPORTED VALUE	2ND HALF 1980 DATA REPORTED ON AUG. 1980 REPORT				24 HR COMP
STRONTIUM-90 XXXXXXX	001	EFFLUENT VALUE 1112015-00101	REPORTED VALUE	NO DISCHARGES THIS PERIOD				24 HR COMP
STRONTIUM-90 XXXXXXX	002	EFFLUENT VALUE 1112015-00501	REPORTED VALUE	NO TRANSFERS THIS PERIOD				INSTANT
STRONTIUM-90 XXXXXXX	003	EFFLUENT VALUE 1112015-00501	REPORTED VALUE	2ND HALF 1980 DATA REPORTED ON SEPT. 1980 REPORT				24 HR COMP
ODINE-129 XXXXXXX	001	EFFLUENT VALUE 1112015-00101	REPORTED VALUE	17.5 + 3.9	FOR AUG. 1980	DISCHARGE/NO	DISCHARGES THIS PERIOD	24 HR COMP
ODINE-129 XXXXXXX	002	EFFLUENT VALUE 1212015-00101	REPORTED VALUE	NO TRANSFERS THIS PERIOD				INSTANT
ODINE-129 XXXXXXX	003	EFFLUENT VALUE 2012015-00001	REPORTED VALUE	<4.00				24 HR COMP

I hereby affirm under penalty of perjury that information provided on this form is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to section 210.45 of the Penal Law.

OPERATOR'S NAME AND TITLE

J. P. Duckworth, General Manager

☒ 1 PERMITTEE  
☐ 2 AGENT

SIGNATURE

DATE

11/7/81

NUCLEAR FULL SERVICES

PO BOX 124

WEST VALLEY

NY

14171

NY0000972

02 P

05 02 50 01

AGENCY COUNTY

ACTIVITY ID.

REPORT PERIOD

DATE PRODUCED PAGE of  
THRU

SPDES - DISCHARGE MONITORING REPORT

SEE REVERSE SIDE OF PART 4 FOR INSTRUCTIONS

REPORT SECTION		SAMPLE CHARACTERISTICS			
OUT FAIL	MONITORING LOCATION	LIMIT	MINIMUM	AVERAGE	MAXIMUM
001	EFFLUENT VALUE 21010010101	REPORTED VALUE	NO DISCHARGES THIS PERIOD	0.11111	0.11111
001	EFFLUENT VALUE 220010020101	REPORTED VALUE	NO DISCHARGES	NO DISCHARGES	NO DISCHARGES
001	EFFLUENT VALUE 230010040101	REPORTED VALUE	NO DISCHARGES	11.5	11.5
001	EFFLUENT VALUE 240010060101	REPORTED VALUE	NO DISCHARGES	NO DISCHARGES	NO DISCHARGES
001	EFFLUENT VALUE 250010080101	REPORTED VALUE	NO DISCHARGES	7.6	7.6
001	EFFLUENT VALUE 260010100101	REPORTED VALUE	NO DISCHARGES	7.5	7.5
001	EFFLUENT VALUE 270010120101	REPORTED VALUE	NO DISCHARGES	6.8	6.8
001	EFFLUENT VALUE 280010140101	REPORTED VALUE	NO DISCHARGES	0.035	0.035
001	EFFLUENT VALUE 290010160101	REPORTED VALUE	NO DISCHARGES	NO DISCHARGES	NO DISCHARGES
001	EFFLUENT VALUE 300010180101	REPORTED VALUE	NO DISCHARGES	NO DISCHARGES	NO DISCHARGES

I hereby affirm under penalty of perjury that information provided on this form is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 240.45 of the Penal Law.

DATE AND TIME J. P. Duckworth, General Manager

PERMITTEE

AGENT

INDUSTRIAL FULL SERVICE

PO BOX 124

WEST VALLEY

NY 14171

NY0000071

02

05 02 50 01

DATE

11/17/80

SIGNATURE

*[Signature]*





## SPDES - DISCHARGE MONITORING REPORT

SEE REVERSE SIDE OF PART 4 FOR INSTRUCTIONS

REGION	COUNTY	DATE PRODUCED	PAGE
FACILITY I.D.	REPORT PERIOD	THRU	

TEST PARAMETERS/UNITS	OUT FAIL	MONITORING LOCATION	REPORT SEC 11004				SAMPLE CHARACTERISTICS	
			LIMIT	MINIMUM	AVERAGE	MAXIMUM	TYPE	FREQUENCY
COPPER TOTAL COP	001	EFFLUENT VALUE 2101020010101	REPORTED VALUE	0.0000	0.0000	NO DISCHARGES	24 HR CUP	DAILY
	002	EFFLUENT VALUE 2101030010101	LIMIT	0.0000	4.2	XXXX	24 HR CUP	DAILY
	003	EFFLUENT VALUE 2101040010101	REPORTED VALUE	0.0000	9.4	XXXX	24 HR CUP	DAILY
COPPER SULFIDE COP	001	EFFLUENT VALUE 2101050010101	LIMIT	0.0000	12.4	XXXX	24 HR CUP	DAILY
	002	EFFLUENT VALUE 2101060010101	REPORTED VALUE	0.0000	10.8	XXXX	24 HR CUP	DAILY
	003	EFFLUENT VALUE 2101070010101	LIMIT	0.0000	NO DISCHARGES	24 HR CUP	DAILY	
COPPER TOTAL COP	001	EFFLUENT VALUE 2101080010101	REPORTED VALUE	0.0000	NO DISCHARGES	24 HR CUP	DAILY	
	002	EFFLUENT VALUE 2101090010101	LIMIT	0.0000	NO DISCHARGES	24 HR CUP	DAILY	
	003	EFFLUENT VALUE 2101100010101	REPORTED VALUE	0.0000	NO DISCHARGES	24 HR CUP	DAILY	
COPPER TOTAL COP	001	EFFLUENT VALUE 2101110010101	LIMIT	0.0000	NO DISCHARGES	24 HR CUP	DAILY	
	002	EFFLUENT VALUE 2101120010101	REPORTED VALUE	0.0000	NO DISCHARGES	24 HR CUP	DAILY	
	003	EFFLUENT VALUE 2101130010101	LIMIT	0.0000	NO DISCHARGES	24 HR CUP	DAILY	
COPPER TOTAL COP	001	EFFLUENT VALUE 2101140010101	REPORTED VALUE	0.0000	NO DISCHARGES	24 HR CUP	DAILY	
	002	EFFLUENT VALUE 2101150010101	LIMIT	0.0000	NO DISCHARGES	24 HR CUP	DAILY	
	003	EFFLUENT VALUE 2101160010101	REPORTED VALUE	0.0000	0.28	0.28	24 HR CUP	DAILY

I hereby affirm under penalty of perjury that information provided on this form is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.

REGISTRATION NAME AND TITLE

J. P. Duckworth, General Manager

☒ 1 PERMITTEE  
☐ 2 AGENT

## NATURE

DATE \_\_\_\_\_

AVULAN FULL SERVICE

522 X 74 074

WEST VALLEY

PLATE 1

Y00000Y7

TO WRS ZN SA

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
SPDES - DISCHARGE MONITORING REPORT  
SEE REVERSE SIDE OF PART 4 FOR INSTRUCTIONS



REGION	COUNTY	DATE PRODUCED	PAGE
1	WEST VALLEY	10-11-81	1 of 1
FACILITY I.D.		REPORT PERIOD	
10-11-81		THRU	10-11-81

PARAMETER/UNITS	OUT FALL	MONITORING LOCATION	REPORT SECTION				SAMPLE CHARACTERISTICS		
				MINIMUM	AVERAGE	MAXIMUM	EX.	TYPE	FREQUENCY
TOTAL SOLIDS	002	EFFLUENT VALVE 4192902194901	LIMIT	0.1	0.1	0.1			DAILY
			REPORTED VALUE	0.1	0.1	0.1	0		
TOTAL SOLIDS	001	EFFLUENT VALVE 4192902019101	LIMIT	0.1	0.1	0.1		24 HR GRIP	DAILY
			REPORTED VALUE	0.1	0.1	0.1	NO DISCHARGES		
TOTAL SOLIDS	000	EFFLUENT VALVE 4192902019001	LIMIT	0.1	0.1	0.1		24 HR	DAILY
			REPORTED VALUE	0.1	0.1	0.1	<0.0001	0	
			LIMIT						
			REPORTED VALUE						
			LIMIT						
			REPORTED VALUE						
			LIMIT						
			REPORTED VALUE						
			LIMIT						
			REPORTED VALUE						
			LIMIT						
			REPORTED VALUE						
			LIMIT						
			REPORTED VALUE						
			LIMIT						
			REPORTED VALUE						

I hereby affirm under penalty of perjury that information provided on this form is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.

TYPE TITLE, NAME AND TITLE: J. P. Duckworth, General Manager

SIGNATURE: *[Signature]*

DATE: 10/12/81

☒ PERMITTEE  
☐ AGENT

NULLMAN FULL SERVICES  
PO BOX 124  
WEST VALLEY NY 11771  
NY 11771  
02 P  
MS 02 SUB 01  
PART 1-ENCON COPY