

VOID SHEET

TO: License Fee Management Branch

FROM: RII

SUBJECT: VOIDED APPLICATION

Control Number: 93333

Applicant: Heritage Research Group

Date Voided: 5-27-92

Reason for Void: Licensee decided not to
change mailing address.

Robert B. Gattens Jr. 5-27-92
Signature Date

Attachment:
Official Record Copy of
Voided Action

FOR LFM USE ONLY

Final Review of VOID Completed:

- ☐ Refund Authorized and processed
☒ No Refund Due
☐ Fee Exempt or Fee Not Required

Comments: _____

Log completed ☒

Processed by: Ry

9301050340 920527
PDR ADOCK 03031761
C PDR

290062

ML
38 DH

BETWEEN:

DECOM FIN ASSUR-REDDEFIN

P. Delaport.

D. LICENSE FFE MANAGEMENT BRANCH (CHECK WHEN MILESTONE IS ENTERED) ☒ (Y/N)


3P FEE EXEMPT

4/28/17

RECEIVED

MAY 01 1992

REGION III



HERITAGE GROUP SAFETY SERVICES

SAFETY OFFICE • 4806 West 86th Street • Indianapolis, IN 46268-1653

Telephone (317) 875-3902

FAX (317) 875-7168

April 8, 1992

Mr. Mike McCann
U.S. Nuclear Regulatory Commission
Materials Licensing Section
799 Roosevelt
Glen Ellyn, IL 60138

Dear Mr. McCann,

Enclosed is a check for \$380.00 to cover amendments made to license 13-26203-01, reference number 030-31761. The licensee is Heritage Research Group.

We request that an amendment be made to change the licensee address from 7901 West Morris Street, Indianapolis, Indiana 46231 to P.O. Box 167590, 940 Wynn Road, Oregon, Ohio 43616.

It is also requested that the Radiation Protection Officer be changed from John Frederick Roecker to Robert Milliken. Mr. Milliken has completed the CPN Radiation Safety course and has worked with the gauge since November of 1990. Mr. Roecker will be transferring from his position on April 17, 1992.

Thank you for your consideration and if you have any questions, call me at 1-800-827-2279.

APR 22 1992

RECEIVED BY LFMS	
Date	4/22/92
Log	Apr 20 1992
By	RG
Date Completed	4/22/92

FEE EXEMPT

Termination
92TA2002.19

Asphalt Materials, Inc.
Astro Paving Co., Inc.
Bituminous Material & Supply, L.P.
Calumet Lubricants Company
Contractors United, Inc.

Crystal Flash Petroleum Corporation
Emulsicoat, Inc.
Fauber Construction Co., Inc.
Heritage Remediation/Engineering, Inc.
Heritage Research Group

Lahree, Inc.
Laketon Refining Corporation
Machberger, Strong, Inc.

Yours Truly,

Tara B. Hawks

Tara B. Hawks
Corporate Industrial Hygienist

RECEIVED

APR 16 1992

CONTROL NO. 93333

APR 16 1992

MATERIALS LICENSE

Amendment No. 01

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 39, 40 and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material as designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons as designated below; and to use it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee

1. Heritage Research Group

2. 7901 West Morris Street
Indianapolis, IN 46231In accordance with letter dated
April 8, 19923. License number 13-26203-01 is amended in
its entirety to read as follows:

4. Expiration date September 30, 1995

5. Docket or
Reference No 030-317616. Byproduct, source, and/or
special nuclear material7. Chemical and/or physical
form8. Maximum amount that licensee
may possess at any one time
under this license

A. Cesium-137

A. Sealed source
(Troxler Dwg. No.
A-102112)A. 5 sources not
to exceed 10
millicuries each

B. Americium-241

B. Sealed source
(Troxler Dwg. No.
A-102451)B. 5 sources not
to exceed 50
millicuries each

C. Americium-241

C. Sealed source
(Troxler Dwg. No.
A-100608)C. 5 sources not
to exceed 100
millicuries each

9. Authorized Use

A. To be used in Troxler Models 4640 Series, 4545 Series, 3565 Series and 1300 Series portable measuring gauges.

B. To be used in Troxler Model 3216 surface moisture gauges.

A. and B. To be used in Troxler Model 3400 Series surface moisture/density gauges.

C. To be used in Troxler Model 3241 asphalt content gauges.

CONDITIONS

10. Licensed material may be stored at 7901 West Morris Street, Indianapolis, Indiana and 940 Wyn Road, Oregon, Ohio and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.

4
COPY

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

13-26203-01

Docket or Reference number

030-31761

Amendment No. 01

11. Licensed material shall be used by, or under the supervision and in the physical presence of, individuals who have successfully completed the device manufacturer's training program for gauge users and have been designated by the licensee's Radiation Protection Officer. The licensee shall maintain records of the individuals who have been designated as authorized users.
12. The Radiation Protection Officer for the activities authorized by this license is Robert W. Milliken.
13. A. (1) The source(s) specified in Item(s) 7.A., 7.B. and 7.C. shall be tested for leakage and/or contamination at intervals not to exceed 6 months. Any source received from another person which is not accompanied by a certificate indicating that a test was performed within 6 months before the transfer shall not be put into use until tested.
(2) Notwithstanding the periodic leak test required by this condition, any licensed sealed source is exempt from such leak tests when the source contains 100 microcuries or less of beta and/or gamma emitting material or 10 microcuries or less of alpha emitting material.
B. Any source in storage and not being used need not be tested. When the source is removed from storage for use or transfer to another person, it shall be tested before use or transfer.
C. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, the source shall be removed from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. A report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region III, 799 Roosevelt Road, Glen Ellyn, Illinois 60137, ATTN: Chief, Nuclear Materials Safety Branch. The report shall specify the source involved, the test results, and corrective action taken. Records of leak test results shall be kept in units of microcuries and shall be maintained for inspection by the Commission. Records may be disposed of following Commission inspection.
D. The licensee is authorized to collect leak test samples for analysis by Troxler or tests for leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
14. Sealed sources containing licensed material shall not be opened or removed from the gauges by the licensee.
15. When performing tests at temporary job sites, the authorized user shall not leave the moisture/density gauge unattended. Upon completion of tests the device shall be locked in the licensee's vehicle or a secure building to prevent unauthorized use, loss or theft.

COPY

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number

13-26203-01

Docket or Reference number

030-31761

Amendment No. 01

16. The licensee may transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
17. Any cleaning, maintenance or repair of the gauge(s) that requires removal of the source rod shall be performed only by the manufacturer or by other persons specifically licensed by the Commission or an Agreement State to perform such services.
18. The licensee shall maintain records of information important to safe and effective decommissioning at the location listed in item 2 of this license per the provisions of 10 CFR 30.35(g) until this license is terminated by the Commission.
19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Application received June 1, 1990; and
 - B. Letter dated June 11, 1992.

For the U.S. Nuclear Regulatory Commission

Original Signed by Robert G. Gattone, Jr.

Date: JUN 29 1992

By Materials Licensing Section, Region II

COPY

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 39, 40 and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

93513

Licensee		In accordance with letter dated April 8, 1992	
1. Heritage Research Group		3. License number 13-26203-01 is amended in its entirety to read as follows:	
2. 7901 West Morris Street Indianapolis, IN 46231		4. Expiration date	September 30, 1995
		5. Docket or Reference No	030-31761
6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	
A. Cesium-137	A. Sealed source (Troxler Dwg. No. A-102112)	A. 5 sources not to exceed 10 millicuries each	
B. Americium-241	B. Sealed source (Troxler Dwg. No. A-102451)	B. 5 sources not to exceed 50 millicuries each	
C. Americium-241	C. Sealed source (Troxler Dwg. No. A-100608)	C. 5 sources not to exceed 100 millicuries each	

Use

Troxler Models 4640 Series, 4545 Series, 3565 Series and 1300 Series surface moisture gauges.

1300 Series surface moisture gauges.

1300 Series surface moisture/density gauges.

Soil salt content gauges.

1300 Series, Indianapolis, Indiana
temporary job sites of
U.S. Nuclear Regulatory
Commission use of licensed material.

2 30 04
COPY

MATERIALS LICENSE

Amendment No. 01

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter 1, Parts 30, 31, 32, 33, 34, 35, 39, 40 and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

93513

<p>Licensee</p> <p>1. Heritage Research Group</p> <p>2. 7901 West Morris Street Indianapolis, IN 46231</p>		<p>In accordance with letter dated April 8, 1992</p> <p>3. License number 13-26203-01 is amended in its entirety to read as follows:</p>	
		4. Expiration date	September 30, 1995
		5. Docket or Reference No.	030-31761
6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	
A. Cesium-137	A. Sealed source (Troxler Dwg. No. A-102112)	A. 5 sources not to exceed 10 millicuries each	
B. Americium-241	B. Sealed source (Troxler Dwg. No. A-102451)	B. 5 sources not to exceed 50 millicuries each	
C. Americium-241	C. Sealed source (Troxler Dwg. No. A-100608)	C. 5 sources not to exceed 100 millicuries each	
9. Authorized Use			
A. To be used in Troxler Models 4640 Series, 4545 Series, 3565 Series and 1300 Series portable measuring gauges.			
B. To be used in Troxler Model 3216 surface moisture gauges.			
A. and B. To be used in Troxler Model 3400 Series surface moisture/density gauges.			
C. To be used in Troxler Model 3241 asphalt content gauges.			

CONDITIONS

10. Licensed material may be stored at 7901 West Morris Street, Indianapolis, Indiana and 940 Wyn Road, Oregon, Ohio and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.

2 30 04
COPY

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License number
13-26203-01

Docket or Reference number
030-31761

Amendment No. 01

11. Licensed material shall be used by, or under the supervision and in the physical presence of, individuals who have successfully completed the device manufacturer's training program for gauge users and have been designated by the licensee's Radiation Protection Officer. The licensee shall maintain records of the individuals who have been designated as authorized users.
12. The Radiation Protection Officer for the activities authorized by this license is Robert W. Milliken.
13. A. (1) The source(s) specified in Item(s) 7.A., 7.B., and 7.C. shall be tested for leakage and/or contamination at intervals not to exceed 6 months. Any source received from another person which is not accompanied by a certificate indicating that a test was performed within 6 months before the transfer shall not be put into use until tested.
(2) Notwithstanding the periodic leak test required by this condition, any licensed sealed source is exempt from such leak tests when the source contains 100 microcuries or less of beta and/or gamma emitting material or 10 microcuries or less of alpha emitting material.
B. Any source in storage and not being used need not be tested. When the source is removed from storage for use or transfer to another person, it shall be tested before use or transfer.
C. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, the source shall be removed from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. A report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region III, 799 Roosevelt Road, Glen Ellyn, Illinois 60137, ATTN: Chief, Nuclear Materials Safety Branch. The report shall specify the source involved, the test results, and corrective action taken. Records of leak test results shall be kept in units of microcuries and shall be maintained for inspection by the Commission. Records may be disposed of following Commission inspection.
D. The licensee is authorized to collect leak test samples for analysis by Troxler or tests for leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
14. Sealed sources containing licensed material shall not be opened or removed from the gauges by the licensee.
15. When performing tests at temporary job sites, the authorized user shall not leave the moisture/density gauge unattended. Upon completion of tests the device shall be locked in the licensee's vehicle or a secure building to prevent unauthorized use, loss or theft.

COPY

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License number 13-26203-01

Docket or Reference number 030-31761

Amendment No. 01

16. The licensee may transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
17. Any cleaning, maintenance or repair of the gauge(s) that requires removal of the source rod shall be performed only by the manufacturer or by other persons specifically licensed by the Commission or an Agreement State to perform such services.
18. The licensee shall maintain records of information important to safe and effective decommissioning at the location listed in item 2 of this license per the provisions of 10 CFR 30.35(g) until this license is terminated by the Commission.
19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Application received June 1, 1990; and
 - B. Letter dated June 11, 1992.

For the U.S. Nuclear Regulatory Commission

Original Signed by Robert G. Gattone, Jr.

Date: JUN 29 1992

By

Materials Licensing Section, Region II

COPY

(FOR LFMS USE)
INFORMATION FROM LTS

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

PROGRAM CODE: 03121
STATUS CODE: 0
FEE CATEGORY: 3P
EXP. DATE: 19950930
FEE COMMENTS:
DECOM FIN ASSUR REQDT N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED
APPLICANT/LICENSEE: HERITAGE RESEARCH GROUP
RECEIVED DATE: 920416
DOCKET NO: 3031761
CONTROL NO.: 393513
LICENSE NO.: 13-26203-01
ACTION TYPE: AMENDMENT

2. FEE ATTACHED

AMOUNT:

CHECK NO.:

See CN
3-923333 for fee info

3. COMMENTS

SIGNED
DATE

P. Bickel
8-27-92

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED)

1. FEE CATEGORY AND AMOUNT:

3P

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:

AMENDMENT
RENEWAL
LICENSE

3. OTHER

SIGNED
DATE

Rita Jacques
6/3/92

RECEIVED

JUN 04 1992
REGION III

S3
MS15



N
34-26412-01
030-32773
HERITAGE GROUP SAFETY SERVICES

SAFETY OFFICE • 4806 West 86th Street • Indianapolis, IN 46268-1653

Telephone (317) 875-3902

FAX (317) 875-7168

3P
Inouff
April 8, 1992

13-26203-01

Mr. Mike McCann
U.S. Nuclear Regulatory Commission
Materials Licensing Section
799 Roosevelt
Glen Ellyn, IL 60138

Dear Mr. McCann,

Enclosed is a check for \$380.00 to cover amendments made to license 13-26203-01, reference number 030-31761. The licensee is Heritage Research Group.

We request that an amendment be made to change the licensee address from 7901 West Morris Street, Indianapolis, Indiana 46231 to P.O. Box 167590, 940 Wynn Road, Oregon, Ohio 43616.

It is also requested that the Radiation Protection Officer be changed from John Frederick Roecker to Robert Milliken. Mr. Milliken has completed the CPN Radiation Safety course and has worked with the gauge since November of 1990. Mr. Roecker will be transferring from his position on April 17, 1992.

Thank you for your consideration and if you have any questions, call me at 1-800-827-2279.

Yours Truly,

Tara B. Hawks

Tara B. Hawks
Corporate Industrial Hygienist

92TA2002.19

Asphalt Materials, Inc.
Astro Paving Co., Inc.
Brimmings Material & Supply, L.P.
Calumet Lubricants Company
Contractors United, Inc.

Crystal Flash Petroleum Corporation
Envulscial, Inc.
Faubus Construction Co., Inc.
Heritage Remediation / Engineering, Inc.
Heritage Research Group

Labrec, Inc.
Laketon Refining Corporation
Meshberger Stone, Inc.
NO. 22222

CONTROL NO.

93513

11:16 AM 28 MAR 92

Log	<i>Jun 2 III</i>
Remitter	
Check No.	<i>32230</i>
Amount	<i>4330</i>
Fee Category	<i>3P</i>
Type of Fee	<i>and 4/29</i>
Date Check Rec'd	
Date Deposited	<i>6/3</i>
By	<i>Ry</i>

RECEIVED

APR 16 1992

APR 16 1992

CONVERSATION RECORD

TIME

1:05

DATE

5-27-92

TYPE

☐ VISIT

☐ CONFERENCE

☒ TEL PHONE

☐ INCOMING

☒ OUTGOING

ROUTING

NAME/SYMBOL INT

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

Jana Hawks

ORGANIZATION (Office, dept., bureau, etc.)

Heritage Research Group

TELEPHONE NO.

1-800

927-2279

SUBJECT

CIN 93322

SUMMARY

(Q1) Clarify if authorized RSO, Mr. Roelcher, is still responsible for RSO duties. (NO) left in April 1992 - Notified licensee of apparent violation of Condition 12 of the license. Licensee ~~Mr. Roelcher~~ ^{Mr. Meliken} has successfully completed CPN training + has assumed RSO duties for Mr. Roelcher.

(Q2) Clarify how items 2 and Condition 10 of the license should read. No change requested!

ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

Bob Dattens

SIGNATURE

Robert G. Dattens Jr.

DATE

5-27-92

ACTION TAKEN

SIGNATURE

TITLE

DATE

VOID SHEET

TO: License Fee Management Branch

FROM:

R III

SUBJECT:

VOIDED APPLICATION

Control Number:

93322

Applicant:

Heritage Group Safety Service

Date Voided:

5-28-92

Reason for Void:

Licensee decided not to
change mailing address.

Robert D. Hattberg
Signature

5-28-92
Date

Attachment:

Official Record Copy of
Voided Action

FOR LFMB USE ONLY

Final Review of VOID Completed:

- ☐ Refund Authorized and processed
- ☐ No Refund Due
- ☐ Fee Exempt or Fee Not Required

Comments:

Log completed



Processed by:

CONTROL No.

93513

BETWEEN:

```

PROGRAM CODE:
STATUS CODE: 3-----
FEE CATEGORY: -----
EXP. DATE: 0
FEE COMMENTS:
DECOM FIN ASSUR REGDT

```

A. REGION

- SIGNED _____
DATE _____

APR 16 1992

LaBrie, Inc.
Laketon Refining Corporation
Meshberger Stone, Inc.
NuTec Supply, Inc.
U. S. Aggregates, Inc.

CONTROL NO. 935 F3



HERITAGE GROUP SAFETY SERVICES

SAFETY OFFICE • 4806 West 86th Street • Indianapolis, IN 46268-1653
Telephone (317) 875-3902 FAX (317) 875-7168

Mr. Robert Gatton
NUCLEAR REGULATORY COMMISSION
Materials Licensing Section
799 Roosevelt
Glenn Ellyn, IL 60138

RE: License No. 13-26203-01

Dear Mr. Gatton:

Enclosed is the certificate you requested from Robert W. Milliken. You also should have received an authorization letter from Mr. Anthony Kriech. I hope both of these documents are satisfactory. If there is any problem or if you need further information please feel free to call me.

Thank you for your cooperation.

Sincerely,

Tara B. Hawks
Corporate Industrial Hy. Unit

RECEIVED

JUN 23 1992

REGION III

JUN 23 1992

Asphalt Materials, Inc.
Astro Paving Co., Inc.
Bituminous Material & Supply, LP
Calumet Lubricants Company
Contractors United, Inc.

Crystal Flash Petroleum Corporation
Emulsicoat, Inc.
Faubel Construction Co., Inc.
Heritage Remediation/Engineering, Inc.
Heritage Research Group

LaBrec, Inc.
Laketon Refining Corporation
Meshberger Stone, Inc.
NuTec Supply, Inc.
U. S. Aggregates, Inc.

No 10343

Certificate of Completion

This is to certify that Robert W. Milliken has completed the
basic training course on *Radiation Safety and Use of Nuclear Soil Gauges*,
held this 11 day of January 19 91, held at Ramada Inn South
City of Grove City State of Ohio by CPN Corporation

Willie Cline
RESUME COPY

Willie Cline



2830 Howe Road
Martinez, California USA 94553

Willie Cline
RADIATION SAFETY OFFICER

Willie Cline

CONVERSATION RECORD

TIME

4:55

DATE

6-18-92

TYPE

☐ VISIT

☐ CONFERENCE

☒ TELEPHONE

☐ INCOMING

☒ OUTGOING

ROUTING

NAME/SYMBOL

INT

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

Jana Hawkins

ORGANIZATION (Office, dept., bureau, etc.)

Heritage Research

TELEPHONE NO.

1-800-827-2279

SUBJECT

C/N 93513

Lic. # 13-26203-01

SUMMARY

(C) Submit a copy of the certificate documenting Mr. Mulliken's successful completion of the CPN course.

Respond < 10 days

License will send to us ASAP

ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

Bob Gattone

SIGNATURE

Robert L. Gattone

DATE

6-18-92

ACTION TAKEN

SIGNATURE

TITLE

DATE

HERITAGE RESEARCH GROUP

7901 W. Morris Street
Indianapolis, IN 46231
Telephone: 317-243-0811



- Chemists and Engineers
- Research & Development
- Consulting
- Materials Testing

June 11, 1992

13-26203-01

Mr. Robert Catton
NUCLEAR REGULATORY COMMISSION
Materials Licensing Section
799 Roosevelt
Glenn Ellyn, IL 60138

RE: HRG #4575AIM1

Dear Mr. Catton:

This letter is to inform you that I authorize Tara Hawks to represent Heritage Research Group in future nuclear radiation matters. If you have any questions concerning this change, please feel free to call me.

Correspondences should be addressed as listed below.

Tara Hawks
Heritage Research Group
4806 W. 86th Street
Indianapolis, IN 46268

Thank you for your cooperation in this matter.

Sincerely,

Anthony J. Kriech
Vice President of Manufacturing & Research

AJK/mlw

RECEIVED

JUN 15 1992

REGION III

JUN 15 1992

CONVERSATION RECORD

TIME

10:30

DATE

5-29-92

TYPE

☐ VISIT

☐ CONFERENCE

☒ TELEPHONE

☐ INCOMING

☐ OUTGOING

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

Jana Hawks

ORGANIZATION (Office, dept., bureau, etc.)

Heritage Research Group

TELEPHONE NO.

1-800-827-2279

SUBJECT

CIN 93513

Lic. # 13-26263-01

ROUTING

NAME/SYMBOL

INT

SUMMARY

(1) Need documentation that Jana Hawks has the authority to represent Heritage Research Group in NRC licensing matters.

(2) Submit a copy of the certificate documenting Mr. Milliken's successful completion of the CPN course.

Respond < 30 days

ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

Bob Gattone

SIGNATURE

Robert E. Gattone Jr.

DATE

5-29-92

ACTION TAKEN

SIGNATURE

TITLE

DATE