

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License number

34-09123-02

Docket or Reference number

030-31763

Amendment No. 01

EMAI, Incorporated

P. O. Box 5250
Poland, OH 44514

In accordance with application received July 11, 1995, and concurrent with the issuance of License No. 37-30239-01, License Number 34-09123-02 is hereby terminated.



Date _____

JUL 25 1995

For the U.S. Nuclear Regulatory Commission

Original Signed By

James M. Bondick

By

Nuclear Materials Safety Branch
Region I

King of Prussia, Pennsylvania 19406

OFFICIAL RECORD COPY

ML 10

JUL 25 1995

Mr. Wayne W. Emmer
Plant Manager
ESSROC Materials, Inc.
P. O. Box 5250
Poland, OH 44514

Dear Mr. Emmer:

Concurrent with the issuance of License No. 37-30239-01, please find enclosed Amendment No. 01 terminating License No. 34-09123-02.

Your cooperation with us is appreciated.

Sincerely,

Original Signed By
James M. Bondick

James M. Bondick
Nuclear Materials Safety Branch
Division of Radiation Safety
and Safeguards

License No. 34-09123-02
Docket No. 030-31763
Control No. 122037

Enclosure:
Amendment No. 01

DOCUMENT NAME: R:\WPS\MLTR\L3409123.02

OFFICE	DRSS/RI	N					
NAME	JBondick/jmb <i>JB</i>						
DATE	07/24/95	07/	/95	07/	/95	07/	/95

OFFICIAL RECORD COPY

ML 10



MS16

Q-6

July 20, 1995

James M. Bondick
Nuclear Materials Safety Branch
Division of Radiation Safety and Safeguards
U. S. Nuclear Safety Commission
Region I
476 Allendale Rd.
King of Prussia, PA 19406-1415

Subject: License No. 34-09123-02 Docket No. 030-31763 Control No. 122037

Dear Mr. Bondick:

In response to your July 19, letter:

1. There has been no change of ownership of the license.
 - a. E.M.A.I. Corporation (ESSROC Materials Acquisition Investment Corporation) was a wholly owned subsidiary of ESSROC Materials Inc. On December 31, 1993, ESSROC Materials Inc. merged the two companies. E.M.A.I. no longer exists as a legal entity and the name on the license needs to be corrected to reflect ESSROC Materials' current organizational status.
 - b. ESSROC wishes to renew and maintain the existing license.
 - c. A copy of the State Certification of the merger is attached.
 - d. There are no planned changes in the organization, location, facilities, storage, or use of the licensed material. Equipment or procedures as organization and operation are the same as before.
 - e. There are no changes to the use possession or storage of the materials license.
 - f. The Surveillance items, and records, (e.g. calibrations, leak tests, surveys, inventories, and accountability requirements) are current as there was no transfer.
 - g. Our leak test records indicate that there is no contamination of the facility.

h. Issue "h" is not applicable. The facility was not transferred.

i. ESSROC will continue to abide by all constraints, conditions, requirements, commitments, and representations identified in the existing license. These include but are not limited to: maintaining decommission records, required by 10 CFR 30.35 (g); implementing decontamination activities and decommissioning of the site; and completing corrective actions for open inspection items and enforcement actions.

j. ESSROC Materials is aware of the all open inspection items and possible resulting enforcement action as there has been no transfer.

2. If you will return the application we will correct the signature section of the application. The plant manager will sign all future correspondences that request a change in the license.

3. All employees whose duties may warrant their working within the vicinity of the three sealed gauge devices shall receive instruction covering precautionary measures and proper safety procedures for work in, on, or around the devices, prior to their assignment to these areas. These instructions shall include lock out procedures, and emergency procedures in the event of damage to a unit or detected radiation leak.

4. a. There are three gauges at this facility.

b. A sketch of the location of gauges is attached as per 10 CFR 30.33 (a).

c. Maintenance will include leak testing, shutter operation, radiation measurements at one foot distance using a radiation monitor, and checks for proper labeling every six months.

d. An emergency plan is attached.

5. a. Analysis Leak tests will be performed by: **Applied Health Physics**
License NO. 37-09135-01

b. The commercial kit model number used is: **Mark V**

c. Leak tests of the gages will be performed by the Nuclear Safety Officer.

6. The application (item 10; paragraph 7) should be corrected to read:


The Installation, radiation survey, relocation, maintenance, repair, and removal of the units as well as the installation, replacement and disposal of the sealed sources will be done by the units supplier or other specifically authorized by the commission to perform said service. These services can be performed only by persons specifically licensed by the Commission or an agreement state to perform such services.

7. Item 8 of the application should be corrected to read three sealed gages. Please refer to item 3 of this letter. Also:

- a. The lock out procedures as stated refers taking the necessary precautions to prevent employees from entering the radiation beam during maintenance, repairs, or other work where the nuclear gauges are mounted.
- b. Lock out procedures will be provided to employees who may work in the vicinity of the nuclear gauges.
- c. Lock out procedures will be posted in the vicinity of the nuclear gauges.
- d. The Radiation Safety Officer is responsible for ensuring that the lock out procedures are followed.

8. Please be assured that ESSROC will follow the written procedures provided by the nuclear gauge manufacturer.

Sincerely,



Wayne W. Emmer,
Plant Manager,
ESSROC Materials
Bessemer, PA

enclosures

wpdocs/nrcbess.doc.

ESSROC Materials Inc.

Bessemer, Pennsylvania

STANDARD EMERGENCY PROCEDURE FOR FIXED GAUGES

Loss, Theft, Explosion, or Vehicle Accident:

1. Secure the area around the accident. Keep unauthorized persons away. Alert people in vicinity of the presence of radioactivity and a possible hazard.

2. Do not leave the site. Send a helper or onlooker to notify the following:

RADIATION SAFETY OFFICER: **Daniel E. Wingard**
WORK PHONE: **412 667-7702 EXTENSION 354**
HOME PHONE: **412 652-0781**

LOCAL FIRE DEPARTMENT: **Bessemer Borough**
412 652-7081

3. The Radiation Safety Officer must in turn immediately notify:

REGULATORY AGENCY: **U. S. Nuclear Regulatory Commission**
215 337-5000

INSTRUMENT MANUFACTURER: **T. N. Technologies, Round Rock TX**
Phone: 512 388-9100

4. The Radiation Worker and Radiation the Safety Officer (RSO) should inform emergency workers of the radiation hazard possibly existing; should help them keep the area secure; and should explain to emergency personnel the location of the radioactive device or chemical and the extent of the possible hazard. In no case should the radiation worker leave the site until qualified experts arrive, unless of course, the operator is seriously injured or incapacitated, and must be removed from the site by emergency personnel.

ALTERNATE NAMES AND TELEPHONE NUMBERS DESIGNATED BY THE RADIATION SAFETY OFFICER:

Harry J. Curatola:	Work: 412 667-7702 ext 355	Home: 412 652-3575
Everett Broxton:	Work: 412 667-7702 ext 333	Home: 216 757-1340
James Rowe:	Work: 412 667-7702 ext 323	Home: 412 667-9649

Approved By: Wayne W. Emmer
Wayne W. Emmer, Plant Manager

Date: 7/20/95

ESSROC Materials Inc.
Bessemer Facility
Location of Nuclear Density Instruments

NORTH

1"=100'

FOURTH ST.

FIFTH ST.

EAST POLAND AVENUE - PA. S.R. 317

CHANGE ROOM

SLURRY TANKS

CRANE STORAGE

3RD FLOOR

86' 123' - 8"

RAW AND FINISH GRINDING

NO. 4 KILN

NO. 5 KILN

COAL BELT

SLURRY CONV.

COAL CONV.

SLURRY CONV.

CLINKER CONVEYOR

COAL
2700

0# 21' clear

SERVICE BUILDING

Office of the Secretary of State

I, WILLIAM T. QUILLEN, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"EMAI CORPORATION", A PENNSYLVANIA CORPORATION,
"ESSROC LOGANSPOUT CORPORATION", A DELAWARE CORPORATION,
WITH AND INTO "ESSROC MATERIALS INC." UNDER THE NAME OF
"ESSROC MATERIALS INC.", A CORPORATION ORGANIZED AND EXISTING
UNDER THE LAWS OF THE STATE OF PENNSYLVANIA, AS RECEIVED AND
FILED IN THIS OFFICE THE TWENTY-SEVENTH DAY OF DECEMBER, A.D.
1993, AT 9 O'CLOCK A.M.

A CERTIFIED COPY OF THIS CERTIFICATE HAS BEEN FORWARDED TO
THE NEW CASTLE COUNTY RECORDER OF DEEDS FOR RECORDING.



William T. Quillen

William T. Quillen, Secretary of State

2370864 8100M

933635083

AUTHENTICATION: 7009570

DATE: 01-26-94

CERTIFICATE OF MERGER
OF
ESSROC LOGANSPOUT CORPORATION
(a Delaware Corporation)
AND
EMAI CORPORATION
(a Pennsylvania corporation)
INTO
ESSROC MATERIALS INC.
(a Pennsylvania Corporation)

The undersigned corporation

DOES HEREBY CERTIFY:

FIRST: That the name and state of incorporation of each of the constituent corporations of the merger is as follows:

<u>Name</u>	<u>State of Incorporation</u>
ESSROC Logansport Corporation	Delaware
EMAI Corporation	Pennsylvania
ESSROC Materials Inc.	Pennsylvania

SECOND: That an Agreement and Plan of Merger between the parties to the merger has been approved, adopted, certified, executed and acknowledged by each of the constituent corporations in accordance with the requirements of Section 252 of the General Corporation Law of Delaware, as amended.

THIRD: That the name of the surviving corporation of the merger is ESSROC Materials Inc., a Pennsylvania corporation.

FOURTH: That the Articles of Incorporation of ESSROC Materials Inc., a Pennsylvania corporation, which is the surviving corporation, shall continue in full force and effect as the Articles of Incorporation of the surviving corporation.

FIFTH: That the executed Agreement and Plan of Merger is on file at the principal place of business of the surviving corporation, the address of which is Mountain Heights Center, 430 Mountain Avenue, Murray Hill, NJ 07974.

SIXTH: That a copy of the Agreement and Plan of Merger will be furnished, on request and without cost, to any stockholder of ESSROC Logansport Corporation.

SEVENTH: That ESSROC Materials Inc. survives the merger and may be served with process in the State of Delaware in any proceeding for enforcement of any obligation of ESSROC Logansport Corporation as well as for enforcement of any obligation of the surviving corporation arising from the merger, including any suit or other proceeding to enforce the right of any stockholder as determined in appraisal proceedings pursuant to the provisions of Section 262 of the General Corporation Law of Delaware, and it does hereby irrevocably appoint the Secretary of State of Delaware as its agent to accept service of process in any such suit or other proceeding. The address to which a copy of such process shall be mailed by the Secretary of State of Delaware is Mountain Heights Center, 430 Mountain Avenue, Murray Hill, NJ 07974 until the surviving corporation shall have


hereafter designated in writing to the said Secretary of State a different address for such purpose.

EIGHTH: That this Certificate of Merger shall be effective on December 31, 1993 at the close of business.

Dated: December 17, 1993

ESSROC MATERIALS INC.

By:



Name: Robert M Rayner

Title: Senior Vice President

ATTEST:

By:



Name: Gordon C. Andrews

Title: Senior Vice President
and Secretary

JUL 19 1995

License No. 34-09123-02
Docket No. 030-31763
Control No. 122037

Mr. Daniel Wingard
Radiation Safety Officer
ESSROC Materials, Inc.
P. O. Box 779
Bessemer, PA 16112

Dear Mr. Wingard

This is in reference to your application received July 11, 1995 to renew byproduct materials License No. 34-09123-02. In order to continue our review, we need the following additional information:

1. It appears from your letter that a possible change of ownership has occurred. 10 CFR 30.34(b) requires NRC consent prior to a change of ownership. Provide the following information:
 - a. Any planned changes in personnel having control over licensed activities (e.g., officers of the corporation) and any changes in personnel named in the license such as the radiation safety officer, authorized users, or any other persons identified in previous license applications as responsible for radiation safety of use of licensed material.
 - b. An indication of whether you will remain in non-licensed business without the license.
 - c. A complete, clear description of the transaction. The description should include any transfer of stocks or assets, mergers, etc.
 - d. Any planned changes in organization, location, facilities, storage or uses of licensed material, equipment or procedures. If such changes are to be made, they should be fully described.
 - e. A detailed description of any changes in the use, possession or storage of licensed materials.
 - f. An indication of whether all surveillance items and records, (e.g., calibrations, leak tests, surveys, inventories and accountability requirements) will be current at the time of transfer.

OFFICIAL RECORD COPY

ML 10

- g. A description of the status of the facility. Specifically, the presence or absence of radioactive contamination should be documented. If contamination is present, will decontamination occur before transfer? If decontamination does not occur before the transfer, does the successor company agree to assume full liability for the decontamination of the facility?
 - h. A description of any decontamination plans, including financial assurance arrangements, as required by 10 CFR 30.35, 40.36, and 70.25. Include information about how the transferee and transferor propose to divide the transferor's assets.
 - i. Confirmation that the transferee or successor company agree to abide by all constraints, conditions, requirements, commitments and representations identified in the existing license. These include, but are not limited to: maintaining decommissioning records required by 10 CFR 30.35(g); implementing decontamination activities and decommissioning of the site; and completing corrective actions for open inspection items and enforcement actions. If not, the transferee must provide a description of its program to assure compliance with the license and regulations.
 - j. Documentation that both the transferor and the transferee agree to the change in ownership or control of the licensed material and activity, and the conditions of transfer, and that the transferee has been made aware of all open inspection items and possible resulting enforcement actions.
2. Your application should have been signed by a management representative rather than the Radiation Safety Officer. Please submit a letter signed by a management representative indicating that management has reviewed the application and concurs in the statements and representations contained therein. Note also that a management representative should sign all future correspondence which request change in your license.
3. Item 8 of your application discusses instruction to be provided to employees whose duties may warrant their working in the vicinity of the nuclear gauges. Please provide an outline of the training to be provided to these individuals and show its equivalency to the training offered by the device installer. Confirm that the training will be conducted by the Radiation Safety Officer.

- 4.. The following questions are in regard to your Facilities and Equipment.
- a. Item 8 of your application states that there are "four sealed gauges devices", however, in Item 9 of your application, you list three gauges. Please provide the number of gauges at your facility.
 - b. Your application did not include a sketch or description of the proposed location of each gauge within your facility. 10 CFR 30.33(a)(2) states, in part, that an application will be approved, if among other things, the applicant's proposed equipment and facilities are adequate to protect the health and to minimize danger to life or property. Please provide a sketch/description of the proposed locations of gauges in your facility.
 - c. Provide information on the proposed maintenance you will perform on the gauges, including (but not limited to) the frequency, checks for proper shutter operation, and checks that labels are legible and visible.
 - d. Confirm that you will develop and implement emergency procedures to be followed in the event of accidents involving damage to the gauge, including the names and telephone numbers of the "responsible individuals" within the organization who should be notified and who would then notify the NRC.
5. Your application states that leak testing will be performed by ESSROC Materials, Inc. and results will be determined by a qualified independent lab.
- a. Please submit the applicable NRC or Agreement State license number for the firm that will perform the analysis of the leak tests performed on gauges at your facility.
 - b. Provide the commercial kit model number used to perform the leak test.
 - c. Confirm that the Radiation Safety Officer will perform the leak tests of the nuclear gauges at your facility.
6. Your application states that the installation, radiation survey, relocation, maintenance, repair, and removal of the units, as well as the installation, replacement and disposal of the sealed sources will be done by the unit's supplier an independent lab, or other persons specifically auathorized by the Commission to perform said service. These services can be performed only by persons specifically licensed by the Commission or an Agreement State to perform such services. Please clafify the phrase, an independent lab.

7. Item 8 of your application states that employees whose duties may warrant their working within the vicinity of the four sealed gauge devices shall receive instructions to include lock out procedures. Please confirm the following:
- a. The lock-out procedures specify the means for preventing employees from entering the radiation beam during mainenance, repairs or other work where nuclear gauges are mounted.
 - b. Lock-out procedures will be provided to employees who may work in the viciinity of the nuclear gauges.
 - c. Lock-out procedures will be posted in the vicinity of the nuclear gauges.
 - d. The Radiation Safety Officer is responsible for ensuring that the lock-out procedures are followed.
8. Please confirm that you will follow written procedures provided by the nuclear gauge manufacturer. We will continue our review upon receipt of this information.

Please reply in duplicate to my attention at the Region I office and refer to Mail Control No. 122037. If you have any questions regarding this deficiency letter, please call me at (610) 337-6951.

In order to continue prompt review of your application, we request that you submit your response to this letter within 30 calendar days from the date of this letter.

Sincerely,
Original Signed By
James M. Bondick

James M. Bondick
Nuclear Materials Safety Branch
Division of Radiation Safety
and Safeguards

License No. 34-09123-02
Docket No. 030-31763
Control No. 122037

Enclosures:

1. 10 CFR Parts 2, 19, 20, and 30
2. Draft Regulatory Guide Task FC 404-4

DOCUMENT NAME: R:\WPS\DLTR\D3409123.02

OFFICE	DRSS/RI					
NAME	JBondick/jmb					
DATE	07/19/95	07/ /95	07/ /95	07/ /95	07/ /95	

OFFICIAL RECORD COPY

(10-84)
10 CFR 30, 32, 33
34, 35, 36, 39 and 40

APPLICATION FOR MATERIAL LICENSE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST 9 HOURS. SUBMITTAL OF THE APPLICATION IS NECESSARY TO DETERMINE THAT THE APPLICANT IS QUALIFIED AND THAT ADEQUATE PROCEDURES EXIST TO PROTECT THE PUBLIC HEALTH AND SAFETY. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (T-8 F33), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20555-0001, AND TO THE PAPERWORK REDUCTION PROJECT (3150-0120), OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503.

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND,
MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA,
RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

LICENSING ASSISTANT SECTION
NUCLEAR MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406-1415

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO
RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA,
SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION II
101 MARIETTA STREET, NW, SUITE 2900
ATLANTA, GA 30323-0199

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN,
SEND APPLICATIONS TO:

MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
801 WARRENVILLE RD.
LISLE, IL 60532-4351

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS,
LOUISIANA, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA,
OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH,
WASHINGTON, OR WYOMING, SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
811 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TX 76011-8064

030-31763

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

1. THIS IS AN APPLICATION FOR (Check appropriate item)

- ☐ A. NEW LICENSE
☐ B. AMENDMENT TO LICENSE NUMBER _____
☒ C. RENEWAL OF LICENSE NUMBER 3409123-02

2. NAME AND MAILING ADDRESS OF APPLICANT (Include Zip code)

ESSROC Materials Inc.
P.O. Box 779
Bessemer, PA 16112

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

ESSROC Materials Inc. (Successor to EMAI Corporation by
2nd Street way of merger)
Bessemer, PA 16112

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Daniel Wingard
Radiation Safety Officer
TELEPHONE NUMBER
(412) 667-7702 ext. 354

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL

- a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time.

6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS

9. FACILITIES AND EQUIPMENT

10. RADIATION SAFETY PROGRAM

11. WASTE MANAGEMENT

12. LICENSEE FEES (See 10 CFR 170 and Section 170.31)

FEE CATEGORY I-C

AMOUNT
ENCLOSED \$ 680.00

13. CERTIFICATION (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 39 AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 (2 STAT. 749) MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

CERTIFYING OFFICER - TYPED/PRINTED NAME AND TITLE

SIGNATURE

DATE

Daniel Wingard, Radiation Safety Officer

FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
-------------	---------	--------------	-----------------	--------------	----------

APPROVED BY

DATE

OFFICIAL RECORD COPY ML 10

REC'D IN LAS JUL 11 1995

122037

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

(FOR LFMS USE)
INFORMATION FROM LTS

PROGRAM CODE: 03120
STATUS CODE: 0
FEE CATEGORY: 3P
EXP. DATE: 19950731
FEE COMMENTS: _____
DECOM FIN ASSUR REQD: _____
.....

LICENSE FEE TRANSMITTAL

A. REGION I

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: EMAI, INC.
RECEIVED DATE: 950711
ODCKET NO: 3031763
CONTROL NO.: 122037
LICENSE NO.: 34-09123-02
ACTION TYPE: TERMINATION

2. FEE ATTACHED

AMOUNT: _____
CHECK NO.: _____

3. COMMENTS

SIGNED _____
DATE 7/12/95

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED /__/)

1. FEE CATEGORY AND AMOUNT: _____

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:

AMENDMENT _____
RENEWAL _____
LICENSE _____

3. OTHER _____

SIGNED _____
DATE _____

EXEMPT

Termination
03 & 07 entered
for 7/14/95
(Also see 12/921)

July 1
B. Brown