



040086981005

40-8698

RETURN ORIGINAL TO PDR, HQ.

Shootaring Operations; Box 2111-Ticaboo, Lake Powell, UT 84533

(801) 788-2120

January 5, 1993

CERTIFIED MAIL, RETURN RECEIPT REQUESTED

U. S. Nuclear Regulatory Commission
Uranium Recovery Field Office
P. O. Box 25325
Denver, CO 80225

LOCKETED

JAN 12 1993

USNRC
MAIL SECTION
DOCKET CLERK

93 ENE 11 P2 58

URFO
RECEIVED

RE: Effluent Monitoring Report - SUA-1371, Docket No. 40-8698

Gentlemen:

Enclosed please find the original and four copies of the amended Effluent Monitoring Report for the Shootaring Canyon Uranium Processing Facility for the period from July 1, 1992 through December 31, 1992. This report is submitted in accordance with the requirements of 10 CFR 40.65.

Sincerely,

Vance Morrill

Vance Morrill
Environmental Radiological Health Technician

Enclosures

cc: GBuller
NSavignac

9302180291 930105
PDR ADOCK 04008698
C PDR

DESIGNATED ORIGINAL

170020

By *Mary C. Wood*

93-0163 Df02

EFFLUENT MONITORING REPORT

(10 CFR 40.65)

Report Period: July 1, 1992 through December 31, 1992

Shoothering Canyon Uranium Processing Facility
Garfield County, Utah
NRC License No. SUA-1371
Docket No. 40-8698

Prepared by:

Plateau Resources Limited
Box 2111-Ticaboo
Lake Powell, UT 84533

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1-1
2.0 SUPPLEMENTAL NOTES	2-1
3.0 AIR SAMPLES	3-1
3.1 PARTICULATES, HIGH VOLUME AIR SAMPLING . .	3-1
4.0 WATER SAMPLES	4-1
5.0 Ground water flow rate & Diretion	5-1

1.0 INTRODUCTION

The following Effluent Monitoring Report is presented to comply with requirements in accordance with 10 CFR 40, section 40.65, for the Shootaring Canyon Uranium Processing Facility, Source Material License No. SUA-1371, Docket No. 40-8698, operated by Plateau Resources Limited, Box 2111-Ticaboo, Lake Powell, UT 84533.

The sampling data represents the time period from July 1, 1992 through December 30, 1992.

SUPPLEMENTAL NOTES

1. The "% MPC" column refers to the 10 CFR, Part 20, Appendix B, Table II values for unrestricted areas:

	MPC Air (uCi/ml)
U-Natural	5.0 E-12
Ra-226	2.0 E-12
Rn-222	3.0 E-09

2. Values are presented using the "E" format, i.e.:

$$1.2 \text{ E-16} = 1.2 \times 10^{-16}$$

3. All airborne particulate samples were collected using continuous high volume sampling techniques.
4. Lower limits of detection (LLD) and all analyses for the period of July 1, 1992 through December 31, 1992 were calculated and performed by outside laboratories; Barringer Laboratories, Inc., of Golden Co.
5. Gross concentrations are the sum of naturally occurring background concentrations and mill generated effluents. Similarly, gross exposure rates are the sum of naturally occurring background exposure rates and mill generated exposure rates.

3.0 AIR SAMPLES - 2nd Half, 1992

3.1 PARTICULATES, High Volume Air Samples

Date: 6/1/92 to 12/31/92
Location: AP-3 - Downwind; Sampled 20 hours per quarter.

<u>Radionuclide</u>	<u>Gross Concentration and Error Estimate (uCi/ml)</u>	<u>LLD (uCi/ml)</u>	<u>% MPC</u>
U-Nat	1.50 E-15	0.5 E-16	0.075
R-226	0.00 E-16 \pm 1.50 E-16	1.5 E-16	0.00

4.0 WATER SAMPLES

4.1 Groundwater Monitoring Wells

Date: 10-12-92

Location: RM-1

Type: Radiological Monitoring Well (hydrologically upgradient from tailings impoundment).

<u>Radionuclide</u>	<u>Gross Concentration and Error Estimate (uCi/ml)</u>	<u>LLD (uCi/ml)</u>
U-Nat	3.00 E-9	3 E-13
Ra-226	0.00 E-9 \pm 0.3 E-9	2 E-10

Date: 10-12-92

Location: RM-1

<u>CHEMICAL PARAMETER</u>	<u>CONCENTRATION (mg/l)</u>	<u>LLD (mg/l)</u>
As	0.003	0.001
Se	<0.002	0.001
pH	8.69 pH units	0.1 pH units
chloride	6.00	1.

4.1 Groundwater Monitoring Wells

Date: 10-15-92

Location: RM-4

Type: Radiological Monitoring Well (hydrologically downgradient from tailings impoundment).

<u>Radionuclide</u>	<u>Gross Concentration and Error Estimate (uCi/ml)</u>	<u>LLD (uCi/ml)</u>
U-Nat	2.20 E-9	3 E-13
Ra-226	0.00 E-9 \pm 0.40 E-9	2 E-10

Date: 10-15-92

Location: RM-4

<u>CHEMICAL PARAMETER</u>	<u>CONCENTRATION (mg/l)</u>	<u>LLD (mg/l)</u>
As	<0.004	0.001
Se	<0.002	0.001
pH	7.84 pH units	0.1 pH units
Chloride	7.00	1.

4.1 Groundwater Monitoring Wells

Date: 10-14-92

Location: RM-5

Type: Radiological Monitoring Well (hydrologically downgradient from tailings impoundment).

<u>Radionuclide</u>	<u>Gross Concentration and Error Estimate (uCi/ml)</u>	<u>LLD (uCi/ml)</u>
U-Nat	2.80 E-9	3 E-9
Ra-226	0.00 E-9 \pm 0.5 E-9	2 E-10

Date: 10-14-92

Location: RM-5

<u>CHEMICAL PARAMETER</u>	<u>CONCENTRATION (mg/l)</u>	<u>LLD (mg/l)</u>
As	<0.003	0.001
Se	<0.002	0.001
pH	8.00	0.1 pH units
Chloride	7.0	1.0

4.1 Groundwater Monitoring Wells

Date: 10-13-92
Location: RM-6

Type: Radiological Monitoring Well (hydrologically downgradient from tailings impoundment).

<u>Radionuclide</u>	<u>Gross Concentration and Error Estimate (uCi/ml)</u>	<u>LLD (uCi/ml)</u>
U-Nat	2.00 E-9	3 E-13
Ra-226	0.00 E-9 \pm 0.40 E-9	2 E-10

Date: 10-13-92
Location: RM-6

<u>CHEMICAL PARAMETER</u>	<u>CONCENTRATION (mg/l)</u>	<u>LLD (mg/l)</u>
As	0.003	0.001
Se	0.002	0.001
pH	9.56 pH units	0.1 pH units
Chloride	6	1.0

1992 Flow Rate & Direction

Woodward Clyde Consultants

Ground Water Well

RM-1 4273.23



0 200 400 600
SCALE IN FEET

4264.96 4264.59

HYDRAULIC GRADIENT

$$\text{RM-1 TO RM-4} = \frac{33.08}{2927} = 0.0113$$

$$\text{RM-1 TO RM-6} = \frac{34.50}{2943} = 0.0117$$

$$\text{RM-4 TO RM-6} = \frac{1.42}{401} = 0.0035$$

GROUND SURFACE ELEVATIONS

RM-1 4447.4
RM-4 4376.4
RM-6 4372.8

4248.42 4247.35

— INSERT WATER LEVEL ELEVATIONS

4240.15 RM-4
4238.73 RM-6

Rate 0.006552
DAY F²

61,000

62,000

Job No 90124
Prepared by K. A. M.
Date 2/22/85

HYDRAULIC GRADIENT AND
FLOW DIRECTION WORKSHEET
PLATEAU RESOURCES LTD